

Exam PAP-001 Demo - PAP-001 Latest Exam Pass4sure



P.S. Free & New PAP-001 dumps are available on Google Drive shared by Exam4PDF: <https://drive.google.com/open?id=1n3s5o00Ay5K8oVJOPOKY1MVJ5QNis2Dy>

As old saying goes, no pains, no gains. You must depend on yourself to acquire what you want. No one can substitute you with the process. Of course, life has shortcut, which can ensure you have a bright future. Our PAP-001 study materials will become your new hope. If you are ambitious and diligent, our study materials will lead you to the correct road. Thousands of people have regain hopes for their life after accepting the guidance of our PAP-001 Study Materials. You should never regret for the past.

Are you an aspiring Ping Identity professional looking to pass the Certified Professional - PingAccess (PAP-001) exam? Look no further than our platform for real PAP-001 exam dumps. Many candidates struggle to find reliable study materials, leading them to prepare with outdated material and ultimately waste their resources. But with our platform, you can access updated Ping Identity PAP-001 Practice Questions and pass the certification test on your first try. Don't let a lack of credible study materials hold you back - trust our platform to help you achieve your career goals.

>> Exam PAP-001 Demo <<

PAP-001 Latest Exam Pass4sure - Free PAP-001 Braindumps

Our Ping Identity PAP-001 exam questions are designed to provide you with the most realistic PAP-001 Exam experience possible. Each question is accompanied by an accurate answer, prepared by our team of experts. We also offer free Ping Identity PAP-001 Exam Questions updates for 1 year after purchase, as well as a free PAP-001 practice exam questions demo before purchase.

Ping Identity PAP-001 Exam Syllabus Topics:

Topic	Details

Topic 1	• General Maintenance and File System: This section of the exam measures the skills of System Engineers and addresses maintenance tasks such as license management, backups, configuration imports or exports, auditing, and product upgrades. It also includes the purpose of log files and an overview of the PingAccess file system structure with important configuration files.
Topic 2	• Policies and Rules: This section of the exam measures the skills of Security Administrators and focuses on how PingAccess evaluates paths for applying policies and resources. It covers the role of different rule types, their configuration, and the implementation of rule sets and rule set groups for consistent policy enforcement.
Topic 3	• Security: This section of the exam measures skills of Security Administrators and highlights how to manage certificates and certificate groups. It covers the association of certificates with virtual hosts or listeners and the use of administrator roles for authentication management.

Ping Identity Certified Professional - PingAccess Sample Questions (Q39-Q44):

NEW QUESTION # 39

An organization wants to take advantage of a new product feature that requires upgrading the PingAccess cluster from 7.3 to the current version. The administrator downloads the required files and places the files on the PingAccess servers. What should the administrator do next?

- A. Upgrade the Replica Admin.
- B. Disable cluster communication.
- C. Upgrade the Admin Console.
- D. Disable Key Rolling.

Answer: C

NEW QUESTION # 40

An administrator needs to configure a signed JWT identity mapping for an application that expects to be able to validate the signature. Which endpoint does the application need to access to validate the signature?

- A. /pa-admin-api/v3/identityMapping/descriptors/jwtidentitymapping
- B. /pa-admin-api/v3/authTokenManagement
- C. /pa/authtoken/JWKS
- D. /pa/aidc/cb

Answer: C

Explanation:

Applications consuming signed JWTs need the JSON Web Key Set (JWKS) endpoint to retrieve the public keys used for validating JWT signatures. PingAccess exposes this at /pa/authtoken/JWKS.

Exact Extract:

"When using JWT identity mapping, applications can obtain the signing keys from the /pa/authtoken/JWKS endpoint to validate the JWT signature."

* Option A is correct - /pa/authtoken/JWKS provides the key set for signature validation.

* Option B is incorrect - that's an administrative API for configuring identity mappings, not a runtime validation endpoint.

* Option C is incorrect - /pa/aidc/cb is the OIDC callback endpoint.

* Option D is incorrect - /pa-admin-api/v3/authTokenManagement is for admin token management, not JWT validation.

Reference: PingAccess Administration Guide - JWT Identity Mapping

NEW QUESTION # 41

Which element in the log4j2.xml file must be modified to change the log level in PingAccess?

- A. AsyncLogger

- B. Appenders
- C. RollingFile
- D. Logger

Answer: D

Explanation:

In Log4j2, the `Logger` element controls the log level (INFO, DEBUG, ERROR, etc.) for specific packages or classes.

Exact Extract:

"To modify logging levels, edit the `<Logger>` element in `log4j2.xml` and change the level attribute."

- * Option A (AsyncLogger) is a performance optimization, not for changing levels.
- * Option B (RollingFile) defines file rotation, not log levels.
- * Option C (Logger) is correct - this is where log levels are defined.
- * Option D (Appenders) define output destinations, not severity levels.

Reference: PingAccess Administration Guide - Log Configuration

NEW QUESTION # 42

An application is hosted on a server that requires clients to authenticate using a username:password pair. This application is behind PingAccess, which is acting as a gateway. What action should the administrator take to allow PingAccess to access the application?

- A. Apply an Identity Mapping that includes the username and password
- B. Configure a Basic Authentication Site Authenticator to the Site
- C. Configure a Mutual TLS Site Authenticator to the Site
- D. Apply a valid Web Session that contains the username and password

Answer: B

Explanation:

When a back-end site requires HTTP Basic Authentication, PingAccess supports this via a Basic Authentication Site Authenticator.

The authenticator is configured with credentials so that PingAccess can successfully authenticate to the target site.

Exact Extract:

"PingAccess can authenticate to target sites using a Site Authenticator. Use the Basic Authentication Site Authenticator when the site requires a username and password."

- * Option A is incorrect - identity mappings are used to forward user attributes, not for site-to-site authentication.
- * Option B is incorrect - web sessions represent end-user sessions, not back-end credentials.
- * Option C is correct - the Basic Authentication Site Authenticator should be configured on the Site.
- * Option D is incorrect - mTLS authenticates with certificates, not username/password.

Reference: PingAccess Administration Guide - Site Authenticators

NEW QUESTION # 43

Any user who accesses an application must be in sales unless the user is a manager in the marketing department. The administrator creates the following web session rules:

- * (A) Look for department = sales
- * (B) Look for department = marketing
- * (C) Look for job_title = manager

Which additional actions should be taken to properly enforce this requirement?

- A. Create a Rule Set (D) to accept ANY (A) # Create a Rule Set (E) to accept ALL (B) (C) # Create a Rule Set Group (F) to accept ANY (D) (E) # Add Rule Set Group (F) to the resource
- B. Create a Rule Set (D) to accept ALL (A) # Create a Rule Set (E) to accept ANY (B) (C) # Create a Rule Set Group (F) to accept ALL (D) (E) # Add Rule Set Group (F) to the resource
- C. Create a Rule Set (D) to accept ALL (A) (B AND C) # Add Rule Set (D) to the resource
- D. Create a Rule Set (D) to accept ANY (A) (B) (C) # Add Rule Set (D) to the resource

Answer: A

Explanation:

The requirement is:

- * Allow access if user is in sales

Reference: PingAccess Administration Guide - Rule Sets and Rule Set Groups

• • • • •

P.S. Free 2026 Ping Identity PAP-001 dumps are available on Google Drive shared by Exam4PDF: <https://drive.google.com/open?>

id=1n3s5o00Ay5K8oVJOPOKY1MVJ5QNis2Dy