

# Pass C\_ADBTP Guide | Exam C\_ADBTP Cost

**Tazpy** (เตรียมตัวให้พร้อม!) **7 วันรวด** ของขวัญ ปีใหม่ 2026

จาก กทพ. พร้อมคืนเงิน **Easy Pass 50%**

**ช่วงเวลาที่เปิดให้ขึ้นฟรี**  
เริ่มตั้งแต่ : 30 ธันวาคม 2568 เวลา 00.01 น.  
สิ้นสุดวันที่ : 5 มกราคม 2569 เวลา 24.00 น.  
**รวมระยะเวลา : 7 วันเต็ม**

**แคมเปญพิเศษ EASY PASS...Cashback**  
ลดพิเศษ **คืนค่าผ่านทาง 50%** สำหรับผู้ใช้บริการ Easy Pass เท่านั้น  
วันเดียวเท่านั้น! **6 มกราคม 2569** เวลา: 00.01 - 24.00 น.

<b>ทางพิเศษบูรพาวิถี</b> (บางนา-ตราด) <b>20</b> ตัน	<b>ทางพิเศษกาญจนาภิเษก</b> (บางพลี-สุพรรณบุรี) <b>30</b> ตัน	<b>ทางพิเศษเฉลิมมหานคร</b> (ท่าพระจันทร์-1) <b>19</b> ตัน
<b>ทางพิเศษศรีรัช</b> (ท่าพระจันทร์-2) <b>31</b> ตัน	<b>ทางพิเศษอุดรรัถยา</b> (บางปะอิน-ท่าเรือ) <b>10</b> ตัน	

" เดินทางปลอดภัย เชฟงบในกระเป๋า แล้วไปฉลองปีใหม่ให้เจ้าปอดค่ะ ! "

There are three versions C\_ADBTP exam bootcamp, you can choose one according to your preference. C\_ADBTP PDF version can both practice in the electronic device and in the paper, if you like to practice on paper, and you just need to print them C\_ADBTP Soft exam engine can simulate the real exam environment, and this version will help you to know the process of the exam, so that you can relieve your nerves. C\_ADBTP Online Exam engine supports all web browsers, and it can also have a performance review, therefore you can have a review of about what you have learned.

Most of the candidates who plan to take the C\_ADBTP certification exam lack updated practice questions to ace it on the first attempt. Due to this, they fail the Administrating SAP Business Technology Platform(C\_ADBTP\_2601) (C\_ADBTP) test, losing money and time. And in some cases, applicants fail on the second attempt as well because they don't prepare with C\_ADBTP Actual Exam questions. This results in not only the loss of resources but also the motivation of the candidate.

>> Pass C\_ADBTP Guide <<

## Exam C\_ADBTP Cost | New C\_ADBTP Test Voucher

In order to survive in the society and realize our own values, learning our C\_ADBTP practice engine is the best way. Never stop improving yourself. The society warmly welcomes struggling people. You will really benefit from your correct choice. Our C\_ADBTP Study Materials are ready to help you pass the exam and get the certification. You can certainly get a better life with the certification. Please make a decision quickly. We are waiting for you to purchase our C\_ADBTP exam questions.

## SAP Administrating SAP Business Technology Platform(C\_ADBTP\_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

## SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape. Set the instance name to cf-eu-hcm-dev and the org name to btpops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops#####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

## Enable Cloud Foundry

1

Basic info



Enter basic info for your environment instance.

Environment: \*

Can't find what you're looking for?

Cloud Foundry Runtime

Plan: \*

standard

Landscape: \*

cf-eu10-005

Instance Name: ⓘ

cf-eu-hcm-dev

Org Name: \*

bt pops -eu-hcm-dev



Cloud Foundry API endpoints may differ between subaccounts in the same region. The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

Create Cancel

**Subaccount: EU HCM Dev - Overview**

BTP Admin Certification / Europe / Human Resources / EU HCM Dev

General Cloud Foundry Environment Entitlements

**General**

37 Entitlements 1 Instances and Subscriptions

Subdomain: bt pops3451-eu-hcm-dev Provider: Amazon Web Services (AWS) Used for Platform: No Created By: [User]

Tenant ID: da5de498-37be-400b-9965-7ca1757cc3f5 Region: Europe (Frankfurt) - AWS Beta Features: Disabled Created On: March 27, 2026, 11:21:55 PM GMT+05:00

Subaccount ID: da5de498-37be-400b-9965-7ca1757cc3f5 Environment: Multi-Environment Modified On: March 27, 2026, 11:22:17 PM GMT+05:00

Open in Audit Log Viewer

**Cloud Foundry Environment**

Information not available to you. You must be an org member. Go to S&A

API Endpoint: <https://api.cf.eu10-005.hana.ondemand.com>

Org Name: bt pops3451-eu-hcm-dev Spaces (0) Create Space

Name	Applications	Service Instances
No spaces defined in this subaccount.		

Manage environment instance

Disable Cloud Foundry

Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.




Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.



Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory  
For App Instances, set:  
Unlimited  
Then save the quota.

### Create Space Quota

**i** You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach.  
To assign the "Unlimited" value, use -1.

Name: \*

Space Memory (MB): \*   
Org Quota: 1024 MB (1GB)

Routes: \*   
Org Quota: 10

Service Instances: \*   
Org Quota: 500

Memory per Instance (MB): \*   
Org Quota: 16384 MB (16GB)

App Instances: \*   
Org Quota: Unlimited

Allow Paid Services:  OFF

**SAP**

#### Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

#### How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

#### Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100


If instance memory = 2 GB, enter 1 GB

#### What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.



Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment


Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording



**Edit Quota Assignment**

Space:  
activity-recording

Quota:  
 Org Quota  
 Space Quota

Name: \*

**Save** **Cancel**

Subaccount: EU HCM Dev - Space Quotas

Space Quotas **Quota Assignments**

Quota Assignments (1)

Space	Space Quota	Actions
activity-recording	half-org-quota	

Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is bt pops#####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly bt pops#####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.

Creating the quota but not assigning it to activity-recording.

## NEW QUESTION # 11

### SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

**Answer:**

Explanation:

See the Explanation below for complete solution

Explanation:

## Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

### Create Directory

Display Name \*

Americas

Description

Americas Accounts

Parent \*

BTP Admin Certification xxxxx

> Advanced

Cockpit supports multi-level directories in your account structure.  
You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.

SAP

Create Cancel

Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account  
Click Create.

### Create Directory

Display Name \*  
Eurasia

Description  
Eurasia Accounts ®

Parent \*  
BTP Admin Certification xxxxx

> Advanced

Cockpit supports multi-level directories in your account structure.  
You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.

Create Cancel

Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.



The screenshot shows a table of directories in SAP. The table has columns for Name, Type, Enrollment, Partner, and Region. The rows are:

Name	Type	Enrollment	Partner	Region
BTP Admin Certification xxxxx	Global Account			
Americas	Directory	March 26, 2020, 9:27:51		
Eurasia	Directory	March 26, 2020, 9:28:00		

A context menu is open over the 'Eurasia' row, showing options: Go to Overview, More Info, Create Directory, Create Subaccount, and Delete.

**Select Parent**

Search

Show only directories I can create in Expand All Collapse All

▼ BTP Admin Certification xxxx

- Americas
- Eurasia

**Create Directory** Select Cancel

**Display Name \***

**Description**

**Parent \***

Enable entitlement management i

Enable user management i

**Add labels to this directory.** i

<b>Name:</b>	<b>Values:</b>
<input type="text" value="access"/>	<input type="text" value="external"/>
<input type="button" value="+"/>	<input type="button" value="🗑"/>

Explanation:  
 This creates Partner as a child directory under Americas.  
 The label is required and must be entered exactly:  
 access = external  
 This label helps classify the directory.  
 What to verify  
 Under Americas, you should now see:  
 Partner  
 and the directory should contain the label:  
 access=external  
 Step 4 - Create Directory Human Resources under Eurasia  
 What to do  
 Go back to the Directories list.

Select Eurasia.  
 Click Create Directory.  
 Enter:  
 Name: Human Resources  
 Description: Human Resources Accounts  
 Parent: Eurasia  
 In the Labels section, add:  
 Key: access  
 Value: internal  
 Click Create.

Explanation:  
 This creates Human Resources as a child directory under Eurasia.  
 The required label is:  
 access = internal  
 What to verify  
 Under Eurasia, you should now see:  
 Human Resources  
 and the label should be:  
 access=internal  
 Final Expected Directory Structure  
 After completing Task 1, your structure must be exactly like this:  
 Global Account  
 Americas  
 Partner  
 Label: access=external  
 Eurasia  
 Human Resources  
 Label: access=internal

Name	Type	Entitlement	Provider	Labels	Created On	Changed On
Global Account	Global Account				March 20, 2016, 4:16:12	
Americas	Directory				March 20, 2016, 4:20:12	
Partner	Directory			1 label	March 20, 2016, 4:20:12	
Eurasia	Directory				March 20, 2016, 4:16:12	
Human Resources	Directory			1 label	March 20, 2016, 4:16:12	

Important Checks Before Moving On  
 Verify all of the following:  
 Americas exists  
 Eurasia exists

Partner is under Americas  
Human Resources is under Eurasia  
Partner has label access=external  
Human Resources has label access=internal  
All names and descriptions are entered exactly as required  
Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

## **NEW QUESTION # 12**

### **SIMULATION**

Enable Service Subscriptions

Task 2: Entitle and Subscribe a Service in a Subaccount

In your AM PA Prod subaccount, entitle the standard (Application) service plan for SAP Build Work Zone, standard edition.

In the AM PA Prod subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your AM PA Prod subaccount, create a service subscription for SAP Build Work Zone, standard edition with the standard service plan .

### **Answer:**

Explanation:

See the Explanation below for complete solution.

Explanation:

Part A - Entitle the Service Plan in AM PA Prod

Step 1 - Open the AM PA Prod Subaccount

What to do

In the SAP BTP Cockpit, go to Directories.

Open the Partner directory.

Select the subaccount AM PA Prod.

Explanation:

This opens the exact subaccount where the entitlement and subscription must be created.

What to verify

You should now be on the AM PA Prod subaccount page.

Step 2 - Open Entitlements in the Subaccount

What to do


In AM PA Prod, open Entitlements.

Explanation:

SAP documents that subaccount entitlements are configured in the subaccount's entitlement area, where you add service plans and quotas available to that subaccount.

What to verify

You should see the Entitlements screen for AM PA Prod.



### Step 3 - Add the Required Service Plan

What to do

Click Configure Entitlements or Add Service Plans.

Search for:

SAP Build Work Zone, standard edition

Select the service.

Choose the plan:

standard (Application)

Add the service plan.

Save the entitlement changes.

Explanation:

The task requires the standard (Application) plan specifically. SAP's entitlement flow requires you to add the service plan to the subaccount before you can subscribe to the application.

What to verify

Under Entitlements, you should now see:

SAP Build Work Zone, standard edition

plan: standard (Application)

Part B - Establish Trust to the Identity Provider

### Step 4 - Open Trust Configuration

What to do

In the AM PA Prod subaccount, go to:

Security

Trust Configuration

Explanation:

SAP Help states that trust to a custom identity provider is established from the cockpit in Security > Trust Configuration.



What to verify

You should be on the Trust Configuration page of AM PA Prod.

### Step 5 - Start the Trust Setup

What to do

Click Establish Trust or New Trust Configuration.



Explanation:

This opens the wizard or form to add a trusted identity provider for the subaccount. SAP documents this as the standard cockpit flow for custom identity provider trust.

Step 6 - Enter the Identity Provider

What to do

In the trust configuration, use the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard and confirm the trust setup.

Save the configuration.

Explanation:

The simulation explicitly requires trust to that identity provider domain. For SAP Build Work Zone, standard edition, SAP also notes that the subaccount must trust an identity provider before subscription use cases for business users are completed.

What to verify

On the Trust Configuration page, the identity provider

agvlamkzw.accounts.ondemand.com should appear as trusted.

- 1 Choose Tenant
- 2 **Configure Main Information**
- 3 Configure Identity Provider and Parameters
- 4 Review

## 2. Configure Main Information

### Main Information

If you need multiple trust configurations for business users, make sure that you provide an understandable link text. This helps users choose the right identity provider during logon.

Name: \* agvlamkzw.accounts.ondemand.com (business users)

Purpose: Identity provider for business users

Origin Key: \* sap.custom

Description: Identity Authentication tenant agvlamkzw.accounts.ondemand.com used for business users

Previous **Next** Cancel

- 1 Choose Tenant
- 2 Configure Main Information
- 3 **Configure Identity Provider and Parameters**
- 4 Review

## 3. Configure Identity Provider and Parameters

For a good single sign-on experience, choose the same domain for all BTP accounts and non-BTP applications. Choose "Default" to always use the default domain configured in your tenant.

### Identity Provider

SAP Cloud Identity Tenant: agvlamkzw.accounts.ondemand.com

Domain: \* Default

### Parameters


Available for User Logon:

Link Text for User Logon: \* agvlamkzw.accounts.ondemand.com

Create Shadow Users on Logon:

Default for non-interactive logon:

Previous **Next** Cancel



### Part C - Create the Service Subscription

#### Step 7 - Open the Subscription Area

What to do

In AM PA Prod, go to:

Services


Instances and Subscriptions

Explanation:

SAP Help for SAP Build subscriptions points to the subaccount subscription flow after the entitlement is available. In current cockpit usage, subscriptions are created from the subaccount's services are a.

What to verify

You should see the Instances and Subscriptions page.



#### Step 8 - Create the Subscription

What to do

Click Create.

Choose Subscription if a type selection appears.

Search for:

SAP Build Work Zone, standard edition

Select the plan:

standard

Then confirm the creation.

## New Instance or Subscription

1  
Basic Info

2  
Parameters

3  
Review

Enter basic info for your instance or subscription.

**i** Some services are not shown because Cloud Foundry is not enabled. To enable it, select it from the Service dropdown menu and create an instance of it.

Service: \* **i**

[Can't find what you're looking for?](#)

| Select service  **v**

Plan: \*

**v**

**SAP**  
®

Next >

Create

Cancel

## New Instance or Subscription

1

Basic Info

Enter basic info for your instance or subscription.


**i** Some services are not shown because Cloud Foundry is not enabled. To enable it, select it from the Service dropdown menu and create an instance of it.

Service: \* ? Can't find what you're looking for?

SAP Build Work Zone, standard edition ▼

Plan: \*

standard ▼



Create
Cancel

Explanation:

SAP's getting-started guidance for SAP Build Work Zone, standard edition says that once the subaccount has the required entitlement, you can subscribe to the application from the subaccount.

What to verify

You should now see a subscription entry for:

SAP Build Work Zone, standard edition

plan: standard

Step 9 - Confirm the Subscription Is Active

What to do

Check the status of the new subscription in Instances and Subscriptions.

Explanation:

The subscription should be visible and active in the subaccount after creation.


What to verify

You should see:

SAP Build Work Zone, standard edition

subscription created successfully

SAP's guidance for subscription-based applications consistently uses this subaccount subscription flow after entitlement is present.



Final Expected Result for Task 2

Inside AM PA Prod:

the entitlement SAP Build Work Zone, standard edition is assigned

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, standard edition

the subscription uses the standard service plan

Common Mistakes to Avoid

1. Doing the entitlement in the wrong place

This task **must** be done in:

AM PA Prod subaccount

Not only in:

Partner directory

Directory entitlement and subaccount entitlement are different scopes in the cockpit.

2. Choosing the wrong service or wrong plan

Use exactly:

SAP Build Work Zone, standard edition

standard (Application) for entitlement

standard for the subscription selection screen

SAP's service subscription flow starts only after the correct entitlement exists.

3. Skipping trust configuration

The simulation explicitly requires trust to:

agvlamkzw.accounts.ondemand.com

Trust is configured in Security > Trust Configuration.

4. Looking for subscription creation before entitlement

The entitlement must be added first, otherwise the service may not appear in the subscription creation flow.

Quick Validation Checklist

Confirm all of the following in AM PA Prod:

Entitlements contains SAP Build Work Zone, standard edition

the plan is standard (Application)

Trust Configuration shows agvlamkzw.accounts.ondemand.com

Instances and Subscriptions shows SAP Build Work Zone, standard edition the subscription is created successfully

## NEW QUESTION # 13

### SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

**Answer:**

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

**Create Subaccount**

**Display Name \***  
EU HCM Dev

**Region \***  
Europe (Frankfurt) - AWS

**Subdomain \***  
btpops xxxx-eu-hcm-dev

**Description**  
Human Resources Development

**Parent \***  
Eurasia

> **Advanced**

Cockpit supports multi-level directories in your account structure.  
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under **Parent**.

**Create** **Cancel**

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification	Global Account				March 25, 2020, 9:11:2...
Americas	Directory				March 26, 2020, 9:27:5...
Partner	Directory				March 26, 2020, 9:30:3...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2020, 9:30:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2020, 9:30:3...
Human Resources	Directory				March 26, 2020, 9:30:3...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 9:43:0...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 9:46:5...

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: bt pops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

### Create Subaccount

Display Name \*  
EU HCM Prod

Description  
Human Resources Production

Region \*  
Europe (Frankfurt) - AWS

Subdomain \* ⓘ  
btpops xxxx eu-hcm-prod

Parent \*  
Human Resources

Advanced

Used for production ⓘ

Enable beta features ⓘ

Add labels to this subaccount ⓘ

Name	Values
Enter label name ⓘ	

+

Create Cancel

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Name	Type	Enhancement	Provider	Region	Changed On
BT Admin Certification xxxx	Global Account				March 25, 2020, 5:11:2...
Americas	Directory				March 26, 2020, 3:27:0...
Partner	Directory				March 26, 2020, 3:30:3...
APM Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (SR)	March 26, 2020, 3:35:3...
APM Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (SR)	March 26, 2020, 3:39:3...
Europe	Directory				March 26, 2020, 3:28:2...
Human Resources	Directory				March 26, 2020, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 3:48:5...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

bt pops#####-eu-hcm-dev

bt pops#####-eu-hcm-test

bt pops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

## NEW QUESTION # 14

.....

The company is preparing for the test candidates to prepare the C\_ADBTP exam guide professional brand, designed to be the most effective and easiest way to help users through their want to get the test C\_ADBTP certification and obtain the relevant certification. In comparison with similar educational products, our C\_ADBTP Training Materials are of superior quality and reasonable price, so our company has become the top enterprise in the international market. Our C\_ADBTP practice materials have been well received mainly for the advantage of high pass rate as 99% to 100%.

**Exam C\_ADBTP Cost:** [https://www.braindumpsqa.com/C\\_ADBTP\\_braindumps.html](https://www.braindumpsqa.com/C_ADBTP_braindumps.html)

If you are interested in our C\_ADBTP study materials, and you can immediately download and experience our trial question bank for free, SAP Pass C\_ADBTP Guide Therefore, the PDF version is undoubtedly an excellent choice for you, Each year our C\_ADBTP guide torrent: Administrating SAP Business Technology Platform(C\_ADBTP\_2601) does a great favor for thousands of candidates passing the exam and succeeding in getting their credentials, And you will find our C\_ADBTP practice materials are easy to download.

Best Staff Training and Education Practices for Commercial Software, Managing C\_ADBTP storage on the Internet, or for that matter, on any networked environment, includes capital and operational costs that hit the bottom line.

## Free PDF 2026 SAP C\_ADBTP: Administrating SAP Business Technology Platform(C\_ADBTP\_2601) Useful Pass Guide

If you are interested in our C\_ADBTP Study Materials, and you can immediately download and experience our trial question bank for free, Therefore, the PDF version is undoubtedly an excellent choice for you.

Each year our C\_ADBTP guide torrent: Administrating SAP Business Technology Platform(C\_ADBTP\_2601) does a great favor for thousands of candidates passing the exam and succeeding in getting their credentials, And you will find our C\_ADBTP practice materials are easy to download.

The C\_ADBTP exam materials and test software provided by our Braindumpsqa are developed by experienced IT experts, which have been updated again and again.

- Valid Pass C\_ADBTP Guide - Leading Offer in Qualification Exams - Hot Exam C\_ADBTP Cost  Immediately open >

