

1Z0-1084-25 echter Test & 1Z0-1084-25 sicherlich-zu-bestehen & 1Z0-1084-25 Testguide



2025 Die neuesten ITZert 1Z0-1084-25 PDF-Versionen Prüfungsfragen und 1Z0-1084-25 Fragen und Antworten sind kostenlos verfügbar: <https://drive.google.com/open?id=1b9fYuykvTJ5Ch0dRC-ye4pV74b-3tX0z>

Die Schulungsunterlagen zur Oracle 1Z0-1084-25 Zertifizierungsprüfung von ITZert können Ihnen helfen, Ihren Traum zu realisieren, weil es alle Zertifizierungsantworten zur Oracle 1Z0-1084-25 Prüfung hat. Mit ITZert können Sie sich ganz gut auf die Prüfung vorbereiten. Per unsere guten Schulungsunterlagen von guter Qualität können Sie sicher die Oracle 1Z0-1084-25 Prüfung bestehen und eine glänzende Zukunft haben.

Die Fragenkataloge von Oracle 1Z0-1084-25 von unserem ITZert existieren in der Form von PDF und Simulationssoftware. Wir aktualisieren unsere Materialien regelmäßig, so dass Sie immer die aktuellen und genauen Informationen über die Fragenkataloge von Oracle 1Z0-1084-25 erhalten können. Nach langjährigen Bemühungen haben unsere Erfolgsquote von der Oracle 1Z0-1084-25 Zertifizierungsprüfung 100% erreicht.

>> 1Z0-1084-25 Musterprüfungsfragen <<

1Z0-1084-25 Prüfungsübungen - 1Z0-1084-25 Testfragen

Vielleicht sorgen Sie darum, dass Sie mit großem Fleiß die Oracle 1Z0-1084-25 noch nicht bestehen, oder dass Sie kaufen die Software, die eigentlich nicht für Sie geeignet ist. Die Oracle 1Z0-1084-25 Prüfungssoftware von unserer Pass4 test können Ihre Sorgen lösen. Die erste Garantie ist die hohe Bestehensquote. Die zweite Garantie ist, wenn unsere Software für Sie wirklich nicht geeignet ist und Sie die Oracle 1Z0-1084-25 Prüfung nicht bestehen, geben wir Ihnen die vollständigen Gebühren zurück. Deshalb machen Sie keine Sorge! Sie können sich nur unbesorgt auf die Oracle 1Z0-1084-25 Prüfung vorbereiten. Wir ITZert sorgen für alle andere Sachen!

Oracle Cloud Infrastructure 2025 Developer Professional 1Z0-1084-25 Prüfungsfragen mit Lösungen (Q97-Q102):

97. Frage

Which TWO are required to access the Oracle Cloud Infrastructure (OCI) Container Engine for Kubernetes (OKE) cluster from the kubectl CLI? (Choose two.)

- A. An SSH key pair with the public key added to the cluster worker nodes.
- **B. A configured OCI API signing key pair.**
- C. OCI Identity and Access Management (IAM) Auth Token.
- D. Tiller enabled on the OKE cluster.
- **E. Install and configure the OCI CLI.**

Antwort: B,E

Begründung:

The correct options are: A configured OCI API signing key pair: The API signing key pair is used for authentication and authorization to access OCI resources, including the OKE cluster. The private key should be configured on your local machine to authenticate API requests. An SSH key pair with the public key added to the cluster worker nodes: This is required for secure SSH access to the worker nodes in the OKE cluster. You need to generate an SSH key pair and add the public key to the cluster's worker node pool during cluster creation or update. Therefore, the correct options are having a configured OCI API signing key pair and an SSH key pair with the public key added to the cluster worker nodes.

98. Frage

You are developing a distributed application and you need a call to a path to always return a specific JSON content deploy an OCI API Gateway with the below API deployment specification. What is the correct value for type? { "routes": [{ "path": "/hello", "methods": ["Get"], "backend": { "type": "-----", "status": 200, "headers": [{ "name": "Content-Type", "value": "application/json" }], "body": "{ \"myjson\": \"consistent response\"}" }] }

- A. STOCK_RESPONSE_BACKEND
- B. HTTP_BACKEND
- C. CONSTANT_BACKEND
- D. JSON_BACKEND

Antwort: A

Begründung:

The correct value for the "type" field in the API deployment specification is "STOCK_RESPONSE_BACKEND". By setting the "type" to "STOCK_RESPONSE_BACKEND", you are indicating that the backend for the specified route should return a pre-defined response. This type of backend is commonly used when you want a specific response to be returned consistently, regardless of the actual backend service implementation. In this case, the API deployment specification is configured to have a single route with the path "/hello" and the method "GET". The backend section specifies the type as "STOCK_RESPONSE_BACKEND". Additionally, it defines the response status code as 200, sets the "Content-Type" header to "application/json", and provides the JSON content in the "body" field. Using this configuration, any request to the "/hello" path with the "GET" method will always receive a consistent JSON response with the content "{ \"myjson\": \"consistent response\"}".

99. Frage

You encounter an unexpected error when invoking Oracle Functions from your Cloud Shell session named myfunction in the myapp application. Which option will get you more information on the error?

- A. DEBUG=1 fn invoke myapp myfunction
- B. Contact Oracle support with your error message
- C. fn --verbose invoke myapp myfunction
- D. fn --debug invoke myapp myfunction

Antwort: A

Begründung:

The option that will get you more information on the error when invoking Oracle Functions from your Cloud Shell session is: "DEBUG=1 fn invoke myapp myfunction". Setting the environment variable DEBUG=1 before invoking the function using the fn command allows you to enable debug mode, which provides more detailed information about the execution of the function. This can be useful for troubleshooting and understanding the root cause of the error. By using the command "DEBUG=1 fn invoke myapp myfunction", the function invocation will be executed with debug mode enabled, and additional debug information will be displayed in the console output. This information can include stack traces, detailed error messages, and other relevant details that can help identify and resolve the issue. Using the verbose option (--verbose) or debug option (--debug) with the fn command may also provide additional information, but the specific behavior may depend on the version and configuration of the fn CLI tool. While contacting Oracle support with the error message is always an option, enabling debug mode using the DEBUG=1 environment variable provides immediate access to more detailed information and can help in diagnosing and resolving the error more efficiently.

100. Frage

Your Oracle Cloud Infrastructure (OCI) Container Engine for Kubernetes (OKE) administrator has created an OKE cluster with one node pool in a public subnet. You have been asked to provide a log file from one of the nodes for troubleshooting purpose. Which step should you take to obtain the log file?

- A. Use the username opc and password to login.
- B. It is impossible because OKE is a managed Kubernetes service.
- **C. SSH into the nodes using the private key.**
- D. SSH into the node using the public key.

Antwort: C

Begründung:

To obtain a log file from one of the nodes in an Oracle Cloud Infrastructure (OCI) Container Engine for Kubernetes (OKE) cluster, you should SSH into the nodes using the private key. Here's the step-by-step process: Obtain the private key: The private key is required to authenticate and access the nodes in the OKE cluster. You should obtain the private key from your administrator or the appropriate key pair used to create the cluster. SSH into the node: Use a secure shell (SSH) client, such as OpenSSH, to connect to the desired node in the cluster. The SSH command typically includes the private key file path and the public IP address or hostname of the node. Example command: `ssh -i <private_key_file> opc@<node_public_ip>` Replace `<private_key_file>` with the path to the private key file and `<node_public_ip>` with the public IP address of the node you want to access. Navigate to the log file location: Once you have successfully connected to the node, navigate to the directory where the log file is located. The exact location and name of the log file may vary depending on the Kubernetes distribution and configuration. Copy or view the log file: You can either copy the log file from the node to your local machine using the `scp` command or view the contents directly on the node using tools like `cat` or `less`. By following these steps, you will be able to access the log file from the desired node in the OKE cluster for troubleshooting purposes.

101. Frage

Which is the smallest unit of Kubernetes architecture?

- **A. Pod**
- B. Cluster
- C. Container
- D. Node

Antwort: A

Begründung:

The smallest unit of Kubernetes architecture is a Pod. A Pod is a logical grouping of one or more containers that are deployed together on the same host and share the same network namespace, storage, and other resources. It represents the smallest deployable unit in Kubernetes and is used to encapsulate and manage one or more closely related containers. Containers within a Pod are scheduled and deployed together, allowing them to communicate and share resources efficiently.

102. Frage

.....

Auf unterschiedliche Art und Weise kann man verschiedene Zwecke erfüllen. Was wichtig ist, dass man welchen Weg einschlägt. Viele Leute beteiligen sich an der Oracle 1Z0-1084-25 Zertifizierungsprüfung, um seine Lebens- und Arbeitsumstände zu verbessern. Wie alle wissen, dass es nicht so leicht ist, die Oracle 1Z0-1084-25 (Oracle Cloud Infrastructure 2025 Developer Professional) Zertifizierungsprüfung zu bestehen. Für die Prüfung verwendet man viel Energie und Zeit. Traurigerweise haben sie die Oracle 1Z0-1084-25 Prüfung noch nicht bestanden.

1Z0-1084-25 Prüfungsübungen: https://www.itcert.com/1Z0-1084-25_valid-braindumps.html

Oracle 1Z0-1084-25 Musterprüfungsfragen Dann werde ich Ihnen einen Vorschlag geben, nämlich eine gute Ausbildungswebsite zu wählen, Wir sind wirklich stolz auf unseren 1Z0-1084-25 Prüfungsguide, Um unterschiedliche Anforderung der Kunden zu erfüllen, bieten wir Ihnen verschiedene Versionen von 1Z0-1084-25 Trainingsmaterialien, Oracle 1Z0-1084-25 Musterprüfungsfragen Heutzutage, wo IT-Branche schnell entwickelt ist, müssen wir die IT-Fachleuten mit anderen Augen sehen.

Der graue Mann mit dem Stoppelbart und der andere mit der Axt lagen da und 1Z0-1084-25 rührten sich nicht, doch Osha war auf den Knien und kroch zu ihrem Speer hinüber, Wollt Ihr es jetzt einfach wegwerfen und meines noch dazu?

1Z0-1084-25 Der beste Partner bei Ihrer Vorbereitung der Oracle Cloud Infrastructure 2025 Developer Professional

Heutzutage, wo IT-Branche schnell entwickelt ist, müssen IZ0-1084-25 Testfragen wir die IT-Fachleuten mit anderen Augen sehen, My Traum ist es, ein Top-IT-Experte zu werden.

- P.S. Kostenlose 2025 Oracle 1Z0-1084-25 Prüfungsfragen sind auf Google Drive freigegeben von ITZert verfügbar: <https://drive.google.com/open?id=1b9fYuykvTJ5Ch0dRC-ye4pV74b-3tX0z>