

1z1-076 Braindumpsit Dumps PDF & Oracle 1z1-076 Braindumpsit IT-Zertifizierung - Testking Examen Dumps



Außerdem sind jetzt einige Teile dieser It-Prüfung 1z1-076 Prüfungsfragen kostenlos erhältlich: https://drive.google.com/open?id=1_alljaSJvXfnKHam6mGPYGyC40nn4w2

Die Prüfungsunterlagen zur Oracle 1z1-076 Zertifizierungsprüfung von It-Prüfung werden von der Praxis überprüft. Wir können breite Erforschungen sowie Erfahrungen in der realen Welt bieten. Unser It-Prüfung hat mehr als zehnjährige Erfahrungen über Ausbildung, und zwar Fragen und Antworten zur Oracle 1z1-076 Zertifizierungsprüfung. Die Fragenkataloge zur 1z1-076 Zertifizierungsprüfung von It-Prüfung sind die besten Schulungsunterlagen. Wir bieten Ihnen die umfassendsten Zertifizierungsfragen und Antworten und einen einjährigen kostenlosen Update-Service.

It-Prüfung ist eine gute Website, die effiziente Ausbildung zur Oracle 1z1-076 Zertifizierungsprüfung bietet. Und It-Prüfung verspricht, dass Sie die Oracle 1z1-076 Zertifizierungsprüfung bestehen können. Sonst geben wir Ihnen eine volle Rückerstattung. Vorm Kauf unserer Produkte können Sie im Internet teilweise die Demo zur Oracle 1z1-076 Zertifizierungsprüfung von It-Prüfung kostenlos herunterladen. Dann werden Sie mehr Vertrauen in unsere Produkte setzen. Sie können sich dann gut auf Ihre Oracle 1z1-076 Zertifizierungsprüfung vorbereiten.

>> 1z1-076 Quizfragen Und Antworten <<

Neuester und gültiger 1z1-076 Test VCE Motoren-Dumps und 1z1-076 neueste Testfragen für die IT-Prüfungen

Die Zertifizierungsantworten zur Oracle 1z1-076 Zertifizierungsprüfung von It-Prüfung werden von IT-Eliten seit mehr als 10 Jahre durch ihre Forschung und Praxis gesammelt. It-Prüfung hat viele neueste und genaueste Prüfungsunterlagen. It-Prüfung ist für Ihren Erfolg vorhanden. Es bedeutet, dass Sie Erfolg wählen, wenn Sie It-Prüfung wählen. Wenn Sie Oracle 1z1-076 Zertifizierungsprüfungen leicht bestehen wollen, ist It-Prüfung die einzige Wahl für Sie.

Oracle Database 19c: Data Guard Administration 1z1-076 Prüfungsfragen mit Lösungen (Q44-Q49):

44. Frage

You are using Data Guard in conjunction with Global Database Services.

You have a Data Guard Broker configuration called Sales and a GDS pool called Prod.

Which three are true concerning the management of the broker configuration when using GDS?

- A. DGMGRL may be used to add a single database to the Sales configuration even if Sales is a member of the Prod pool.
- B. Adding a database to the Sales configuration with DGMGRL automatically adds the database to the Prod Pool.
- C. DGMGRL may be used to add the Sales configuration to the Prod pool in gds.
- D. Adding a database to the Sales configuration with DGMGRL requires that the Sales configuration be disabled first. It must then be enabled after the new database is added to the configuration.
- E. Performing a role change with DGMGRL automatically notifies GDS which in turn activates the appropriate services.

Antwort: A,C,E

Begründung:

In the context of Oracle Data Guard and Global Database Services (GDS):

DGMGRL may be used to add the Sales configuration to the Prod pool in gds (A): Data Guard Broker's command-line interface DGMGRL can be utilized to manage configurations with GDS, allowing the addition of Data Guard Broker configurations to GDS pools.

Performing a role change with DGMGRL automatically notifies GDS which in turn activates the appropriate services (B): When a role change is executed using DGMGRL, GDS is automatically notified, and it then activates the services that are appropriate for the new database roles.

DGMGRL may be used to add a single database to the Sales configuration even if Sales is a member of the Prod pool (C):

DGMGRL provides the capability to manage individual databases within a broker configuration, including adding databases to a configuration that is already part of a GDS pool.

Reference:

Oracle Data Guard Broker documentation

Oracle Global Data Services documentation

45. Frage

Which three are true regarding prerequisites for a logical standby database as a disaster recovery solution?

- A. Ensure that supplemental logging is enabled on the primary database.
- B. Ensure that no BFILE LOB data types are contained in the primary database.
- C. Ensure that flashback is enabled on the primary database.
- D. Ensure that no ROWID data types are contained in the primary database.
- E. Do not perform any nologging operations on the primary.

Antwort: A,B,E

46. Frage

You must configure flashback database for your Oracle 19c databases that will be part of a Data Guard Broker configuration.

The databases are all in ARCHIVELOG mode.

You will execute the SQL statement:

```
ALTER DATABASE FLASHBACK ON;
```

Which three are true concerning this command?

- A. It will execute successfully while an Oracle 19c primary database is mounted.
- B. It will execute successfully on an Oracle 19c physical standby database while Real Time Query is active.
- C. It will execute successfully while an Oracle 19c primary database is open.

- D. If executed successfully on an Oracle 19c primary database, flashback will also be enabled on all physical standby databases that are part of the configuration.
- E. If executed successfully on an Oracle 19c primary database, flashback will also be enabled on all logical standby databases that are part of the configuration.
- F. It will execute successfully on an Oracle 19c logical standby database while SQL apply is active.

Antwort: A,C,F

Begründung:

The command ALTER DATABASE FLASHBACK ON; enables the Flashback Database feature, which provides a way to quickly revert an entire Oracle database back to a previous point in time. This command can be executed while an Oracle 19c primary database is either open (option A) or mounted (option B). It is also applicable to an Oracle 19c logical standby database while SQL Apply is active (option E). However, it's important to note that enabling Flashback Database on the primary does not automatically enable it on all associated standby databases, whether they are physical or logical. Each database in a Data Guard configuration must have Flashback Database explicitly enabled if desired. Real Time Query being active on a physical standby does not directly relate to the ability to execute this command on the standby. References:

The explanation is based on Oracle's concepts for Flashback Technology and Data Guard configurations as detailed in the Oracle Database Backup and Recovery User's Guide and the Oracle Data Guard Concepts and Administration guide.

47. Frage

A customer has these requirements for their proposed Data Guard implementation:

1. Zero data loss must still be guaranteed through the loss of any one configuration component.
2. The primary database must be protected against a regional disaster.
3. Performance overheads on the primary should be minimized as much as possible given these requirements.
4. Downtime on the primary database for any reason must be kept to a minimum.

Components referred to in the broker commands are:

prima	the primary database
fs1	the Far Sync instance in the primary region
physt	a physical standby database in a remote region
physt1	a physical standby database in the primary
physt2	a physical standby database in a remote region

- A.

```
EDIT DATABASE prima SET PROPERTY REDOROUTES='(LOCAL:fs1 ASYNC)';
EDIT FAR_SYNC fs1 SET PROPERTY REDOROUTES='(prima:physt FASTSYNC)';
EDIT CONFIGURATION SET PROTECTION MODE AS MAXPROTECTION;
```

```
EDIT DATABASE prima SET PROPERTY REDOROUTES='(LOCAL:physt1 FASTSYNC)';
EDIT DATABASE prima SET PROPERTY REDOROUTES='(LOCAL:fs1 SYNC)';
EDIT FAR_SYNC fs1 SET PROPERTY REDOROUTES='(prima:physt2 SYNC)';
EDIT CONFIGURATION SET PROTECTION MODE AS MAXAVAILABILITY;
```

- B.
- C.

```
EDIT DATABASE prima SET PROPERTY REDOROUTES='(LOCAL:physt1 FASTSYNC)';
EDIT DATABASE prima SET PROPERTY REDOROUTES='(LOCAL:fs1 FASTSYNC)';
EDIT FAR_SYNC fs1 SET PROPERTY REDOROUTES='(prima:physt2 ASYNC)';
EDIT CONFIGURATION SET PROTECTION MODE AS MAXAVAILABILITY;
```

```

EDIT DATABASE prima SET PROPERTY REDOBUCKET=(LOCAL:fs1 SYNC)';
EDIT FAR SYNC fs1 SET PROPERTY REDOBUCKET=(prima:physt ASYNC)';
EDIT CONFIGURATION SET PROTECTION MODE AS MAXAVAILABILITY;

```

- D.

Antwort: B

Begründung:

According to the requirements stated:

Zero data loss must be guaranteed despite the loss of any one component: This necessitates synchronous redo transport to at least one standby database (for no data loss).

The primary database must be protected against a regional disaster: This implies that there must be a standby database in a different region.

Performance overhead on the primary should be minimized: This suggests that asynchronous transport should be used where possible to reduce the performance impact on the primary.

Downtime on the primary for any reason must be kept to a minimum: This is indicative of a requirement for a fast failover mechanism, possibly with a fast-start failover (FSFO) and high availability.

Given these requirements, the appropriate option that fulfills all these is:

Option C, where 'prima' is the primary database, 'fs1' is the Far Sync instance in the primary region, and 'physt' and 'physt2' are physical standby databases in the primary and remote regions, respectively. In this configuration:

'prima' is set to send redo to 'fs1' using SYNC to guarantee zero data loss.

'fs1' is set to send redo to 'physt' (local standby) using FASTSYNC, which is a low-latency synchronous transport that is optimized for performance.

The Data Guard configuration's protection mode is set to MAXAVAILABILITY to provide the highest level of data protection that is possible without compromising the availability of the primary database.

This configuration ensures that there is zero data loss even if the primary region is completely lost, maintains performance by limiting the synchronous transport to the local region with a Far Sync instance, and has a remote standby database in a separate region for disaster recovery purposes.

Reference:

Oracle Data Guard Concepts and Administration

Oracle Data Guard Broker documentation

48. Frage

Which TWO statements correctly describe the behavior of Automatic Block Media Recovery in a Data Guard environment, for a corrupt block in the example tablespace encountered by a session logged in as the SH user?

- A. A corrupt block on the primary database is automatically recovered, using a block from a flashback log from a standby database with Real-Time Query enabled.
- B. A corrupt block on the primary database can be automatically recovered, using a block from a standby database with Real-Time Query enabled.
- C. A corrupt block on the primary database is automatically recovered, using a block from a flashback log from the primary database.
- D. A corrupt block on a standby database with Real-Time Query enabled, is automatically recovered, using flashback logs from the standby database.
- E. A corrupt block on a standby database with Real-Time Query enabled, can be automatically recovered, using a block from the primary database.

Antwort: B,C

Begründung:

Automatic Block Media Recovery can be a significant feature for maintaining data integrity within a Data Guard configuration.

A corrupt block on the primary database can be automatically recovered, using a block from a standby database with Real-Time Query enabled (A): When a corrupted block is encountered on the primary database, Oracle can automatically replace it with a good block from the standby database where Real-Time Query is enabled, leveraging the standby as a source of good data.

A corrupt block on the primary database is automatically recovered, using a block from a flashback log from the primary database (E): If a good block version is available in the flashback logs of the primary database, Automatic Block Media Recovery can use it to recover the corrupted block on the primary.

Reference:

Oracle Database Backup and Recovery User's Guide

49. Frage

.....

Hohe Effizienz ist genau das, was unsere Gesellschaft von uns fordern. Die in der IT-Branche arbeitende Leute haben bestimmt das erfahren. Möchten Sie so schnell wie möglich die Zertifikat der Oracle 1z1-076 erwerben? Insofern Sie uns finden, finden Sie doch die Methode, mit der Sie effektiv die Oracle 1z1-076 Prüfung bestehen können. Die Technik-Gruppe von uns It-Pruefung haben seit einigen Jahren große Menge von Prüfungsunterlagen der Oracle 1z1-076 Prüfung systematisch gesammelt und analysiert. Außerdem haben Sie insgesamt 3 Versionen hergestellt. Damit können Sie sich irgendwo und irgendwie auf Oracle 1z1-076 mit hoher Effizienz vorbereiten.

1z1-076 Deutsch Prüfungsfragen: <https://www.it-pruefung.com/1z1-076.html>

Die Prüfungsfragen und Antworten von It-Pruefung 1z1-076 Deutsch Prüfungsfragen sind sehr genau, Oracle 1z1-076 Quizfragen Und Antworten Wenn Sie das Zertifikat und hohe Gehälter bekommen, dürfen Sie damit hohes Ansehen genießen, So wird eine hochqualitative 1z1-076-Zertifizierung ein herausragender Vorteil sein, insbesondere für IT-Mitarbeiter, die mit Hilfe der Zertifizierung Gehalt verdoppeln und somit beruflich befördert werden können, Warum wählen die meisten Menschen It-Pruefung 1z1-076 Deutsch Prüfungsfragen?

Voldemort fing an zu lachen, Es gibt Hinweise darauf, dass dies 1z1-076 für uns möglicherweise nicht besonders vorteilhaft ist, Die Prüfungsfragen und Antworten von It-Pruefung sind sehr genau.

Wenn Sie das Zertifikat und hohe Gehälter bekommen, dürfen Sie damit hohes Ansehen genießen, So wird eine hochqualitative 1z1-076-Zertifizierung ein herausragender Vorteil sein, insbesondere für IT-Mitarbeiter, 1z1-076 Deutsch Prüfungsfragen die mit Hilfe der Zertifizierung Gehalt verdoppeln und somit beruflich befördert werden können.

1z1-076 Schulungsangebot, 1z1-076 Testing Engine, Oracle Database 19c: Data Guard Administration Trainingsunterlagen

Warum wählen die meisten Menschen It-Pruefung, Die Schulungsunterlagen zur Oracle 1z1-076-Prüfung von It-Pruefung sind die besten.

- 1z1-076 Musterprüfungsfragen □ 1z1-076 Zertifizierungsantworten □ 1z1-076 German □ Öffnen Sie die Webseite 【 www.echtefrage.top 】 und suchen Sie nach kostenloser Download von “ 1z1-076 ” □ 1z1-076 German
- 1z1-076 Zertifikatsdemo □ 1z1-076 Trainingsunterlagen □ 1z1-076 Online Test □ Suchen Sie auf der Webseite ☀ www.itzert.com □ ☀ □ nach (1z1-076) und laden Sie es kostenlos herunter □ 1z1-076 German
- 1z1-076 Zertifizierungsprüfung ↘ 1z1-076 Ausbildungsressourcen □ 1z1-076 Zertifizierungsantworten □ Öffnen Sie die Webseite ⇒ www.zertpruefung.ch ⇐ und suchen Sie nach kostenloser Download von ⇒ 1z1-076 ⇐ □ 1z1-076 Zertifizierungsprüfung
- 1z1-076 Testantworten □ 1z1-076 Online Test □ 1z1-076 Zertifizierungsprüfung □ Suchen Sie einfach auf“ www.itzert.com ” nach kostenloser Download von 「 1z1-076 」 □ 1z1-076 Testengine
- 1z1-076 Ausbildungsressourcen □ 1z1-076 Prüfungs □ 1z1-076 Prüfungen □ Suchen Sie jetzt auf“ www.deutschpruefung.com ” nach ⇒ 1z1-076 ⇐ um den kostenlosen Download zu erhalten □ 1z1-076 Zertifizierungsantworten
- 1z1-076 Zertifizierungsantworten □ 1z1-076 Musterprüfungsfragen □ 1z1-076 Schulungsangebot □ URL kopieren“ www.itzert.com ” Öffnen und suchen Sie ➡ 1z1-076 □ Kostenloser Download □ 1z1-076 Testengine
- 1z1-076 Prüfungsressourcen: Oracle Database 19c: Data Guard Administration - 1z1-076 Reale Fragen □ Öffnen Sie ⇒ www.zertpruefung.de ⇐ geben Sie ☀: 1z1-076 □ ☀ □ ein und erhalten Sie den kostenlosen Download □ 1z1-076 Prüfungsaufgaben
- 1z1-076 Prüfungs □ 1z1-076 Online Test □ 1z1-076 Zertifikatsdemo ↗ Öffnen Sie ➤ www.itzert.com □ geben Sie { 1z1-076 } ein und erhalten Sie den kostenlosen Download □ 1z1-076 Online Test
- Kostenlose gültige Prüfung Oracle 1z1-076 Sammlung - Examcollection □ Suchen Sie jetzt auf▷ www.zertfragen.com ◁ nach [1z1-076] um den kostenlosen Download zu erhalten ☼ 1z1-076 PDF
- 1z1-076 Lerntipps □ 1z1-076 Testing Engine □ 1z1-076 Testing Engine □ Suchen Sie auf➡ www.itzert.com □ nach □ 1z1-076 □ und erhalten Sie den kostenlosen Download mühelos □ 1z1-076 Prüfungsaufgaben
- 1z1-076 Prüfungsressourcen: Oracle Database 19c: Data Guard Administration - 1z1-076 Reale Fragen □ ⇒ www.zertsoft.com ⇐ ist die beste Webseite um den kostenlosen Download von □ 1z1-076 □ zu erhalten □ 1z1-076 Schulungsangebot
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, study.stcs.edu.np, muketm.cn, www.stes.tyc.edu.tw, daotao.wisebusiness.edu.vn, 61921a.com, study.stcs.edu.np, lms.ait.edu.za, myportal.utt.edu.tt,

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, sanston182.suomiblog.com, Disposable vapes

Laden Sie die neuesten It-Pruefung 1z1-076 PDF-Versionen von Prüfungsfragen kostenlos von Google Drive herunter:
https://drive.google.com/open?id=1_alljaSJvXftnKHam6mGPYGyC40m4w2