

1z1-076 Prüfungsfragen, 1z1-076 Fragen und Antworten, Oracle Database 19c: Data Guard Administration



Übrigens, Sie können die vollständige Version der ZertFragen 1z1-076 Prüfungsfragen aus dem Cloud-Speicher herunterladen:
https://drive.google.com/open?id=1i_qHoCu6P6GmvKym29komsT3ikoRRCX

Gott will, dass ich eine Person mit Fähigkeit, statt eine gute aussehende Puppe zu werden. Wenn ich IT-Branche wähle, habe ich dem Gott meine Fähigkeiten bewiesen. Aber der Gott ist mit nichts zufrieden. Er hat mich gezwungen, nach oben zu gehen. Die Oracle 1z1-076 Zertifizierungsprüfung ist eine große Herausforderung in meinem Leben. So habe ich sehr hart gelernt. Aber das macht doch nichts, weil ich ZertFragen die Fragenkataloge zur Oracle 1z1-076 Zertifizierung gekauft habe. Mit ihr kann ich sicher die die Oracle 1z1-076 Prüfung bestehen. Der Weg ist unter unseren Füßen, nur Sie können ihre Richtung entscheiden. Mit den Prüfungsmaterialien zur Oracle 1z1-076 Prüfung von ZertFragen können Sie sicher eine bessere Zukunft haben.

Wir alle wissen, dass einige IT-Zertifikate zu bekommen ist in der heutigen konkurrenzfähigen Gesellschaft ganz notwendig ist. Das IT-Zertifikat ist der beste Beweis für Ihre Fachkenntnisse. Die Oracle 1z1-076 Zertifizierungsprüfung ist eine wichtige Zertifizierungsprüfung. Aber es ist schwer, die Prüfung zu bestehen. Es ist doch wert, Geld für ein Ausbildungsinstitut auszugeben, um im Beruf befördert zu werden. ZertFragen hat die zielgerichteten Schulungsunterlagen zur Oracle 1z1-076 Zertifizierungsprüfung, deren Ähnlichkeit mit den echten Prüfungen 95% beträgt. Wenn Sie an der Ausbildung von ZertFragen teilnehmen, können Sie dann 100% die Prüfung bestehen. Sonst geben wir Ihnen eine Rückerstattung.

>> 1z1-076 Dumps <<

1z1-076 Ressourcen Prüfung - 1z1-076 Prüfungsguide & 1z1-076 Beste Fragen

Um immer die besten IT-Zertifizierung Dumps für Sie zu bieten, verbessern wir ZertFragen immer die Qualität der Oracle 1z1-076 Dumps und aktualisieren sie nach den neuesten Prüfungsvorschriften. ZertFragen ist Ihre beste Wahl auf dem heutigen Markt. Wenn Sie nicht glauben, können Sie nach anderen erkündigen. Es gibt unbedingt jemanden, der unsere ZertFragen Prüfungsunterlagen früher benutzt hat. Wir versprechen Ihnen die beste Nachschläge, einmal die Oracle 1z1-076 Prüfung zu bestehen.

Oracle Database 19c: Data Guard Administration 1z1-076 Prüfungsfragen mit Lösungen (Q13-Q18):

13. Frage

Which TWO statements correctly describe the behavior of Automatic Block Media Recovery in a Data Guard environment, for a corrupt block in the example tablespace encountered by a session logged in as the SH user?

- A. A corrupt block on a standby database with Real-Time Query enabled, can be automatically recovered, using a block from the primary database.
- B. A corrupt block on the primary database is automatically recovered, using a block from a flashback log from the primary database.
- C. A corrupt block on the primary database is automatically recovered, using a block from a flashback log from a standby database with Real-Time Query enabled.
- D. A corrupt block on the primary database can be automatically recovered, using a block from a standby database with

Real-Time Query enabled.

- E. A corrupt block on a standby database with Real-Time Query enabled, is automatically recovered, using flashback logs from the standby database.

Antwort: B,D

Begründung:

Automatic Block Media Recovery can be a significant feature for maintaining data integrity within a Data Guard configuration.

A corrupt block on the primary database can be automatically recovered, using a block from a standby database with Real-Time Query enabled (A): When a corrupted block is encountered on the primary database, Oracle can automatically replace it with a good block from the standby database where Real-Time Query is enabled, leveraging the standby as a source of good data.

A corrupt block on the primary database is automatically recovered, using a block from a flashback log from the primary database (E): If a good block version is available in the flashback logs of the primary database, Automatic Block Media Recovery can use it to recover the corrupted block on the primary.

Reference:

Oracle Database Backup and Recovery User's Guide

14. Frage

Suppose that you manage the following databases in your environment:

* boston: Primary database with a single PDB called DEVI

* london: Physical standby database protecting the PDB called DEVI

* orcl: Stand-alone database with a single PDB called PDB1 as a remote clone source You are planning to run the following command to create a remote clone in the primary database (boston) using pdbi in orcl:

Which are the THREE prerequisites for automating instantiation of the PDB in the standby database (london)?

- A. Enable Active Data Guard in the _ondon database.
- B. Set standby_pdb_source_file_dblink to clone_link in the london database.
- C. Set STANDBY_FILE_MANAGEMENT to auto in the london database.
- D. Open PDBI (remote clone source) in Read Write.
- E. Open PDBI (remote clone source) in Read Only.
- F. Set STANDBY_PDB_SOURCE_FILE_DIRECTORY to <location of the PDB> in the london database.

Antwort: C,E,F

Begründung:

To automate the instantiation of a PDB in the standby database after creating a remote clone in the primary database, certain conditions must be met:

Open PDBI (remote clone source) in Read Only (A): The source PDB from which the clone is created must be open in read-only mode to ensure a consistent state during cloning.

Set STANDBY_PDB_SOURCE_FILE_DIRECTORY to <location of the PDB> in the london database (C): This parameter specifies the location on the standby database where the files from the source PDB should be placed.

Set STANDBY_FILE_MANAGEMENT to auto in the london database (F): This parameter automates the management of file changes on the standby database when structural changes occur on the primary database, ensuring that the clone operation is reflected automatically on the standby.

Reference:

Oracle Multitenant Administrator's Guide

Oracle Data Guard Broker documentation

15. Frage

A customer asks for your recommendation regarding this requirement:

1. We plan to have a Data Guard Configuration with one primary database and one physical standby database.
2. We want zero data loss in case of a disaster involving the loss of one component.
3. We want to do Real Application Testing occasionally on the Standby Database.

Which solution, if any, satisfies these requirements?

- A. These requirements cannot be met.
- B. A snapshot standby database with real time query that can be converted regularly into a physical standby database open read write, to do real application testing
- C. A far sync instance plus a snapshot standby database and real time apply that can be converted regularly into logical

standby database to do real application testing

- **D. A physical standby database with synchronous redo transport that can be converted regularly into a snapshot standby to do real application testing**

Antwort: D

Begründung:

* Synchronous redo transport for zero data loss (B): To guarantee zero data loss in the case of a disaster, synchronous redo transport must be configured between the primary and standby databases.

* Conversion to snapshot standby for testing (B): A physical standby database can be temporarily converted into a snapshot standby database to perform real application testing. After testing is completed, the snapshot standby can be converted back to a physical standby to resume its disaster recovery role.

References:

* Oracle Data Guard Concepts and Administration Guide

* Oracle Database Testing Guide

16. Frage

Which three are true concerning database states after a successful switchover?

- **A. The new primary database will be open read-write.**
- B. If the former primary database became a logical standby database it will be in mount state.
- C. If the former primary database became a physical standby database it will always be open read-only.
- D. The former primary database will always be open.
- **E. If the former primary database became a logical standby database it will be open read-write.**
- **F. If the former primary database became a physical standby database it will be in the same state as the former physical standby database.**

Antwort: A,E,F

Begründung:

After a successful switchover operation in a Data Guard environment, the new primary database (the former standby) will be open read-write (option A). If the former primary database transitions to a logical standby database, it will also be open read-write (option C), allowing it to apply redo data while servicing read-only queries. The former primary, if converted to a physical standby, will adopt the state that the former physical standby database was in prior to the switchover, which can vary based on the configuration prior to the switchover (option D). The state of a physical standby database can range from mounted to open read-only, depending on whether Real-Time Query was enabled. Thus, the exact state will depend on the pre-switchover setup. It's also essential to highlight that options B and E suggest specific states for a former primary turned logical standby, and a former primary turned physical standby, respectively, but these states are not fixed and depend on the configurations set up by the database administrators. References: The answers are corroborated by Oracle's documentation on Data Guard switchovers, specifically in the Oracle Data Guard Concepts and Administration guide, which explains the roles and states of databases in a Data Guard configuration before and after switchovers.

17. Frage

Which four requirements can be met by deploying a logical standby database?

- **A. Support for workloads requiring additional indexes.**
- B. It must provide a disaster-recovery solution that protects all data with capability of performing switchovers and failovers.
- **C. It can be used for Real Application Testing without affecting the disaster recovery capabilities.**
- **D. It can be used to create additional tables.**
- E. It must have the same physical structure as the primary database.
- F. It can be used to create additional schemas.
- **G. Support for workloads requiring additional materialized views.**

Antwort: A,C,D,G

Begründung:

A logical standby database is part of Oracle Data Guard and allows the standby database to be open for read-write operations, providing additional flexibility. The requirements met by a logical standby database include:

Support for workloads requiring additional materialized views (A): Logical standby databases can support materialized views,

allowing for complex data summarization and reporting workloads.

It can be used to create additional tables (C): Unlike physical standby databases, logical standby databases allow for the creation of additional tables that do not exist in the primary database, enabling custom workloads and reporting.

It can be used for Real Application Testing without affecting the disaster recovery capabilities (E): Logical standby databases can be used to test application changes, patches, and upgrades while still maintaining their role as part of the disaster recovery strategy.

Support for workloads requiring additional indexes (F): Logical standby databases allow for the creation of additional indexes to optimize query performance for reporting and analytical workloads.

Reference:

Oracle Data Guard Concepts and Administration

Oracle Database High Availability Overview

18. Frage

.....

Die Chance sind für die Menschen, die gut vorbereitet sind. Wenn Sie vor dem Einstieg des Berufslebens schon die Zertifizierung der Oracle 1z1-076 erworbt haben, sind Sie gut bereit für die Jobsuche. Die Oracle 1z1-076 zu bestehen ist tatsächlich nicht leicht. Trotzdem haben schon zahlreiche Leute mit Hilfe der Oracle 1z1-076 Prüfungsunterlagen, die von uns ZertFragen angeboten werden, die Prüfung erfolgreich bestanden. Möchten Sie einer von ihnen zu werden? Dann lassen Sie unsere Produkte Ihnen helfen!

1z1-076 German: https://www.zertfragen.com/1z1-076_pruefung.html

Wenn Sie irgendwann Freizeit haben, können Sie mit unseren 1z1-076 Testguide-Materialien Prüfungsübungen machen, Oracle 1z1-076 Dumps Kostenlose Demos aller drei Versionen sind angeboten, Wenngleich die Bestehensquote sehr hoch ist, versprechen wir, dass wir alle Ihrer Gebühren für die Oracle 1z1-076 Software erstatten wollen, falls Sie die Prüfung nicht bestehen, Oracle 1z1-076 Dumps Seine Erfolgsquote beträgt 100%.

Was hatte er ihr entgegengehalten, Wie lange bleibst du hier, Wenn Sie irgendwann Freizeit haben, können Sie mit unseren 1z1-076 Testguide-Materialien Prüfungsübungen machen.

Kostenlose Demos aller drei Versionen sind angeboten, Wenngleich die Bestehensquote sehr hoch ist, versprechen wir, dass wir alle Ihrer Gebühren für die Oracle 1z1-076 Software erstatten wollen, falls Sie die Prüfung nicht bestehen.

Sie können so einfach wie möglich - 1z1-076 bestehen!

Seine Erfolgsquote beträgt 100%, Falls der Benutzer das Examen 1z1-076 mit unseren Dumps PDF nicht bestehen und die Rückerstattung beantragen, geben Sie uns Ihr unqualifiziertes Ergebnis bitte.

- Valid 1z1-076 exam materials offer you accurate preparation dumps ☐ Suchen Sie auf der Webseite ► www.pass4test.de ◀ nach ☐ 1z1-076 ☐ und laden Sie es kostenlos herunter ◊ 1z1-076 Online Test
- 1z1-076 Pass Dumps - PassGuide 1z1-076 Prüfung - 1z1-076 Guide ☐ Sie müssen nur zu (www.itzert.com) gehen um nach kostenloser Download von ► 1z1-076 ☐ zu suchen ☐ 1z1-076 Testfragen
- 1z1-076 Prüfungen ☐ 1z1-076 Online Tests ☐ 1z1-076 Prüfungs-Guide ☐ Suchen Sie jetzt auf 《 www.deutschpruefung.com 》 nach▷ 1z1-076 ◀ um den kostenlosen Download zu erhalten ☐ 1z1-076 Ausbildungsressourcen
- 1z1-076 Online Test ☐ 1z1-076 Prüfungsübungen ☐ 1z1-076 Online Prüfungen ☐ Suchen Sie jetzt auf [www.itzert.com] nach “ 1z1-076 ” und laden Sie es kostenlos herunter ☐ 1z1-076 Testantworten
- Seit Neuem aktualisierte 1z1-076 Examfragen für Oracle 1z1-076 Prüfung ☐ Suchen Sie auf ☐ www.zertpruefung.de ☐ nach “ 1z1-076 ” und erhalten Sie den kostenlosen Download mühelos ☐ 1z1-076 Prüfungen
- 1z1-076 Probesfragen ☐ 1z1-076 Testfragen ☐ 1z1-076 Fragen Antworten ☐ Suchen Sie einfach auf⇒ www.itzert.com ⇐ nach kostenloser Download von ➡ 1z1-076 ☐☐☐ ☐ 1z1-076 Vorbereitungsfragen
- Neuester und gültiger 1z1-076 Test VCE Motoren-Dumps und 1z1-076 neueste Testfragen für die IT-Prüfungen ☐ Suchen Sie auf ☐ www.zertsoft.com ☐ nach kostenlosem Download von “ 1z1-076 ” ☐ 1z1-076 Online Test
- 1z1-076 Pass Dumps - PassGuide 1z1-076 Prüfung - 1z1-076 Guide ☐ Sie müssen nur zu [www.itzert.com] gehen um nach kostenloser Download von 【 1z1-076 】 zu suchen ☐ 1z1-076 Zertifizierungsantworten
- Seit Neuem aktualisierte 1z1-076 Examfragen für Oracle 1z1-076 Prüfung ☐ URL kopieren ✓ de.fast2test.com ☐ ✓ ☐ Öffnen und suchen Sie ☐ 1z1-076 ☐ Kostenloser Download ☐ 1z1-076 Probesfragen
- Hohe Qualität von 1z1-076 Prüfung und Antworten ☐ Erhalten Sie den kostenlosen Download von ► 1z1-076 ☐ mühelos über ✓ www.itzert.com ☐ ✓ ☐ ☐ 1z1-076 Ausbildungsressourcen
- 1z1-076 Prüfungs-Guide ☐ 1z1-076 Testantworten ☐ 1z1-076 Testfragen ☐ URL kopieren 【 www.pass4test.de 】 Öffnen und suchen Sie 《 1z1-076 》 Kostenloser Download ☐ 1z1-076 Online Test

- P.S. Kostenlose 2025 Oracle 1z1-076 Prüfungsfragen sind auf Google Drive freigegeben von ZertFragen verfügbar:
https://drive.google.com/open?id=1i_qHoCu6P6GmVkyM29komsT3ikoRRCX