

ISO 9001:2015

Caro Dato: Aggiornamento del Controllato - ISO 9001:2015 (Certificazione) - Programmazione Documenti

330317 320 01115

Zertifizierung der C-S4CPS-2302 mit umfassenden

Wenn Sie die schwierige Oracle 1z1-076 Zertifizierungsprüfung bestehen wollen, ist es unmöglich für Sie bei der Vorbereitung keine richtige Schulungsunterlagen benutzen. Wenn Sie die ausgezeichnete Lernhilfe finden wollen, sollen Sie an ZertPruefung diese Prüfungsunterlagen suchen. Wir ZertPruefung haben sehr guten Ruf und haben viele ausgezeichnete Dumps zur Oracle 1z1-076 Prüfung. Und wir bieten kostenlose Demo aller verschiedenen Dumps. Wenn Sie suchen, ob ZertPruefung Dumps für Sie geeignet sind, können Sie zuerst die Demo herunterladen und probieren.

Oracle 1z1-076 Prüfungsplan:

Thema	Einzelheiten
-------	--------------

Thema 1	Managing Physical Standby Files After Structural Changes on the Primary Database: The topic covers managing structural changes in the primary database and their impact on physical standby files.
Thema 2	Enhanced Client Connectivity in a Data Guard Environment: This topic focuses on enhancing client connectivity in a Data Guard setup and implementing failover procedures for seamless client redirection. It also covers application continuity to ensure uninterrupted operations during role transitions.

Thema 3	• Backup and Recovery Considerations in an Oracle Data Guard Configuration: In this topic, Backup and recovery procedures in a Data Guard configuration are discussed, including RMAN backups, offloading to physical standby, and network-based recovery.
Thema 4	• Oracle Data Guard Basics: This topic covers the essential architecture and concepts of Oracle Data Guard. It includes sub-topics such as the physical and logical standby database comparison, benefits of Data Guard, and its integration with multi-tenant databases.
Thema 5	• Creating a Data Guard Broker Configuration: This section delves into the practical aspects of creating and managing a Data Guard broker configuration, including command-line and Enterprise Manager approaches.
Thema 6	• Using Flashback Database in a Data Guard Configuration: This topic covers the configuration and advantages of using Flashback Database in a Data Guard setup, as well as the process of enabling fast-start failover for seamless role changes.
Thema 7	• Creating a Logical Standby Database: This topic guides users through the process of creating and managing a logical standby database, including SQL Apply filtering.
Thema 8	• Using Oracle Active Data Guard: Supported Workloads in Read-Only Standby Databases: Here, the usage of physical standby databases for real-time queries is discussed.

>> 1z1-076 Prüfungen <<

1z1-076 Übungstest: Oracle Database 19c: Data Guard Administration & 1z1-076 Braindumps Prüfung

Mit Oracle 1z1-076 Zertifikat können Sie Ihre Berufsaussichten verbessern und viele neuen Chancen erschließen. ZertPruefung ist eine geeignete Website für die Kandidaten, die an der Oracle 1z1-076 Zertifizierungsprüfung teilnehmen. Es wird nicht nur alle Informationen zur Oracle 1z1-076 Zertifizierungsprüfung, sondern Ihnen auch eine gute Lernchance bieten. ZertPruefung wird Ihnen helfen, die Oracle 1z1-076 Zertifizierungsprüfung ganz einfach zu bestehen.

Oracle Database 19c: Data Guard Administration 1z1-076 Prüfungsfragen mit Lösungen (Q98-Q103):

98. Frage

Which TWO statements correctly describe the behavior of Automatic Block Media Recovery in a Data Guard environment, for a corrupt block in the example tablespace encountered by a session logged in as the SH user?

- A. A corrupt block on a standby database with Real-Time Query enabled, can be automatically recovered, using a block from the primary database.
- **B. A corrupt block on the primary database is automatically recovered, using a block from a flashback log from the primary database.**
- C. A corrupt block on a standby database with Real-Time Query enabled, is automatically recovered, using flashback logs from the standby database.
- **D. A corrupt block on the primary database can be automatically recovered, using a block from a standby database with Real-Time Query enabled.**
- E. A corrupt block on the primary database is automatically recovered, using a block from a flashback log from a standby database with Real-Time Query enabled.

Antwort: B,D

Begründung:

Automatic Block Media Recovery can be a significant feature for maintaining data integrity within a Data Guard configuration.

* A corrupt block on the primary database can be automatically recovered, using a block from a standby database with Real-Time Query enabled (A): When a corrupted block is encountered on the primary database, Oracle can automatically replace it with a good block from the standby database where Real-Time Query is enabled, leveraging the standby as a source of good data.

- * A corrupt block on the primary database is automatically recovered, using a block from a flashback log from the primary database (E): If a good block version is available in the flashback logs of the primary database, Automatic Block Media Recovery can use it to recover the corrupted block on the primary. References:
- * Oracle Database Backup and Recovery User's Guide

99. Frage

Your Data Guard environment contains a four-instance RAC primary database whose SID is PROD and a RAC physical standby database whose std is PROD_SBY.

Examine the command executed on a node of the primary database cluster to create a service OLTPWORKLOAD that the applications will use to connect to the database when it is in the PRIMARY database role:

`srvctl add service -db PROD -service oltpworkload -role PRIMARY -failovertype SESSION -failovermethod BASIC -failoverdelay 10 -failoverretry 150` The service is then started Consider this list of tasks:

1. On a node of the standby database cluster execute:
`srvctl add service -db PROD_SBY -service oltpworkload -role PRIMARY -failovertype SESSION -failovermethod BASIC -failoverdelay 10 -failoverretry 150`
 2. On the primary database, create the oltpworkload database service using the `dbms_service.create_service` procedure.
 3. Configure tap for clients in the `tnsnames.ora` files.
 4. Make sure clients use the OLTPWORKLOAD service to connect to the database instances.
 5. On the standby database, create the oltpworkload database service using the `dbms_service.create_service` procedure.
- Identify the required steps to configure and use Transparent Application Failover (taf).

- A. 1,3,4
- B. 3,4
- C. 1,4
- D. 0
- E. 2,3,4
- F. 1

Antwort: C

Begründung:

To set up Transparent Application Failover (TAF) in a Data Guard environment with RAC, you would need to:

* On a node of the standby database cluster, execute the `srvctl` command to add the oltpworkload service for the PRIMARY role (1): This prepares the standby cluster to provide the oltpworkload service in case a failover occurs, and the standby becomes the primary database.

* Make sure clients use the OLTPWORKLOAD service to connect to the database instances (4):

This ensures that client connections are directed to the correct service, which is managed by TAF and can fail over in case of a primary database outage. References:

- * Oracle Real Application Clusters Administration and Deployment Guide
- * Oracle Data Guard Concepts and Administration Guide

100. Frage

You notice that the SQL apply lag on your logical standby database has increased but the redo transport lag has not. Which four could be reasons for the increase in SQL apply lag?

- A. The standby redo log files are undersized on the primary database
- B. An increased number of bulk updates on the primary
- C. Many SQL apply operations do full table scans
- D. An undersized undo tablespace on the logical standby
- E. An undersized shared pool
- F. An increased number of bulk inserts on the primary

Antwort: B,C,D,E

Begründung:

The SQL apply lag on a logical standby database can be caused by several factors:

- * A: An undersized undo tablespace can lead to delays in SQL apply operations as it may not be able to handle the volume of undo records generated by the SQL apply process.
- * B: SQL apply operations that do full table scans can consume significant system resources, potentially leading to higher apply lag.

* C: An increased number of bulk updates on the primary database may generate a large volume of redo data, which can cause apply lag if the logical standby cannot apply the changes quickly enough.

* F: An undersized shared pool may affect the parsing and execution of SQL statements by SQL apply, which can contribute to the apply lag.

Option D is less likely to be a direct cause of SQL apply lag compared to bulk updates, as inserts generate new data rather than modifying existing data, which SQL apply can typically handle more efficiently.

Option E is incorrect because the size of the standby redo log files on the primary database impacts redo transport lag, not SQL apply lag.

References: Oracle Database High Availability Overview and Oracle Data Guard Concepts and Administration guide provide insights into the factors affecting SQL apply performance on logical standby databases.

101. Frage

Which TWO are benefits of using Transaction Guard in a Data Guard environment?

- A. It protects against logical corruptions being replicated to standby databases.
- **B. It protects against recoverable errors during a planned or an unplanned outage of a primary database.**
- **C. It provides application continuity by rolling back uncommitted transactions interrupted by a failover or switchover.**
- D. It provides application continuity by replaying transactions interrupted by a failover or a switchover
- E. It protects against user errors being replicated to standby databases.

Antwort: B,C

Begründung:

Transaction Guard provides benefits in terms of transaction consistency and recovery in a Data Guard environment:

* It provides application continuity by rolling back uncommitted transactions interrupted by a failover or switchover (B): Transaction Guard ensures that any uncommitted transactions at the time of an outage are rolled back consistently, thus preserving the integrity of the application's data and state.

* It protects against recoverable errors during a planned or an unplanned outage of a primary database (D): Transaction Guard offers protection against errors that can occur during outages, allowing applications to resume operations more quickly and reliably after recovery. References:

* Oracle Database High Availability Overview

* Oracle Real Application Clusters Administration and Deployment Guide

102. Frage

Which three statements are true..... With no Oracle Streams or Goldengate configured?

- A. It is recommended to have them on the...
- **B. They are required on a logical standby for real-time apply**
- **C. They are required on a physical standby for real-time apply.**
- **D. The LGWR process writes to them on**
- E. Only standby databases can write redo....
- F. They are required only for synchronous redo transport

Antwort: B,C,D

Begründung:

C; The LGWR (Log Writer) process is responsible for writing redo entries from the redo log buffer to the online redo log files on the primary database. This is a fundamental process in the Oracle Database architecture, ensuring that all changes made to the database are captured for purposes such as recovery, replication, and high availability.

D; Real-time apply on a logical standby database requires standby redo log files. The standby redo log files are used to store redo data received from the primary database before it is applied to the logical standby database.

This enables the logical standby to apply changes as they are received, without waiting for the current redo log file to be archived.

E: Similarly, on a physical standby database, standby redo log files are used for real-time apply. They store redo data from the primary database, allowing the physical standby to apply redo data concurrently as it is received, rather than waiting for redo log files to be archived. This capability is crucial for maintaining a physical standby database that is closely synchronized with the primary database with minimal lag.

These functionalities are integral to Oracle Data Guard configurations and are not dependent on Oracle Streams or Oracle GoldenGate, which are separate technologies for data replication and integration.

103. Frage

.....

Die Feedbacks von den IT-Fachleuten, die Oracle 1z1-076 Zertifizierungsprüfung erfolgreich bestanden haben, haben bewiesen, dass ihren Erfolg ZertPruefung beizumessen ist. Die Fragen und Antworten zur Oracle 1z1-076 Zertifizierungsprüfung haben ihnen sehr geholfen. Dabei erspart ZertPruefung ihnen auch viele wertvolle Zeit und Energie. Sie haben die Oracle 1z1-076 Zertifizierungsprüfung ganz mühelos beim ersten Versuch bestanden. So ist ZertPruefung eine zuverlässige Website. Wenn Sie ZertPruefung wählen, sind Sie der nächste erfolgreiche IT-Fachmann. ZertPruefung würde Ihren Traum verwirklichen.

1z1-076 Schulungsunterlagen: https://www.zertpruefung.ch/1z1-076_exam.html

- 1z1-076 Braindumpsit Dumps PDF - Oracle 1z1-076 Braindumpsit IT-Zertifizierung - Testking Examen Dumps ☐ Geben Sie ➡ www.pass4test.de ☐☐☐ ein und suchen Sie nach kostenloser Download von ▷ 1z1-076 < ☐ 1z1-076 PDF Testsoftware
- 1z1-076 Musterprüfungsfragen - 1z1-076Zertifizierung - 1z1-076Testfragen ☐ Öffnen Sie die Webseite ➡ www.itzert.com ☐ und suchen Sie nach kostenloser Download von [1z1-076] ☐ 1z1-076 Fragen Antworten
- 1z1-076 Prüfungs-Guide ☐ 1z1-076 Online Prüfungen ☐ 1z1-076 Prüfungen ☐ Suchen Sie einfach auf « www.itzert.com » nach kostenloser Download von ➡ 1z1-076 ☐ ☐ 1z1-076 Prüfungs-Guide
- Neuester und gültiger 1z1-076 Test VCE Motoren-Dumps und 1z1-076 neueste Testfragen für die IT-Prüfungen ☐ Suchen Sie einfach auf ➡ www.itzert.com ⇐ nach kostenloser Download von ☐ 1z1-076 ☐ ☐ 1z1-076 Exam Fragen
- 1z1-076 Prüfungen ☐ 1z1-076 PDF ☐ 1z1-076 Schulungsangebot ☐ Erhalten Sie den kostenlosen Download von ➡ 1z1-076 ☐ mühelos über “ www.zertfragen.com ” ☐ 1z1-076 Deutsch Prüfung
- 1z1-076 Testking ☐ 1z1-076 Fragenkatalog ☐ 1z1-076 PDF ☐ Öffnen Sie [www.itzert.com] geben Sie ➡ 1z1-076 ⇐ ein und erhalten Sie den kostenlosen Download ☐ 1z1-076 Unterlage
- Neuester und gültiger 1z1-076 Test VCE Motoren-Dumps und 1z1-076 neueste Testfragen für die IT-Prüfungen ☐ Suchen Sie jetzt auf ➡ www.deutschpruefung.com ☐ nach ➡ 1z1-076 ☐☐☐ und laden Sie es kostenlos herunter ☐ 1z1-076 Deutsch Prüfungsfragen
- Valid 1z1-076 exam materials offer you accurate preparation dumps ☐ Erhalten Sie den kostenlosen Download von ☐ 1z1-076 ☐ mühelos über ✓ www.itzert.com ☐ ✓ ☐ ☐ 1z1-076 Vorbereitungsfragen
- 1z1-076 Neuesten und qualitativ hochwertige Prüfungsmaterialien bietet - quizfragen und antworten ☐ Erhalten Sie den kostenlosen Download von “ 1z1-076 ” mühelos über ☐ www.deutschpruefung.com ☐ ☐ 1z1-076 PDF
- 1z1-076 Übungsmaterialien - 1z1-076 Lernressourcen - 1z1-076 Prüfungsfragen ☐ Suchen Sie auf ▷ www.itzert.com < nach kostenlosem Download von ☐ 1z1-076 ☐ ☐ 1z1-076 Testking
- 1z1-076 Übungsmaterialien - 1z1-076 Lernressourcen - 1z1-076 Prüfungsfragen ☐ ➤ www.itzert.com ☐ ist die beste Webseite um den kostenlosen Download von ➡ 1z1-076 ☐ zu erhalten ☐ 1z1-076 Vorbereitungsfragen
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, bbs.74ax.com, sharemarketmoney.com, exxpertscom.com, study.stcs.edu.np, www.stes.tyc.edu.tw, elearning.eauquardho.edu.so, www.stes.tyc.edu.tw, courses.solutionbhai.com, Disposable vapes

Übrigens, Sie können die vollständige Version der ZertPruefung 1z1-076 Prüfungsfragen aus dem Cloud-Speicher herunterladen: <https://drive.google.com/open?id=1sOe6UBkBgQDnb-jNvfUsJlL3DMA2Ksc2>