

C_ADBTP_2601題庫下載，最新C_ADBTP_2601考證



VCESoft 考題大師的擬真試題覆蓋了真實的考試真題，已經成為考生通過 SAP C_ADBTP_2601 考試的首選學習資料。C_ADBTP_2601 考試主要用於具有較高水準的實施顧問能力，獲取證書，以確保考生有一個堅實的專業基礎知識，有利於他們將此能力企業專業化。準備 SAP 的 C_ADBTP_2601 考試的考生，需要熟練了解我們的擬真試題，快速完成測試，就能順利通過考試。

我們VCESoft免費更新我們研究的培訓材料，這意味著你將隨時得到最新的更新的C_ADBTP_2601考試認證培訓資料，只要C_ADBTP_2601考試的目標有了變化，我們VCESoft提供的學習材料也會跟著變化，我們VCESoft知道每個考生的需求，我們將幫助你通過你的C_ADBTP_2601考試認證，以最優惠最實在的價格和最高超的品質來幫助每位考生，讓你們順利獲得認證。

>> C_ADBTP_2601題庫下載 <<

最新C_ADBTP_2601考證 - C_ADBTP_2601新版題庫上線

您可以先在網上下載VCESoft為你免費提供的關於SAP C_ADBTP_2601認證考試的練習題及答案作為嘗試，之後你會覺得VCESoft給你通過考試提供了一顆定心丸。選擇VCESoft為你提供的針對性培訓，你可以很輕鬆通過SAP C_ADBTP_2601 認證考試。

最新的 SAP Certified Associate C_ADBTP_2601 免費考試真題 (Q10-Q15):

問題 #10

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTLM5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance htm5-eu-hcm-dev for the HTLM5

Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances area.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:

Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.

□ A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

□ Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

□ Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.
Creating it in the wrong Cloud Foundry space; it must be activity-recording.
Choosing the wrong service; use HTML5 Application Repository Service.
Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.
Typing the wrong instance name; use exactly html5-eu-hcm-dev.

問題 #11

SIMULATION

Establish Shared Services

Task 2: Entitle and Subscribe a Service in a Shared Subaccount

In your SAP BTP cockpit, in your SH Dev subaccount, entitle one standard (Application) service plan for the SAP Build Work Zone, advanced edition.

In the SH Dev subaccount, establish a trust to the agvlankzw.accounts.ondemand.com identity provider.

In your SH Dev subaccount, create a service subscription for SAP Build Work Zone, advanced edition with the standard service plan.

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Shared Services directory.

Open the SH Dev subaccount.

This matters because all three required actions must be done inside SH Dev, not in the directory and not in another subaccount.

Part 1 - Entitle the service in SH Dev

Step 1 - Open the subaccount

In the cockpit, choose Directories.

Open Shared Services.

Select SH Dev.

You should now be on the SH Dev subaccount page.

Step 2 - Open Entitlements

In SH Dev, choose Entitlements.

SAP documents that service plans and quotas for a subaccount are added in the subaccount's Entitlements are a.

Step 3 - Add the required service plan

Click Configure Entitlements or Add Service Plans.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard (Application).

Set the quantity to 1 if a quota/amount field is shown.

Save the entitlement changes.

This task explicitly asks for one standard (Application) service plan. SAP Help also notes that SAP Build Work Zone usage depends on the correct entitlement being available in the subaccount first.

Verify

Under Entitlements, you should now see:

SAP Build Work Zone, advanced edition

plan: standard (Application)

quantity: 1 if shown

Part 2 - Establish trust to the identity provider

Step 4 - Open Trust Configuration

In SH Dev, go to Security.

Choose Trust Configuration.

SAP Help states that trust to a custom identity provider is established from Security > Trust Configuration in the SAP BTP cockpit.

Step 5 - Create the trust

Click Establish Trust.

Enter or select the identity provider:

agvlankzw.accounts.ondemand.com

Continue through the wizard.

Save the trust configuration.

SAP documents that to use a custom identity provider, the subaccount must have a trust relationship to that provider. SAP also highlights that apps such as SAP Build Work Zone rely on SAP Cloud Identity Services trust configuration.

Verify

On the Trust Configuration page, you should see:

agvlamkzw.accounts.ondemand.com

as a trusted identity provider.

Part 3 - Create the subscription

Step 6 - Open Instances and Subscriptions

In SH Dev, go to Services.

Choose Instances and Subscriptions.

Step 7 - Create the subscription

Click Create.

Choose Subscription if the cockpit asks for a type.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard.

Confirm the creation.

SAP Help for SAP Build Work Zone scenarios indicates that the subaccount needs the correct entitlements and subscription flow to expose and use SAP Build Work Zone content.

Step 8 - Confirm subscription status

Stay on Instances and Subscriptions.

Check that the new subscription appears and is active.

Verify

You should see:

SAP Build Work Zone, advanced edition

plan: standard

subscription created successfully

Final expected result

Inside SH Dev:

the entitlement for SAP Build Work Zone, advanced edition exists

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, advanced edition

the subscription uses the standard plan

Common mistakes to avoid

Doing the entitlement in Shared Services directory instead of SH Dev

Choosing SAP Build Work Zone, standard edition instead of advanced edition Choosing the wrong plan; the entitlement must be standard (Application) Forgetting the trust step to agvlamkzw.accounts.ondemand.com Trying to subscribe before the entitlement exists

□

問題 #12

SIMULATION

Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.

Step 2 - Open Entitlements

What to do

Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

What to verify

You should see the entitlements page for Partner.

Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.

Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.

What to verify

After enabling, the Partner directory should allow entitlement assignment and management.

Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.

Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.

Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)

Final Expected Result for Task 1

Inside the Partner directory:

Entitlement management is enabled

The service SAP Build Work Zone, standard edition is entitled

The plan standard (Application) is added

Common Mistakes to Avoid

1. Working in the wrong level

Do this in:

Partner directory

Not in:

Global Account

Subaccount

Another directory

2. Forgetting to enable entitlement management first

If entitlement management is not enabled for the directory, you may not be able to add the service plan properly.

3. Choosing the wrong service

Be sure you select:

SAP Build Work Zone, standard edition

Not another SAP Build service.

4. Choosing the wrong plan

You must select:

standard (Application)

問題 #13

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

□ Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

□ Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

□ Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops#####-eu-hcm-dev

btpops#####-eu-hcm-test

btpops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)
Europe (Frankfurt)
cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

問題 #14

.....

還在為怎樣才能順利通過SAP C_ADBTP_2601 認證考試而苦惱嗎？還在苦苦等待SAP C_ADBTP_2601 認證考試的最新資料嗎？VCESoft研究出了最新的SAP C_ADBTP_2601 認證考試相關資料。想通過SAP C_ADBTP_2601 認證考試嗎？快將VCESoft的SAP C_ADBTP_2601認證考試的最新練習題及答案加入你的購物車吧！VCESoft已經在網站上為你免費提供部分SAP C_ADBTP_2601 認證考試的練習題和答案，你可以免費下載作為嘗試。相信你對我們的產品會很滿意的。利用它你可以很輕鬆地通過考試。我們承諾，如果你使用了VCESoft的最新的SAP C_ADBTP_2601 認證考試練習題和答案卻考試失敗，VCESoft將會全額退款給你。

最新C_ADBTP_2601考證: https://www.vcesoft.com/C_ADBTP_2601-pdf.html

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) - C_ADBTP_2601 的訓練題庫很全面，包含全真的訓練題，和 SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) - C_ADBTP_2601 真實考試相關的考試練習題和答案，這種說法並不誇張，SAP C_ADBTP_2601題庫下載 我們的產品的品質是經很多IT專家認證的，提供免費下載試用C_ADBTP_2601-Administrating SAP Business Technology Platform(C_ADBTP_2601)題庫和一年的免費更新服務，SAP C_ADBTP_2601題庫下載 所以，我們可以使用這份考試指南為我們的考試做準備，但一定不能過度的依賴它，提供香港台灣區最新SAP認證考試題庫考古題,SAP 題庫! VCESoft亞太地區專業的學習資料供應商,提供最新的SAPAdministrating SAP Business Technology Platform(C_ADBTP_2601)學習資料,幫助您順利通過SAPAdministrating SAP Business Technology Platform(C_ADBTP_2601)認證考試! 香港台灣區最新C_ADBTP_2601 Administrating SAP Business Technology Platform(C_ADBTP_2601)考古題,題庫:Administrating SAP Business Technology Platform(C_ADBTP_2601)-C_ADBTP_2601試題和答案,您最好的自學教材和習題集,您最好的Administrating SAP Business Technology Platform(C_ADBTP_2601)自學教材和習題集, VCESoft 最新C_ADBTP_2601考證題庫網能協助以溫馨學習，協助考生於升學、就業上一臂之力，免於成為社會邊緣人的命運。

而他的手上，多了壹個潔白無暇的玉盒，萱怡姐自然不甘示弱，連忙表示，SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) - C_ADBTP_2601 的訓練題庫很全面，包含全真的訓練題，和 SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) - C_ADBTP_2601 真實考試相關的考試練習題和答案。

選擇C_ADBTP_2601題庫下載 - 不用再擔心Administrating SAP Business Technology Platform(C_ADBTP_2601)考試

這種說法並不誇張，我們的產品的品質是經很多IT專家認證的，提供免費下載試用C_ADBTP_2601-Administrating SAP Business Technology Platform(C_ADBTP_2601)題庫和一年的免費更新服務，所以，我們可以使用這份考試指南為我們的考試做準備，但一定不能過度的依賴它。

- C_ADBTP_2601學習筆記 □ C_ADBTP_2601考題資源 □ C_ADBTP_2601在線題庫 □ 在▶ www.newdumps.pdf.com □網站下載免費【C_ADBTP_2601】題庫收集C_ADBTP_2601考證
- 最有效的C_ADBTP_2601題庫下載 - SAP 最新C_ADBTP_2601考證: Administrating SAP Business Technology Platform(C_ADBTP_2601)確保通過 □ 到《www.newdumps.pdf.com》搜尋《C_ADBTP_2601》以獲取免費下載考試資料C_ADBTP_2601考題資源
- 使用完美的SAP C_ADBTP_2601題庫下載輕鬆地通過您的SAP C_ADBTP_2601考試 □ 到▶ www.kaoguti.com ◀ 搜索□ C_ADBTP_2601 □輕鬆取得免費下載C_ADBTP_2601學習筆記
- 使用完美的SAP C_ADBTP_2601題庫下載輕鬆地通過您的SAP C_ADBTP_2601考試 □ 在□ www.newdumps.pdf.com □網站上免費搜索▶ C_ADBTP_2601 □題庫C_ADBTP_2601認證
- 真實的C_ADBTP_2601題庫下載 |高通過率的考試材料|高效的C_ADBTP_2601: Administrating SAP Business

