

Latest NCM-MCI Dumps Sheet & Valid NCM-MCI Exam Testking



P.S. Free & New NCM-MCI dumps are available on Google Drive shared by Real4dumps: <https://drive.google.com/open?id=1e5edVRdMLd8eWTfhzh3P6gR4seU22Aik>

It is compatible with Windows computers and comes with a complete support team to manage any issues that may arise. By using the Nutanix Certified Master - Multicloud Infrastructure v6.10 (NCM-MCI) practice exam software, you can reduce the risk of failing in the actual NCM-MCI Exam. So, if you're looking for a reliable and effective way to prepare for your NCM-MCI exam, Real4dumps is the best option.

What is Nutanix NCM-MCI Exam

Nutanix NCM-MCI exam is the hottest exam of Nutanix certification. It is very popular in the field of information technology. So if you want to be a professional in the field of information technology, then you should not ignore this certification. The Nutanix NCM-MCI exam helps candidates to improve their knowledge and skills in the field of information technology.

If you want to take your career to a higher level, then you must have Nutanix NCM-MCI test certification. In order to make your career more competitive, it is necessary for you to get qualified by Nutanix NCM-MCI certification. This will open up a new world of opportunities for you. **Nutanix NCM-MCI exam dumps** and study guides are here to help you pass your exam and become certified.

>> Latest NCM-MCI Dumps Sheet <<

Free PDF Quiz Nutanix - Unparalleled Latest NCM-MCI Dumps Sheet

Most people spend much money and time to prepare the NCM-MCI exam tests but the result is bad. Maybe you wonder how to get the Nutanix certification quickly and effectively? Now let Real4dumps help you. It just takes one or two days to prepare the NCM-MCI VCE Dumps and real questions, and you will pass the exam without any loss.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions

(Q13-Q18):

NEW QUESTION # 13

Task 2

An administrator needs to configure storage for a Citrix-based Virtual Desktop infrastructure.

Two VDI pools will be created

Non-persistent pool named MCS_Pool for tasks users using MCS Microsoft Windows 10 virtual Delivery Agents (VDAs)

Persistent pool named Persist_Pool with full-clone Microsoft Windows 10 VDAs for power users

20 GiB capacity must be guaranteed at the storage container level for all power user VDAs The power user container should not be able to use more than 100 GiB Storage capacity should be optimized for each desktop pool.

Configure the storage to meet these requirements. Any new object created should include the name of the pool(s) (MCS and/or Persist) that will use the object.

Do not include the pool name if the object will not be used by that pool.

Any additional licenses required by the solution will be added later.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the storage for the Citrix-based VDI, you can follow these steps:

Log in to Prism Central using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as VDI_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for optimal performance, you may prefer to use more SSDs than HDDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container for the non-persistent pool, such as MCS_Pool_Container, and select the storage pool that you just created, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Deduplication and Compression to reduce the storage footprint of the non-persistent desktops.

You can also enable Erasure Coding if you have enough nodes in your cluster and want to save more space. These settings will help you optimize the storage capacity for the non-persistent pool.

Click Save to create the container.

Go to Storage > Containers and click on Create Container again.

Enter a name for the new container for the persistent pool, such as Persist_Pool_Container, and select the same storage pool, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Capacity Reservation and enter 20 GiB as the reserved capacity. This will guarantee that 20 GiB of space is always available for the persistent desktops. You can also enter 100 GiB as the advertised capacity to limit the maximum space that this container can use. These settings will help you control the storage allocation for the persistent pool.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore for the non-persistent pool, such as MCS_Pool_Datastore, and select NFS as the datastore type. Select the container that you just created, MCS_Pool_Container, as the source.

Click Save to create the datastore.

Go to Storage > Datastores and click on Create Datastore again.

Enter a name for the new datastore for the persistent pool, such as Persist_Pool_Datastore, and select NFS as the datastore type.

Select the container that you just created, Persist_Pool_Container, as the source.

Click Save to create the datastore.

The datastores will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on each datastore. You should see all nodes listed under Hosts.

You can now use Citrix Studio to create your VDI pools using MCS or full clones on these datastores. For more information on how to use Citrix Studio with Nutanix Acropolis, see Citrix Virtual Apps and Desktops on Nutanix or Nutanix virtualization environments.

□ <https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2079-Citrix-Virtual-Apps-and-Desktops:bp-nutanix-storage-configuration.html>

NEW QUESTION # 14

Task 12

An administrator needs to create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including

the power state for the last month.

No other entities should be included in the report.

The report should run monthly and should send an email to admin@syberdyne.net when it runs.

Generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip Note: Make sure the report and zip file are named correctly. The SMTP server will not be configured.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter VMs_Power_State as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, Cluster Name, vCPUs, Memory, Power State. Click Next.

Under the Time Period option, select Last Month. Click Next.

Under the Report Settings option, select Monthly from the Schedule drop-down menu. Enter admin@syberdyne.net as the Email Recipient. Select CSV as the Report Output Format. Click Next.

Review the report details and click Finish.

To generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip, you can follow these steps:

Log in to Prism Central and click on Operations on the left menu.

Select Reports from the drop-down menu and find the VMs_Power_State report from the list. Click on Run Now.

Wait for the report to be generated and click on Download Report. Save the file as Desktop\Files\VMs_Power_state.zip.

1. Open the Report section on Prism Central (Operations > Reports)

2. Click on the New Report button to start the creation of your custom report

3. Under the Custom Views section, select Data Table

4. Provide a title to your custom report, as well as a description if required.

5. Under the Entity Type option, select VM

6. This report can include all as well as a selection of the VMs

7. Click on the Custom Columns option and add the below variables:

a. Name - Name of the listed Virtual Machine

b. vCPUs - A combination of the vCores and vCPU's assigned to the Virtual Machine c. Memory - Amount of memory assigned to the Virtual Machine d. Disk Capacity - The total amount of assigned virtual disk capacity e. Disk Usage - The total used virtual disk capacity f. Snapshot Usage - The total amount of capacity used by snapshots (Excluding Protection Domain snapshots)

8. Under the Aggregation option for Memory and Disk Usage accept the default Average option

9. Click on the Add button to add this custom selection to your report

10. Next click on the Save and Run Now button on the bottom right of the screen

11. Provide the relevant details on this screen for your custom report:

12. You can leave the Time Period For Report variable at the default of Last 24 Hours

13. Specify a report output of preference (PDF or CSV) and if required Additional Recipients for this report to be mailed to. The report can also simply be downloaded after this creation and initial run if required

14. Below is an example of this report in a CSV format:

NEW QUESTION # 15

Task 15

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

NEW QUESTION # 16

Task 10

An administrator is working to create a VM using Nutanix V3 API calls with the following specifications.

* VM specifications:

□ * vCPUs: 2

* Memory: 8Gb

* Disk Size: 50Gb

* Cluster: Cluster A

* Network: default- net

The API call is failing, indicating an issue with the payload:

The body is saved in Desktop/ Files/API_Create_VM,text

Correct any issues in the text file that would prevent from creating the VM. Also ensure the VM will be created as speeded and make sure it is saved for re-use using that filename.

Deploy the vm through the API

Note: Do not power on the VM.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LLEzCAO>

<https://jsonformatter.curiousconcept.com/#>

acli net.list (uuid network default_net)

ncli cluster info (uuid cluster)

Put Call: <https://Prism Central IP address : 9440/api/nutanix/v3/vms>

Edit these lines to fix the API call, do not add new lines or copy lines.

You can test using the Prism Element API explorer or PostMan

Body:

```
{
{
"spec": {
"name": "Test_Deploy",
"resources": {
"power_state": "OFF",
"num_vcpus_per_socket": ,
"num_sockets": 1,
"memory_size_mib": 8192,
"disk_list": [
```

```

{
  "disk_size_mib": 51200,
  "device_properties": {
    "device_type": "DISK"
  }
},
{
  "device_properties": {
    "device_type": "CDROM"
  }
},
],
"nic_list": [
  {
    "nic_type": "NORMAL_NIC",
    "is_connected": true,
    "ip_endpoint_list": [
      {
        "ip_type": "DHCP"
      }
    ],
    "subnet_reference": {
      "kind": "subnet",
      "name": "default_net",
      "uuid": "00000000-0000-0000-0000-000000000000"
    }
  }
],
},
"cluster_reference": {
  "kind": "cluster",
  "name": "NTNXDemo",
  "uuid": "00000000-0000-0000-0000-000000000000"
},
},
"api_version": "3.1.0",
"metadata": {
  "kind": "vm"
}
}

```

<https://www.nutanix.dev/2019/08/26/post-a-package-building-your-first-nutanix-rest-api-post-request/> Reference

NEW QUESTION # 17

TASK2

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.

Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.

Enable high-strength password policies for the hypervisor and cluster.

Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

Answer:

Explanation:

See the Explanation

Explanation:

This task focuses on Security Technical Implementation Guides (STIGs) and general hardening of the Nutanix cluster. Most of these tasks are best performed via the Nutanix Command Line Interface (ncli) on the CVM, though the SSH key requirement is often easier to handle via the Prism GUI.

Here is the step-by-step procedure to complete Task 2.

Prerequisites: Connection

Open PuTTY (or the available terminal) from the provided Windows Desktop.

SSH into the Cluster 2 CVM. (If the Virtual IP is unknown, check Prism Element for the CVM IP).

Log in using the provided credentials (usually nutanix / nutanix/4u or the admin password provided in your instructions).

Step 1: Output SCMA Policy (Do this FIRST)

Requirement: Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

In the SSH session on the CVM, run:

Bash

```
ncli cluster get-software-config-management-policy
```

Copy the output from the terminal window.

Open Notepad on the Windows Desktop.

Paste the output.

Save the file as output.txt on the Desktop.

Step 2: Enable AIDE (Weekly)

Requirement: Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and CVMs.

In the same CVM SSH session, run the following command to modify the SCMA policy:

Bash

```
ncli cluster edit-software-config-management-policy enable-aide=true schedule-interval=WEEKLY (Note: This single command applies the policy to both Hypervisor and CVMs by default in most versions).
```

Step 3: Enable High-Strength Password Policies

Requirement: Enable high-strength password policies for the hypervisor and cluster.

Run the following command:

Bash

```
ncli cluster set-high-strength-password-policy enable=true
```

Step 4: Update Root Password for Cluster Nodes

Requirement: Update the password for the root user on the Cluster 2 node to match the admin user password.

Method A: The Automated Way (Recommended)

Use ncli to set the password for all hypervisor nodes at once without needing to SSH into them individually.

Run:

Bash

```
ncli cluster set-hypervisor-password
```

When prompted, enter the current admin password (this becomes the new root password).

Method B: The Manual Way (If NCLI fails or manual access is required)

Note: Use this if the exam specifically wants you to touch the node via the 172.x network.

From the CVM, SSH to the host using the internal IP:

Bash

```
ssh root@172.30.0.x (Replace x with the host ID, e.g., 4 or 5)
```

Run the password change command:

Bash

```
passwd
```

Enter the admin password twice.

Repeat for other nodes in Cluster 2.

Step 5: Cluster Lockdown (SSH Keys)

Requirement: Ensure CVMs require SSH keys for login instead of passwords.

It is safest to do this via the Prism Element GUI to prevent locking yourself out.

Open Prism Element for Cluster 2 in the browser.

Click the Gear Icon (Settings) -> Cluster Lockdown.

Uncheck the box "Enable Remote Login with Password".

Click New Public Key (or Add Key).

Open the folder Desktop\Files\SSH on the Windows desktop.

Open the public key file (usually ends in .pub) in Notepad and copy the contents.

Paste the key into the Prism "Key" box.

Click Save.

Note: Do not reboot the cluster. The SCMA and Password policies take effect immediately without a reboot.

NEW QUESTION # 18

.....

Of course, when we review a qualifying exam, we can't be closed-door. We should pay attention to the new policies and information related to the test NCM-MCI certification. For the convenience of the users, the NCM-MCI test materials will be updated on the homepage and timely update the information related to the qualification examination. Annual qualification examination, although content broadly may be the same, but as the policy of each year, the corresponding examination pattern grading standards and hot spots will be changed, the NCM-MCI Test Prep can help users to spend the least time to pass the exam.

Valid NCM-MCI Exam Testking: https://www.real4dumps.com/NCM-MCI_examcollection.html

- NCM-MCI New Braindumps Files Reliable NCM-MCI Exam Bootcamp NCM-MCI Test Preparation Download NCM-MCI for free by simply searching on > www.vceengine.com < Latest NCM-MCI Study Notes
- 2026 Latest NCM-MCI Dumps Sheet | Pass-Sure NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 100% Pass Download NCM-MCI for free by simply searching on { www.pdfvce.com } New NCM-MCI Dumps Questions
- Get Real Nutanix NCM-MCI Questions From www.torrentvce.com - Ace Your Exam Search for ▶ NCM-MCI ◀ and obtain a free download on { www.torrentvce.com } NCM-MCI New Braindumps Files
- 100% Pass Professional NCM-MCI - Latest Nutanix Certified Master - Multicloud Infrastructure v6.10 Dumps Sheet Easily obtain ☀ NCM-MCI ☀ for free download through (www.pdfvce.com) New APP NCM-MCI Simulations
- Free PDF Nutanix - NCM-MCI -High Pass-Rate Latest Dumps Sheet Open [www.prep4sures.top] and search for « NCM-MCI » to download exam materials for free Reliable NCM-MCI Exam Bootcamp
- Exam NCM-MCI Material Simulated NCM-MCI Test Test NCM-MCI Duration Easily obtain ⇒ NCM-MCI ⇐ for free download through ⇒ www.pdfvce.com ⇐ NCM-MCI New Braindumps Files
- NCM-MCI New Braindumps Free Latest NCM-MCI Study Notes Reliable NCM-MCI Exam Bootcamp Copy URL www.exam4labs.com open and search for ✓ NCM-MCI ✓ to download for free Valid NCM-MCI Test Vce
- NCM-MCI Test Preparation Test NCM-MCI Questions Vce NCM-MCI Test Preparation Easily obtain free download of > NCM-MCI < by searching on 「 www.pdfvce.com 」 Exam NCM-MCI Answers
- New NCM-MCI Test Questions New APP NCM-MCI Simulations NCM-MCI New Braindumps Free Download { NCM-MCI } for free by simply searching on 「 www.pass4test.com 」 Positive NCM-MCI Feedback
- New APP NCM-MCI Simulations New APP NCM-MCI Simulations Instant NCM-MCI Discount Search for 【 NCM-MCI 】 and obtain a free download on { www.pdfvce.com } Positive NCM-MCI Feedback
- Quiz Nutanix - Useful NCM-MCI - Latest Nutanix Certified Master - Multicloud Infrastructure v6.10 Dumps Sheet Download ✓ NCM-MCI ✓ for free by simply searching on > www.testkingpass.com < NCM-MCI New Braindumps Free
- bookmarkleader.com, elijahiuuvv201090.blog5star.com, e-bookmarks.com, www.stes.tyc.edu.tw, triplexdirectory.com, www.stes.tyc.edu.tw, bookmarkindexing.com, bookmarkleader.com, tayancre892362 levitra-wiki.com, mariahyyvn152760.losblogos.com, Disposable vapes

DOWNLOAD the newest Real4dumps NCM-MCI PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1e5edVRdMLd8eWTfzh3P6gR4seU22Aik>