

素敵-最新の300-620資料的中率試験-試験の準備方法

300-620日本語版復習資料

2020/2/25

Likelihood

まず、陽性尤度比を定義します。
陽性尤度比の定義は、

$$LR+ = \frac{P(T+|D+)}{P(T+|D-)} = \frac{Se}{1 - Sp}$$

です。
陽性的中率と比べると、 T と D の順番が逆になっていることに注意してください。
 T と D がこの順番で来る限り、上記のように感度と特異度のみから計算可能です。

3) 陽性尤度比の使い道

さて、先程のベイズの定理から

$$P(T+|D+) = \frac{P(D+|T+) \cdot P(T+)}{P(D+)}$$

かつ

$$P(T+|D-) = \frac{P(D-|T+) \cdot P(T+)}{P(D-)}$$

となります。
よって、

$$LR+ = \frac{\frac{P(D+|T+) \cdot P(T+)}{P(D+)}}{\frac{P(D-|T+) \cdot P(T+)}{P(D-)}} = \frac{P(D+|T+) \cdot P(D-)}{P(D-|T+) \cdot P(D+)}$$

すなわち、

$$\frac{P(D+|T+)}{P(D-|T+)} = \frac{P(D+)}{P(D-)} \cdot LR+$$

となります。

注：Bayes' formula II (Odds-Likelihood-Ratio Form)と呼ばれる公式になります。

localhost:8888/nbconvert/html/Dropbox/00_2019_Class/Summer/RDS286/Likelihood.ipynb?download=false

3/5

無料でクラウドストレージから最新のJpexam 300-620 PDFダンプをダウンロードする：<https://drive.google.com/open?id=1vJav7aYy1JSIFleMNfTQLYCYh-7BMNqp>

まず、Ciscoの300-620試験で100%の合格率を保証できます。300-620練習クイズには、タイミング機能を備えた模擬試験システムが装備されているため、学習結果をいつでも確認し、欠陥のチェックを続け、体力を向上させることができます。第二に、300-620ラーニングガイドの使用期間中、24時間の無料オンラインサービスも提供します。これは、300-620試験問題に関する問題をいつでも解決するのにImplementing Cisco Application Centric Infrastructure役立ちます。

Ciscoの300-620認定試験に受かる勉強サイトを探しているのなら、Jpexamはあなたにとって一番良い選択です。Jpexamがあなたに差し上げられるのはIT業種の最先端のスキルを習得したとCiscoの300-620認定試験に合格したことです。この試験は本当に難しいことがみんなは良く知っていますが、試験に受かるのは不可能ではありません。自分に向いている勉強ツールを選べますから。JpexamのCiscoの300-620試験問題集と解答はあなたにとって一番良い選択です。Jpexamのトレーニング資料は完全だけでなく、カバー率も高く、高度なシミュレーションを持っているのです。これはさまざまな試験の実践の検査に合格したもので、Ciscoの300-620認定試験に合格したかったら、Jpexamを選ぶのは絶対正しいことです。

>> 300-620資料的中率 <<

更新する300-620資料的中率と一番優秀な300-620日本語版復習資料

当社Ciscoでは、300-620試験問題についてより幅広い選択肢をお客様に提供することを常に重視しています。今、私たちは約束を実現しました。私たちのウェブサイトは、ほぼすべての種類の公式テストと一般的な証明書をカバーする300-620学習教材を提供します。したがって、Jpexamの300-620トレーニングガイドのウェブサイトに必要なものを簡単に見つけることができます。ウェブサイトのすべての300-620学習資料は専門的かつ正確であり、学習のプレッシャーを大幅に軽減し、夢のImplementing Cisco Application Centric Infrastructureの300-620認定を取得するのに役立ちます。

シスコ300-620認定試験は、約60-70の質問から構成される90分のコンピュータベースのテストです。この試験は、ACIファブリックインフラストラクチャ、ACIポリシー、エンドポイントグループ（EPG）、仮想化、L4-L7サービス統合など、さまざまなトピックをカバーしています。また、試験では、候補者がACI展開の問題をトラブルシューティングし、ソリューションを推奨する能力も評価されます。

Cisco 300-620認定試験は、データセンターインフラ管理に特化したITプロフェッショナルにとって重要な基準です。この認定は、現代のデータセンターで最も広く使用されている技術の1つであるACIインフラストラクチャを展開および管理するために必要なスキルと知識を検証します。Cisco 300-620認定を取得することで、候補者はACIインフラストラクチャを設計、実装、および管理する能力を示すことができ、分野内の他のITプロフェッショナルと差別化することができます。この認定は、データセンターインフラ管理でキャリアを進めたいITプロフェッショナルにとって強固な基盤を提供し、業界の雇用主から高く評価されています。

Cisco Implementing Cisco Application Centric Infrastructure 認定 300-620 試験問題 (Q39-Q44):

質問 # 39

Which routing protocol is supported between Cisco ACI spines and IPNs in a Cisco ACI Multi-Pod environment?

- **A. BGP**
- B. EIGRP
- C. ISIS
- D. OSPF

正解: A

解説:

BGP is supported between Cisco ACI spines and IPNs in a Cisco ACI Multi-Pod environment.

質問 # 40

What is MP-BGP used for in Cisco ACI fabric?

- A. MP-BGP VPNv4 AF is used as protocol on L3Out between a border leaf and an external router
- B. MP-BGP VPNv4 AF is used between spines in an ACI Multi-Pod fabric to propagate the endpoint
- **C. MP-BGP VPNv4 AF is used to propagate L3Out routes that are received from a border leaf to the fabric.**
- D. MP-BGP Layer 2 VPN EVPN AF is used to propagate L3Out routes that are received from a border leaf.

正解: C

解説:

In Cisco ACI fabric, MP-BGP (Multi-Protocol Border Gateway Protocol) is utilized for several purposes, one of which includes the propagation of L3Out (Layer 3 Out) routes within the fabric. Specifically, MP-BGP with VPNv4 address family (AF) is used in the ACI infra VRF (overlay-1 VRF) to distribute external routes from a border leaf to other leaf switches¹. This allows for the efficient dissemination of routing information and ensures that all relevant leaf switches are aware of the routes necessary to reach external networks.

Reference:

ACI Fabric L3Out White Paper - Cisco¹

Configuring ACI Fabric BGP Route Reflectors - Cisco²

ACI Fabric - Underlying protocols - Cisco Community³

Cisco Application Centric Infrastructure Fundamentals, Release 5.3(x)⁴

質問 # 41

A network engineer demonstrates Cisco ACI to a customer. One of the test cases is to validate a disaster recovery event by resetting the ACI fabric to factory and then restoring the fabric to the state it was in before the event.

Which setting must be enabled on ACI to export all configuration parameters that are necessary to meet these requirements?

- A. encrypted export destination
- **B. enabled AES encryption**
- C. generated a tech-support file
- D. enabled JSON format export

正解: B

解説:

AES encryption may be optional for backup but is required for the use case of restoring a factory- fresh install to a fully working environment.

質問 # 42

An SNMP monitoring service is added to a Cisco ACI fabric. The solution must meet these requirements:

- The notification must be generated when significant events occur during hardware-related events.
- The notification system must be redundant by using multiple servers to receive the notifications.

Which set of actions meets these requirements?

- A. Configure an SNMP policy with community policies in the Tenant section of the common tenant. Link the SNMP policy to the common tenant in the Monitoring Policies section under the Fabric tab.
- B. Configure an SNMP Monitoring Destination Group. Define an SNMP source by using the previously defined group in the Access Policies section under the Fabric tab.
- C. Define an SNMP policy with community policies in the Fabric Policies section under the Fabric tab. Implement an SNMP Client Group Profile.
- **D. Implement an SNMP Monitoring Destination Group.**
Associate the SNMP policy to the desired pod in the Pod Policies section under the Fabric tab.

正解: D

解説:

Define snmp destination groups under admin tab, and then go to fabric policies tab and create snmp policy and attach it to pod policy group.

質問 # 43

Which log type provides information about configuration changes initiated by the user in the Cisco ACI fabric?

- **A. audit**
- B. event
- C. fault
- D. session

正解: A

解説:

Audit logs in the Cisco ACI fabric provide detailed information about configuration changes initiated by users. These logs track actions such as creating, modifying, or deleting objects within the fabric. The audit logs are crucial for monitoring user activities and maintaining a record of changes for compliance and troubleshooting purposes.

質問 # 44

.....

今、私たちCiscoは非常に競争の激しい世界に住んでいます。あなたがまともな仕事を見つけて高い給料を稼ぎ

P.S.JpexamがGoogle Driveで共有している無料の2026 Cisco 300-620ダンプ: <https://drive.google.com/open?id=1vJav7aYy1JSFIeMNFtOLYCyh-7BMNqp>