

FCSS_SDW_AR-7.6 Kostenlos Downloden, FCSS_SDW_AR-7.6 Schulungsunterlagen

Download Fortinet FCSS_SDW_AR-7.4 Exam Dumps For Best Preparation

Exam : FCSS_SDW_AR-7.4

**Title : FCSS - SD-WAN 7.4
Architect**

https://www.passcert.com/FCSS_SDW_AR-7.4.html

1 / 13

DeutschPrüfung ist eine Website, die alle Informationen zur verschiedenen Fortinet -Zertifizierungsprüfungen bieten kann. DeutschPrüfung kann die besten und neuesten Prüfungsressourcen für Sie bereitstellen. Wenn Sie DeutschPrüfung wählen, können Sie sich unbesorgt auf Ihre Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung vorbereiten. Unsere Prüfungsunterlagen garantieren Ihnen, dass Sie 100% die Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung bestehen können. Wenn nicht, geben wir Ihnen eine volle Rückerstattung oder aktualisieren schnell die Fortinet FCSS_SDW_AR-7.6 Prüfungsfragen- und antworten. DeutschPrüfung kann Ihnen Hilfe bei der Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung sowie bei Ihrer zukünftigen Arbeit bieten. Zwar gibt es viele Möglichkeiten, die Ihnen zu Ihrem Ziel verhelfen, aber es ist die klügste Wahl, wenn Sie DeutschPrüfung wählen. Mit DeutschPrüfung können Sie mit wenigem Geld die Prüfung sicherer bestehen. Außerdem bieten wir Ihnen einjährigen kostenlosen Update-Service.

Fühlen Sie sich sehr schwierig, erfolgreich zu werden? Fühlen Sie es sehr schwierig, IT-Zertifizierungsprüfungen zu bestehen? Sorgen Sie sich jetzt um die Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung? Es ist unnötig. IT-Zertifizierungsprüfungen sind nicht so geheimnisvoll wie Sie glauben. Wir können richtige Geräte benutzen, erfolgreich zu werden. Solange Sie die richtigen Geräte wählen, ist es sehr einfach erfolgreich zu werden. Wissen Sie, was ist das beste Gerät? Ja, Fortinet FCSS_SDW_AR-7.6 Dumps von DeutschPrüfung sind die besten Geräte. Diese Dumps sammeln und analysieren viele vorherige FCSS_SDW_AR-7.6 Prüfungsfragen. Und sie fügen auch viele neue Prüfungsfragen laut der Prüfungsvorschriften hinzu. Das ist die Dumps, die Sie Fortinet FCSS_SDW_AR-7.6 Prüfung einmalig bestehen können.

>> FCSS_SDW_AR-7.6 Kostenlos Downloden <<


Fortinet FCSS_SDW_AR-7.6 Schulungsunterlagen & FCSS_SDW_AR-7.6 Prüfungen

Viele meiner Freude im IT-Bereich haben viel Zeit und Energie für die Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung verwendet. Aber sie haben sich nicht am Kurs oder Training im Internet beteiligt. Für sie ist es schwer, die Fortinet FCSS_SDW_AR-7.6 Prüfung zu bestehen. Und die Erfolgsquote ist auch sehr niedrig. Glücklicherweise bietet DeutschPrüfung die zuverlässigen Fortinet FCSS_SDW_AR-7.6 Prüfungsmaterialien. Die Schulungsunterlagen von DeutschPrüfung beinhalten die Simulationssoftware und die Prüfungsfragen-und antworten. Wir würden die besten Prüfungsfragen und Antworten zur FCSS_SDW_AR-7.6 Zertifizierungsprüfung bieten, um Ihre Bedürfnisse abzudecken.

Fortinet FCSS - SD-WAN 7.6 Architect FCSS_SDW_AR-7.6 Prüfungsfragen mit Lösungen (Q93-Q98):

93. Frage

(Refer to the exhibits.



The SD-WAN zones and members configuration of two branch devices are shown. The two branch devices are part of the same hub-and-spoke topology and connect to the same hub. The devices are configured to allow Auto-Discovery VPN (ADVPN). The configuration on the hub allows the initial communication between the two spokes.

When traffic flows require it, between which interfaces can the devices establish shortcuts? Choose one answer.)

- A. Interface connected to HUB only
- **B. Between T2 on Branch-A and TA on Branch-B**
- C. Any interface in the overlay zones
- D. Between T3 on Branch-A and TC on Branch-B

Antwort: B

Begründung:

From the exhibit, both branches have an SD-WAN zone named overlay with set advpn-select enable, and each SD-WAN member in that zone is assigned a transport-group value.

Branch-A members:

T1 → transport-group 1

T2 → transport-group 1

T3 → transport-group 2

Branch-B members:

TA → transport-group 1

TB → transport-group 2

TC → transport-group 3

In FCSS SD-WAN 7.6 ADVPN design, transport-group is used to constrain which underlays are allowed to form ADVPN shortcuts with each other. A spoke can establish an ADVPN shortcut only between interfaces that belong to the same transport-group on both sides. This prevents building shortcuts across dissimilar transports.

Evaluating the options:

Option D (T2 on Branch-A with transport-group 1 and TA on Branch-B with transport-group 1) is a valid shortcut pairing.

Option C is not valid because T3 is transport-group 2 while TC is transport-group 3, so they are not permitted to form a shortcut.

Option A is incorrect because not all overlay-zone interfaces are eligible; eligibility is restricted by transport-group matching.

Option B is incorrect because ADVPN shortcuts are spoke-to-spoke tunnels (facilitated by the hub), not limited to "interfaces connected to hub only." Therefore, the valid shortcut pairing listed is between T2 on Branch-A and TA on Branch-B, which corresponds to Option D.

94. Frage

You have configured the performance SLA with the probe mode as Prefer Passive.

What are two observable impacts of this configuration? (Choose two.)

- A. After FortiGate switches to active mode, the SLA performance rule falls back to passive monitoring after 3 minutes.
- B. FortiGate passively monitors the member if ICMP traffic is passing through the member.
- C. FortiGate passively monitors the member if TCP traffic is passing through the member.
- D. During passive monitoring, the SLA performance rule cannot detect dead members.
- E. FortiGate can offload the traffic that is subject to passive monitoring to hardware.

Antwort: C,D

Begründung:

In FortiOS 7.6, when a Performance SLA probe mode is set to Prefer Passive, FortiGate attempts to measure link performance using passive monitoring first, based on real user traffic. Only when passive monitoring is not possible does FortiGate temporarily fall back to active probing.

With Prefer Passive, FortiGate passively monitors TCP traffic flowing through the SD-WAN member to calculate SLA metrics such as latency, jitter, and packet loss. This behavior directly matches option A.

During passive monitoring, FortiGate relies on observed traffic to infer link health. Because no synthetic probes are sent, a completely dead link (with no traffic passing) cannot be detected by the SLA during passive mode. As a result, dead members may not be immediately detected, which makes option D correct.

Option B is incorrect because there is no fixed 3-minute timer defined in FortiOS 7.6 that forces a return from active probing back to passive monitoring.

Option C is incorrect because passive SLA monitoring is based on TCP traffic, not ICMP traffic. ICMP is used for active probing, not passive monitoring.

Option E is incorrect because traffic subject to passive SLA monitoring cannot be offloaded to hardware. Passive SLA measurement requires software inspection of packets, which prevents NPU offloading.

Therefore, the two correct observable impacts of configuring the probe mode as Prefer Passive are A and D.

95. Frage

Which statement about SD-WAN zones is true?

- A. You can configure up to 32 SD-WAN zones per VDOM.
- B. An SD-WAN zone can contain only one type of interface.
- C. You cannot use an SD-WAN zone in static route definitions.
- D. An SD-WAN zone can contain between 0 and 512 members.

Antwort: D

Begründung:

SD-WAN zones logically group SD-WAN members (interfaces) often for purposes like overlay and underlay interfaces.

One SD-WAN zone can have up to 512 member interfaces, but large numbers may impact route processing and performance.

SD-WAN members cannot be shared between different zones.

96. Frage

Refer to the exhibit. Which two conclusions can you draw from the output shown? (Choose two.)

Diagnose output

```
spoke_A # diagnose firewall proute list
list route policy info(vf=root):

id=1(0x01) dscp_tag=0xfc 0xfc flags=0x0 tos=0x00 tos_mask=0x00 protocol=17 port=src(0->65535):dst(0->65535)
iif=0(any)
path(1): oif=0(any) gwy=10.0.1.253
destination(1): 10.22.0.0-10.22.0.255
source wildcard(1): 0.0.0.0/255.255.255.0
hit_count=5 rule_last_used=2024-12-19 07:53:31

id=2130968577(0x7f040001) vwl_service=1(Critical-DIA) vwl_mbr_seq=2 1 dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(2): oif=4(port2), oif=3(port1)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1) : 0.0.0.0/0.0.0.0
application control(2): Microsoft.Portals(41469,0) Storage.Backup(0,22)
hit_count=8597 rule_last_used=2024-12-19 07:31:00

id=2130968578(0x7f040002) vwl_service=2(Non-Critical-DIA) vwl_mbr_seq=2 dscp_tag=0xfc 0xfc flags=0x0 tos=
0x00 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(1): oif=4(port2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1) : 0.0.0.0/0.0.0.0
application control(2): Operational.Technology(0,26) Social.Media(0,23)
hit_count=36589 rule_last_used=2024-12-19 07:31:00

id=2130968580(0x7f040004) vwl_service=4 (Critical-Web-Server) vwl_mbr_seq=3 dscp_tag=0xfc flags=0x0 tos=
0x00
tos_mask=0x00 protocol=0 port=src(0->0) iif=0(any)
path(1): oif=6(port4)
source(1): 10.0.1.0-10.0.1.255
destination(1): 128.66.0.1-128.66.0.1
hit_count=12587 rule_last_used=2024-12-19 07:31:00

id=2130968579(0x7f040003) vwl_service=3 (VOIP) vwl_mbr_seq=1 dscp_tag=0xfc flags=0x0 tos=0x00 tos_mask=0x00
protocol=17 port=src(1->65535):dst(1->65535) iif=0(any)
path(1): oif=3(port1) path_last_used=2024-12-19 08:09:00
source(1): 10.0.1.0-10.0.1.255
destination(1): 0.0.0.0-255.255.255.255
hit_count=13 rule_last_used=2024-12-19 08:09:00
```

- A. UDP traffic destined to the subnet 10.22.0.0/24 matches a policy route.
- B. One SD-WAN rule allows traffic load balancing.
- C. One SD-WAN rule is defined with application categories as the destination.
- D. UDP traffic destined to the subnet 10.22.0.0/24 matches a manual SD-WAN rule.

Antwort: A,B

Begründung:

The output shows SD-WAN rules with multiple member sequences (vwl_mbr_seq), indicating load balancing is configured for at least one SD-WAN rule (supporting C).

There is a policy route (id=0) that explicitly matches UDP protocol traffic (protocol=17) destined to 10.22.0.0/24 with a next-hop gateway, confirming D.

97. Frage

(Which two features must you configure before FortiGate can steer traffic according to SD-WAN rules? Choose two answers.)

- A. Firewall policies
- B. Traffic shaping
- C. Overlay links
- D. Underlay links
- E. Security profiles

Antwort: A,D

Begründung:

For FortiGate to steer traffic using SD-WAN rules, two foundational elements must be in place: available WAN paths (underlay links) and firewall policies that allow traffic to reach the SD-WAN interface.

Underlay links (Option B) are mandatory because SD-WAN operates by selecting among multiple WAN transports (for example, broadband, MPLS, LTE, or IPsec tunnels). These links are configured as SD-WAN members and form the physical or logical paths over which traffic can be steered. Without underlay links, SD-WAN has no paths to evaluate or select.

Firewall policies (Option E) are also mandatory because FortiGate only processes and forwards traffic that is explicitly permitted by a firewall policy. When SD-WAN is enabled, firewall policies must reference the SD-WAN interface or SD-WAN zone as the outgoing interface. If no such policy exists, traffic will not be forwarded and SD-WAN rules will never be evaluated.

Why the other options are incorrect:

Security profiles (Option A) are optional and relate to inspection, not SD-WAN steering.

Overlay links (Option C) are used in specific designs such as ADVPN or hub-and-spoke overlays, but SD-WAN can steer traffic without overlays (for example, DIA-only designs).

Traffic shaping (Option D) is not required for SD-WAN decision-making; it is an optional optimization feature.

Therefore, the two required features that must be configured before FortiGate can steer traffic according to SD-WAN rules are underlay links and firewall policies, which correspond to B and E.

98. Frage

.....

Wenn Sie die Unterlagen von DeutschPrüfung kaufen, bekommen Sie einjährigen kostenlosen Aktualisierungsservice. Wenn die Dumps aktualisiert sind, werden wir DeutschPrüfung Ihnen die neuesten Versionen per E-Mail senden. Sie können auch an uns E-Mails schreiben, die neuesten Prüfungsunterlagen zur Fortinet FCSS_SDW_AR-7.6 Zertifizierung zu fordern. Und DeutschPrüfung kann Ihnen die Aktualisierungsservice innerhalb einem Jahr kostenlos bieten, obwohl Sie diese Fortinet FCSS_SDW_AR-7.6 Prüfung erfolgreich machen.

FCSS_SDW_AR-7.6 Schulungsunterlagen: https://www.deutschpruefung.com/FCSS_SDW_AR-7.6-deutsch-pruefungsfragen.html

Beim Online-Service geht es um die Forschungsmateriale, die Simulationsprüfungen und Fragen und Antworten zur Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung enthalten, Fortinet FCSS_SDW_AR-7.6 Kostenlos Downloaden Unsere Schulungsunterlagen werden von den Experten neuerlich erforscht, Jedoch ist es nicht einfach, die FCSS_SDW_AR-7.6-Zertifizierungsprüfungen zu bestehen, Fortinet FCSS_SDW_AR-7.6 Kostenlos Downloaden Was ist Ihre Politik Erstattungsrichtlinien?

So weit darf ich es nicht kommen lassen; denn FCSS_SDW_AR-7.6 ich muß den Esel doch wieder nach Mossul bringen, sonst erhalte ich die Bastonnade und verliere meinen Grad, Er hat begriffen, FCSS_SDW_AR-7.6 Prüfungen wie wichtig es ist, den Gral zu finden und aus seinem Gefängnis zu befreien.

FCSS_SDW_AR-7.6 Trainingsmaterialien: FCSS - SD-WAN 7.6 Architect & FCSS_SDW_AR-7.6 Lernmittel & Fortinet FCSS_SDW_AR-7.6 Quiz

Beim Online-Service geht es um die Forschungsmateriale, die Simulationsprüfungen und Fragen und Antworten zur Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung enthalten.

Unsere Schulungsunterlagen werden von den Experten neuerlich erforscht, Jedoch ist es nicht einfach, die FCSS_SDW_AR-7.6-Zertifizierungsprüfungen zu bestehen, Was ist Ihre Politik Erstattungsrichtlinien?

Falls Sie bei der Prüfung durchfallen, FCSS_SDW_AR-7.6 Schulungsunterlagen werden wir Ihnen alle Gebühren zurückgeben.

- FCSS_SDW_AR-7.6 Vorbereitungsfragen □ FCSS_SDW_AR-7.6 Quizfragen Und Antworten □ FCSS_SDW_AR-7.6 Prüfungsinformationen □ Öffnen Sie die Webseite ▷ www.zertpruefung.ch ◁ und suchen Sie nach kostenloser Download von “FCSS_SDW_AR-7.6 ” ↘ FCSS_SDW_AR-7.6 Zertifizierung
- Neueste FCSS_SDW_AR-7.6 Pass Guide - neue Prüfung FCSS_SDW_AR-7.6 braindumps - 100% Erfolgsquote □ Suchen Sie auf ► www.itzert.com □ nach 《 FCSS_SDW_AR-7.6 》 und erhalten Sie den kostenlosen Download mühelos □ FCSS_SDW_AR-7.6 Online Test
- FCSS_SDW_AR-7.6 Prüfungsfragen Prüfungsvorbereitungen 2026: FCSS - SD-WAN 7.6 Architect - Zertifizierungsprüfung Fortinet FCSS_SDW_AR-7.6 in Deutsch Englisch pdf downloaden □ Suchen Sie auf ☀ www.echtfage.top □ ☀ □ nach ► FCSS_SDW_AR-7.6 ◀ und erhalten Sie den kostenlosen Download mühelos □ FCSS_SDW_AR-7.6 Fragenpool

- Fortinet FCSS_SDW_AR-7.6 Prüfung Übungen und Antworten □ Suchen Sie jetzt auf ➡ www.itzert.com □ nach [FCSS_SDW_AR-7.6] und laden Sie es kostenlos herunter □ FCSS_SDW_AR-7.6 Originale Fragen
- FCSS_SDW_AR-7.6 Ressourcen Prüfung - FCSS_SDW_AR-7.6 Prüfungsguide - FCSS_SDW_AR-7.6 Beste Fragen □
□ Öffnen Sie die Webseite [www.it-pruefung.com] und suchen Sie nach kostenloser Download von ☀ FCSS_SDW_AR-7.6 ☀ □ □ FCSS_SDW_AR-7.6 Examsfragen
- FCSS_SDW_AR-7.6 Braindumpsit Dumps PDF - Fortinet FCSS_SDW_AR-7.6 Braindumpsit IT-Zertifizierung - Testking Examen Dumps □ Sie müssen nur zu ➡ www.itzert.com □ □ □ gehen um nach kostenloser Download von ➡ FCSS_SDW_AR-7.6 □ zu suchen □ FCSS_SDW_AR-7.6 Online Test
- FCSS_SDW_AR-7.6 Online Test □ FCSS_SDW_AR-7.6 Testengine ☉ FCSS_SDW_AR-7.6 Zertifizierungsprüfung □
□ Sie müssen nur zu ➤ de.fast2test.com □ gehen um nach kostenloser Download von ➡ FCSS_SDW_AR-7.6 □ zu suchen □ FCSS_SDW_AR-7.6 Testking
- FCSS_SDW_AR-7.6 Originale Fragen □ FCSS_SDW_AR-7.6 Testking □ FCSS_SDW_AR-7.6 Online Test □
Suchen Sie auf ➡ www.itzert.com □ nach kostenlosem Download von ▷ FCSS_SDW_AR-7.6 ◁ □ FCSS_SDW_AR-7.6 Testengine
- Neueste FCSS_SDW_AR-7.6 Pass Guide - neue Prüfung FCSS_SDW_AR-7.6 braindumps - 100% Erfolgsquote □
Öffnen Sie die Webseite ✓ www.echtefrage.top □ ✓ □ und suchen Sie nach kostenloser Download von ⇒ FCSS_SDW_AR-7.6 ⇐ □ FCSS_SDW_AR-7.6 Kostenlos Downladen
- Kostenlose FCSS - SD-WAN 7.6 Architect vce dumps - neueste FCSS_SDW_AR-7.6 examcollection Dumps □ Suchen Sie auf [www.itzert.com] nach kostenlosem Download von ➡ FCSS_SDW_AR-7.6 □ □ □ □ FCSS_SDW_AR-7.6 Exam
- FCSS_SDW_AR-7.6 Prüfungsmaterialien □ FCSS_SDW_AR-7.6 Tests ✓ FCSS_SDW_AR-7.6 Tests □ Öffnen Sie die Website ➡ www.zertfragen.com □ □ □ Suchen Sie □ FCSS_SDW_AR-7.6 □ Kostenloser Download □ □ FCSS_SDW_AR-7.6 Zertifizierung
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, learn.degree2destiny.com, www.stes.tyc.edu.tw, www.things.togetme.com, ncon.edu.sa, shortcourses.russellcollege.edu.au, www.skudci.com, www.rockemdl.com8080, bbs.t-firefly.com, www.quora.com, Disposable vapes