

# FCSS\_SDW\_AR-7.4 Exam Materials Preparation

## Torrent - FCSS\_SDW\_AR-7.4 Learning Prep - VCEPrep



P.S. Free 2025 Fortinet FCSS\_SDW\_AR-7.4 dumps are available on Google Drive shared by VCEPrep:  
<https://drive.google.com/open?id=18v1LpYQYm2JuYx-NfOFVDL7bkUUgV8C9>

For the purposes of covering all the current events into our FCSS\_SDW\_AR-7.4 study guide, our company will continuously update our training materials. And after payment, you will automatically become the VIP of our company, therefore you will get the privilege to enjoy free renewal of our FCSS\_SDW\_AR-7.4 practice test during the whole year. No matter when we have compiled a new version of our training materials our operation system will automatically send the latest version of the FCSS\_SDW\_AR-7.4 Preparation materials for the exam to your email, all you need to do is just check your email then download it.

### Fortinet FCSS\_SDW\_AR-7.4 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>Centralized Management: This domain evaluates network administrators' competence in deploying and managing SD-WAN configurations centrally using FortiManager. It includes tasks such as implementing branch configurations and utilizing overlay templates to streamline network management.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>Configure Performances SLAs: Designed for network administrators, this part focuses on setting up performance Service Level Agreements (SLAs) within SD-WAN environments. Candidates must show proficiency in defining criteria to monitor and maintain network performance and reliability.</li></ul>
Topic 3	<ul style="list-style-type: none"><li>SD-WAN Configuration: This section of the exam measures the skills of network engineers and covers configuring a basic SD-WAN setup. Candidates are expected to demonstrate their ability to define SD-WAN members and zones effectively, ensuring foundational network segmentation and management.</li></ul>
Topic 4	<ul style="list-style-type: none"><li>Advanced IPsec: Intended for security engineers, this section covers the deployment of advanced IPsec topologies for SD-WAN, including hub-and-spoke models, ADVPN configurations, and complex multi-hub or multi-region deployments. Candidates need to demonstrate expertise in securing wide-area networks using IPsec technologies.</li></ul>

>> FCSS\_SDW\_AR-7.4 Valid Exam Pdf <<

### FCSS\_SDW\_AR-7.4 Reliable Braindumps Ebook | Real FCSS\_SDW\_AR-7.4 Question

To increase people's knowledge and understanding of this FCSS\_SDW\_AR-7.4 exam, so as to improve and direct your practice, our experts made the FCSS\_SDW\_AR-7.4 study questions diligently and assiduously all these years. Our FCSS\_SDW\_AR-7.4 practice materials are successful measures and methods to adopt. They also make new supplementary FCSS\_SDW\_AR-7.4


learning materials and add prediction of market trend happened in this exam

## Fortinet FCSS - SD-WAN 7.4 Architect Sample Questions (Q12-Q17):

### NEW QUESTION # 12

Refer to the exhibits.


#### IPsec template for Branch\_IPsec\_1



IPsec Template - Branch\_IPsec\_1

Name	Branch_IPsec_1
Description	
<input type="button" value="Create New"/> <input type="button" value="Edit"/> <input type="button" value="Delete"/> <input type="button" value="More"/>	
Name	Type
HUB1-VPN1	Static
\$(ISP1)	


#### IPsec template for Branch\_IPsec\_2



IPsec Template - Branch\_IPsec\_2

Name	Branch_IPsec_2	
Description		
<input type="button" value="Create New"/> <input type="button" value="Edit"/> <input type="button" value="Delete"/> <input type="button" value="More"/>		
Name	Type	Outgoing Interface
HUB1-VPN2	Static	\$(ISP2)

#### Error message in FortiManager



The exhibits show two IPsec templates to define Branch IPsec 1 and Branch\_IPsec\_2. Each template defines a VPN tunnel. The error message that FortiManager displayed when the administrator tried to assign the second template to the FortiGate device is also shown.

Which statement best describes the cause of the issue?

- A. You can assign only one IPsec template to each FortiGate device.
- B. You should review the branch1\_fgt configuration for configured tunnels in the rootVDOM.
- C. You should use the same outgoing interface of both templates.
- D. You can assign only one template with a tunnel type of static to each FortiGate device.

**Answer: A**

Explanation:

The FortiManager SD-WAN overlay system allows only one IPsec template to be assigned to each device per overlay operation. The guide clarifies:

"If you attempt to assign more than one IPsec template to a FortiGate device for the same overlay type, FortiManager will display an error, preventing duplicate or conflicting tunnel configurations. This limitation ensures a one-to-one mapping between device and overlay template per operation, maintaining configuration integrity and preventing routing issues." This prevents complex

troubleshooting scenarios and enforces best practices for overlay design.

#### NEW QUESTION # 13

Refer to the exhibits, which show the configuration of an SD-WAN rule and the corresponding rule status and routing table.

#### SD-WAN rule

```
branch_fgt (3) # show
config service
    edit 3
        set name "Corp"
        set mode sla
        set dst "LAN-net"
        set src "LAN-net"
config sla
    edit "HUB1_HC"
        set id 1
    next
    edit "HUB1_HTTP"
        set id 1
    next
end
set priority-members 4 5 6
next
end
```

## SD-WAN rule status and routing table

```
branch1_fgt # diagnose sys sdwan service4 3

Service (3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
  Tie break: cfg
  Shortcut priority: 2
    Gen(3), TOS(0x0/0x0), Protocol (0): src(1->65535):dst (1->65535),
    Mode(sla), sla-compare-order
    Members (3):
      1: Seq_num(6 HUB1-VPN3 HUB1), alive, sla(0x3), gid(0), cfg order(2),
         local cost (0), selected
      2: Seq num(5 HUB1-VPN2 HUB1), alive, sla(0x2), gid(0), cfg order
         (1), local cost (0), selected
      3: Seq num(4 HUB1-VPN1 HUB1), alive, sla(0x0), gid(0), cfg order
         (0), local cost (0), selected
    Src address(1):
      10.0.1.0-10.0.1.255

    Dst address (1):
      10.1.0.0-10.1.255.255

branch1_fgt # get router info routing-table all | grep HUB1
B 10.1.0.0/24 [200/0] via 192.168.1.61 (recursive is directly connected,
HUB1-VPN1), 00:20:06, [1/0]
  [200/0] via 192.168.1.125 (recursive is directly connected,
HUB1-VPN2), 00:20:06, [1/0]
B 10.2.0.0/24 [200/0] via 192.168.1.189 (recursive is directly connected,
HUB1-VPN3), 00:20:06, [1/0]
C 192.168.1.0/26 is directly connected, HUB1-VPN1
C 192.168.1.1/32 is directly connected, HUB1-VPN1
C 192.168.1.64/26 is directly connected, HUB1-VPN2
C 192.168.1.65/32 is directly connected, HUB1-VPN2
C 192.168.1.128/26 is directly connected, HUB1-VPN3
C 192.168.1.129/32 is directly connected, HUB1-VPN3
```

The administrator wants to understand the expected behavior for traffic matching the SD-WAN rule.

Based on the exhibits, what can the administrator expect for traffic matching the SD-WAN rule?

- A. The traffic will be routed over HUB1-VPN3.
- B. The traffic will be routed over HUB1-VPN1.
- C. The traffic will be routed over HUB1-VPN2**
- D. The traffic will be load balanced across all three overlays

**Answer: C**

Explanation:

The rule is in SLA mode with two SLAs. From the status, HUB1-VPN2 and HUB1-VPN3 meet the SLA (sla(0x2) and sla(0x3)), while HUB1-VPN1 does not (sla(0x0)). Among members that meet SLA, FortiGate uses the configured order (priority-members 4 5 6) to pick the first eligible one- HUB1-VPN2-so traffic is routed over HUB1-VPN2.

## NEW QUESTION # 14

Refer to the exhibits. The administrator configured a device blueprint and CLI scripts as shown in the exhibits, to prepare for onboarding FortiGate devices in the company's stores. Later, a technician prepares a FortiGate 51G with a basic configuration and connects it to the network.

The basic configuration contains the port1 configuration and the minimal configuration required to allow the device to connect to FortiManager.

After the device first connects to FortiManager, FortiManager updates the device configuration.

Based on the exhibits, which actions does FortiManager perform?

## Device blueprint


**Edit Device Blueprint - Stores** ×

Name	Stores
Device Model	FortiGate-51G
Automatically Link to Real Device	<input checked="" type="checkbox"/>
Enforce Firmware Version	<input type="checkbox"/>
Enforce Device Configuration <small>?</small>	<input checked="" type="checkbox"/>
Add to Device Group	<input type="checkbox"/>
Add to Folder	<input type="checkbox"/>
Fabric Authorization Template	<input type="checkbox"/>
Pre-Run CLI Template	<input checked="" type="checkbox"/> 5G-links
Assign Policy Package	<input checked="" type="checkbox"/>  default <span style="float: right;">✖️</span> <span style="float: right;">▼</span>
Provisioning Templates	<input checked="" type="checkbox"/> corp_st <span style="float: right;">✖️</span> <input checked="" type="checkbox"/> LAN-interface <span style="float: right;">+</span>
HA	<input type="checkbox"/>

**FORTINET.**

## CLI script LAN-interface

**FORTINET**®



```
1 config system interface
2     edit port1
3         set mode dhcp
4         set allowances ping https ssh fgfm
5     next
6     edit port2
7         set mode dhcp
8     next
9     edit port5
10        set ip 10.0.$(branch_id).254 255.255.255.0
11        set allowaccess ping
12    end
13 end
```

- A. FortiManager updates the configuration of port1, port2, and port5. The three ports might get new IP addresses.
- B. FortiManager updates the device configuration according to the selected templates. It applies the corp\_st template first.
- C. FortiManager does not update the port1 configuration because FortiManager does not change the configuration of interfaces with fgfm access.
- D. FortiManager updates access rights only for port1. FortiManager cannot update the IP address because it was already set manually.

### Answer: A

Explanation:

Enforce Device Configuration is enabled and the blueprint applies the provisioning CLI templates.

The LAN-interface script sets port1 and port2 to DHCP and assigns a static IP to port5 (using the branch\_id variable). Therefore, when FortiManager pushes the blueprint, it updates the configurations of port1, port2, and port5 - and their IP addresses may change accordingly.

### NEW QUESTION # 15

You are tasked with configuring ADVPN 2.0 on an SD-WAN topology already configured for ADVPN. What should you do to implement ADVPN 2.0 in this scenario?

- A. Update the IPsec tunnel configurations on the hub.
- B. Update the IPsec tunnel configuration on the branches.
- C. Update the SD-WAN configuration on the branches.
- D. Delete the existing ADVPN configuration and configure ADVPN 2.0.

### Answer: A

Explanation:

To implement ADVPN 2.0 on an existing ADVPN topology, you only need to update the IPsec tunnel configuration on the hub to support the enhanced capabilities. Branch configurations remain unchanged.

#### NEW QUESTION # 16

What are three key routing principles of SD-WAN? (Choose three.)

- A. Policy routes have precedence over SD-WAN rules.
- B. Directly connected routes have precedence over SD-WAN rules.
- C. SD-WAN members are skipped if they do not have a valid route to the destination.
- D. SD-WAN rules are skipped if the best route to the destination is not an SD-WAN member.
- E. SD-WAN rules are skipped if the best route to the destination is a static route

**Answer: A,C,D**

#### NEW QUESTION # 17

.....

Most returned customers said that our FCSS\_SDW\_AR-7.4 dumps pdf covers the big part of main content of the certification exam. Questions and answers from our FCSS\_SDW\_AR-7.4 free download files are tested by our certified professionals and the accuracy of our questions are 100% guaranteed. Please check the free demo of FCSS\_SDW\_AR-7.4 Braindumps before purchased and we will send you the download link of FCSS\_SDW\_AR-7.4 real dumps after payment.

**FCSS\_SDW\_AR-7.4 Reliable Braindumps Ebook:** [https://www.vceprep.com/FCSS\\_SDW\\_AR-7.4-latest-vce-prep.html](https://www.vceprep.com/FCSS_SDW_AR-7.4-latest-vce-prep.html)

- Pass Fortinet FCSS\_SDW\_AR-7.4 Certification with Ease Using [www.prepawayexam.com](http://www.prepawayexam.com) Exam Questions  Download  [www.prepawayexam.com](http://www.prepawayexam.com)                   <img alt="checkmark" data-bbox="7825

www.myacademicadviser.com, study.stcs.edu.np, dl.instructure.com, myportal.utt.edu.tt, myportal.utt.edu.sa, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw,  
Disposable vapes

What's more, part of that VCEPrep FCSS\_SDW\_AR-7.4 dumps now are free: <https://drive.google.com/open?id=18v1LpYQYm2JuYx-NfOFVDL7bkUUGV8C9>