

Pass Guaranteed NCM-MCI - Nutanix Certified Master - Multicloud Infrastructure v6.10 Authoritative Test Sample Online



DOWNLOAD the newest TestkingPass NCM-MCI PDF dumps from Cloud Storage for free: https://drive.google.com/open?id=1icjsrXKlayuQt3dOyTC_FJjwRYBuTQyS

Compared with the paper version, we have the advantage of instant access to download, and you will receive your download link and password for NCM-MCI training materials within ten minutes, so that you can start learning as early as possible. In addition, we have free demo for you to have a try for NCM-MCI Exam barindumps, so that you can know what the complete version is like. Online and offline service are available, and if you have any questions for NCM-MCI exam materials, you can contact us, and we will give you reply as quickly as we can.

How to Succeed in Nutanix NCM-MCI Exam

Nutanix NCM-MCI Exam is an essential source for your successful certification. So the materials will help you to pass the exam.

Now, we are providing you the opportunity of experiencing our best service by offering the **Nutanix NCM-MCI Dumps** Package. It is a bundle pack that includes all the Nutanix NCM-MCI Dumps required for Nutanix NCM-MCI exam.

We have included in it all of our products because according to our research their combination has proven very effective for passing Nutanix NCM-MCI Exam. If you prepare for this exam using these products individually, it may not be easy for you to pass it in one attempt. The reason is that each product has its separate function and topics which when combined with other products make a complete study package for passing Nutanix NCM-MCI Exam successfully.

So, we recommend you to use this powerful package instead of individual products if you really want to save your time and money while achieving your goal of becoming Nutanix Certified Professional.

>> NCM-MCI Test Sample Online <<

Quiz 2026 Nutanix NCM-MCI: Nutanix Certified Master - Multicloud

Infrastructure v6.10 – Professional Test Sample Online

As an experienced exam dumps provider, our website offers you most reliable Nutanix real dumps and study guide. We offer customer with most comprehensive NCM-MCI exam pdf and the guarantee of high pass rate. The key of our success is to constantly provide the best quality NCM-MCI Dumps Torrent with the best customer service.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q14-Q19):

NEW QUESTION # 14

Task 13

The application team is reporting performance degradation for a business-critical application that runs processes all day on Saturdays.

The team is requesting monitoring of processor, memory and storage utilization for the three VMs that make up the database cluster for the application: ORA01, ORA02 and ORA03.

The report should contain tables for the following:

At the cluster level, only for the current cluster:

The maximum percentage of CPU used

At the VM level, including any future VM with the prefix ORA:

The maximum time taken to process I/O Read requests

The Maximum percentage of time a VM waits to use physical CPU, out of the local CPU time allotted to the VM.

The report should run on Sundays at 12:00 AM for the previous 24 hours. The report should be emailed to appdev@cyberdyne.net when completed.

Create a report named Weekends that meets these requirements

Note: You must name the report Weekends to receive any credit. Any other objects needed can be named as you see fit. SMTP is not configured.

A: Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Report Settings option, select Weekly from the Schedule drop-down menu and choose Sunday as the day of week. Enter 12:00 AM as the time of day. Enter appdev@cyberdyne.net as the Email Recipient. Select CSV as the Report Output Format.

Click Next.

Review the report details and click Finish.

The screenshot shows the 'Add Data Table' dialog in Nutanix. The 'ENTITY TYPE' is 'Nutanix Entities' with 'VM' selected. Under 'Specific vms', there is a rule: 'Name Starts with ORA'. The 'Columns' section is set to 'Custom' and lists the following columns and aggregations:

Column Name	Aggregation
CPU Usage	Max
Controller Read IO Latency	Max
CPU Ready Time	Average
Name	-

The 'Sorting' section is currently empty. The 'Add' button is highlighted in blue.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named Weekends that meets the requirements, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter Weekends as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select Cluster. Click Next.

Under the Custom Columns option, add the following variable: CPU Usage (%). Click Next.

Under the Aggregation option for CPU Usage (%), select Max. Click Next.

Under the Filter option, select Current Cluster from the drop-down menu. Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Custom Views section, select Data Table again. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, I/O Read Latency (ms), VM Ready Time (%). Click Next.

Under the Aggregation option for I/O Read Latency (ms) and VM Ready Time (%), select Max. Click Next.

Under the Filter option, enter ORA* in the Name field. This will include any future VM with the prefix OR

NEW QUESTION # 15

Task 7

An administrator has environment that will soon be upgraded to 6.5. In the meantime, they need to implement log and apply a security policy named Staging_Production, such that not VM in the Staging Environment can communicate with any VM in the production Environment, Configure the environment to satisfy this requirement.

Note: All other configurations not indicated must be left at their default values.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the environment to satisfy the requirement of implementing a security policy named Staging_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment, you need to do the following steps:

Log in to Prism Central and go to Network > Security Policies > Create Security Policy. Enter Staging_Production as the name of the security policy and select Cluster A as the cluster.

In the Scope section, select VMs as the entity type and add the VMs that belong to the Staging Environment and the Production Environment as the entities. You can use tags or categories to filter the VMs based on their environment.

In the Rules section, create a new rule with the following settings:

Direction: Bidirectional

Protocol: Any


Source: Staging Environment

Destination: Production Environment

Action: Deny

Save the security policy and apply it to the cluster.

This will create a security policy that will block any traffic between the VMs in the Staging Environment and the VMs in the Production Environment. You can verify that the security policy is working by trying to ping or access any VM in the Production Environment from any VM in the Staging Environment, or vice versa. You should not be able to do so.



Name

Staging_Production

Purpose

Isolate Staging_Production

Isolate This Category

Environment: Staging

From This Category

Environment: Production

Apply the isolation only within a subset of the data center

NUTANIX™

Advanced Configuration

Policy Hit Logs ⓘ

Disabled

Cancel

Apply Now

Save and Monitor

The screenshot shows the Nutanix interface for configuring a security policy. At the top, there are buttons for 'Cancel', 'Apply Now', and 'Save and Monitor'. Below this is a table with columns for 'Type name', 'Purpose', and 'Policy'. The first row is selected, and a dropdown menu is open over the 'Apply' button. The dropdown menu contains options: 'Update', 'Apply', 'Monitor', and 'Delete'. A callout box with a blue border and white background contains the text: 'To enforce the policy, check the box next to the policy, choose Actions, then Apply.' The background of the screenshot is watermarked with 'testkingpass.com'.

NEW QUESTION # 16

TASK2

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.
Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.
Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.
Enable high-strength password policies for the hypervisor and cluster.
Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.
Note: Please ensure you are modifying the correct components.

Answer:

Explanation:

See the Explanation

Explanation:

This task focuses on Security Technical Implementation Guides (STIGs) and general hardening of the Nutanix cluster. Most of these tasks are best performed via the Nutanix Command Line Interface (ncli) on the CVM, though the SSH key requirement is often easier to handle via the Prism GUI.

Here is the step-by-step procedure to complete Task 2.

Prerequisites: Connection

Open PuTTY (or the available terminal) from the provided Windows Desktop.

SSH into the Cluster 2 CVM. (If the Virtual IP is unknown, check Prism Element for the CVM IP).

Log in using the provided credentials (usually nutanix / nutanix/4u or the admin password provided in your instructions).

Step 1: Output SCMA Policy (Do this FIRST)

Requirement: Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

In the SSH session on the CVM, run:

Bash

```
ncli cluster get-software-config-management-policy
```

Copy the output from the terminal window.

Open Notepad on the Windows Desktop.

Paste the output.

Save the file as output.txt on the Desktop.

Step 2: Enable AIDE (Weekly)

Requirement: Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and CVMs.

In the same CVM SSH session, run the following command to modify the SCMA policy:

Bash

```
ncli cluster edit-software-config-management-policy enable-aide=true schedule-interval=WEEKLY (Note: This single command applies the policy to both Hypervisor and CVMs by default in most versions).
```

Step 3: Enable High-Strength Password Policies

Requirement: Enable high-strength password policies for the hypervisor and cluster.

Run the following command:

Bash

```
ncli cluster set-high-strength-password-policy enable=true
```

Step 4: Update Root Password for Cluster Nodes

Requirement: Update the password for the root user on the Cluster 2 node to match the admin user password.

Method A: The Automated Way (Recommended)

Use ncli to set the password for all hypervisor nodes at once without needing to SSH into them individually.

Run:

Bash

```
ncli cluster set-hypervisor-password
```

When prompted, enter the current admin password (this becomes the new root password).

Method B: The Manual Way (If NCLI fails or manual access is required)

Note: Use this if the exam specifically wants you to touch the node via the 172.x network.

From the CVM, SSH to the host using the internal IP:

Bash

```
ssh root@172.30.0.x (Replace x with the host ID, e.g., 4 or 5)
```

Run the password change command:

Bash

```
passwd
```

Enter the admin password twice.

Repeat for other nodes in Cluster 2.

Step 5: Cluster Lockdown (SSH Keys)

Requirement: Ensure CVMs require SSH keys for login instead of passwords.

It is safest to do this via the Prism Element GUI to prevent locking yourself out.

Open Prism Element for Cluster 2 in the browser.

Click the Gear Icon (Settings) -> Cluster Lockdown.

Uncheck the box "Enable Remote Login with Password".

Click New Public Key (or Add Key).

Open the folder Desktop\Files\SSH on the Windows desktop.

Open the public key file (usually ends in .pub) in Notepad and copy the contents.

Paste the key into the Prism "Key" box.

Click Save.

Note: Do not reboot the cluster. The SCMA and Password policies take effect immediately without a reboot.

NEW QUESTION # 17

Task 8

Depending on the order you perform the exam items, the access information and credentials could change. Please refer to the other item performed on Cluster B if you have problems accessing the cluster.

The infosec team has requested that audit logs for API Requests and replication capabilities be enabled for all clusters for the top 4 severity levels and pushed to their syslog system using highest reliability possible. They have requested no other logs to be included.

Syslog configuration:

Syslog Name: Corp_syslog

Syslog IP: 34.69.43.123

Port: 514

Ensure the cluster is configured to meet these requirements.

Answer:

Explanation:

See the Explanation for step by step solution


Explanation:



To configure the cluster to meet the requirements of the infosec team, you need to do the following steps:


Log in to Prism Central and go to Network > Syslog Servers > Configure Syslog Server. Enter Corp_syslog as the Server Name, 34.69.43.123 as the IP Address, and 514 as the Port. Select TCP as the Transport Protocol and enable RELP (Reliable Logging Protocol). This will create a syslog server with the highest reliability possible.

Click Edit against Data Sources and select Cluster B as the cluster. Select API Requests and Replication as the data sources and set the log level to CRITICAL for both of them. This will enable audit logs for API requests and replication capabilities for the top 4 severity levels (EMERGENCY, ALERT, CRITICAL, and ERROR) and push them to the syslog server. Click Save.

Repeat step 2 for any other clusters that you want to configure with the same requirements.







To configure the Nutanix clusters to enable audit logs for API Requests and replication capabilities, and push them to the syslog system with the highest reliability possible, you can follow these steps:

Log in to the Nutanix Prism web console using your administrator credentials.

Navigate to the "Settings" section or the configuration settings interface within Prism.

Locate the "Syslog Configuration" or "Logging" option and click on it.

Configure the syslog settings as follows:

Syslog Name: Enter "Corp_syslog" as the name for the syslog configuration.

Syslog IP: Set the IP address to "34.69.43.123", which is the IP address of the syslog system.

Port: Set the port to "514", which is the default port for syslog.

Enable the option for highest reliability or persistent logging, if available. This ensures that logs are sent reliably and not lost in case of network interruptions.

Save the syslog configuration.

Enable Audit Logs for API Requests:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and API requests. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

Enable Audit Logs for Replication Capabilities:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and replication capabilities. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

After completing these steps, the Nutanix clusters will be configured to enable audit logs for API Requests and replication capabilities. The logs will be sent to the specified syslog system with the highest reliability possible.

ncli

```
<ncli> rsyslog-config set-status enable=false
```

```
<ncli> rsyslog-config add-server name=Corp_Syslog ip-address=34.69.43.123 port=514 network-protocol=tdp relp-
```

enabled=false

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=APLOS level=INFO
```

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=CEREBRO level=INFO
```

```
<ncli> rsyslog-config set-status enable=true
```

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e0000009CEECA2>

NEW QUESTION # 18

Task 16

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the file causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list. You can use the date and time information to locate the file. The file name should be something like ncc-output-YYYY-MM-DD-HH-MM-SS.log

Open the file and look for the line that says FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command `du -sh /home/*` to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command `rm -f /home/<filename>` to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command `ncc health_checks hardware_checks disk_checks disk_usage_check --cvm_list=X.X.X.X` to check the health again by running the individual disk usage health check only on the problematic CVM. Replace X.X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%). This means that the issue has been resolved.

#access to CVM IP by Putty

```
allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM
```

```
ssh CVM_IP
```

```
ls
```

```
cd software_downloads
```

```
ls
```

```
cd nos
```

```
ls -l -h
```

```
rm files_name
```

```
df -h
```

```
ncc health_checks hardware_checks disk_checks disk_usage_check
```

NEW QUESTION # 19

.....

The authority of TestkingPass in Nutanix NCM-MCI exam questions rests on its being high-quality and prepared according to the latest pattern. TestkingPass is proud to announce that our Nutanix NCM-MCI Exam Dumps help the desiring candidates of Nutanix NCM-MCI certification to climb the ladder of success by grabbing the Nutanix Exam Questions.

NCM-MCI New Braindumps Questions: <https://www.testkingpass.com/NCM-MCI-testking-dumps.html>

- 2026 NCM-MCI Test Sample Online - Latest Nutanix Nutanix Certified Master - Multicloud Infrastructure v6.10 - NCM-MCI New Braindumps Questions Easily obtain free download of **【 NCM-MCI 】** by searching on **➡** www.practicevce.com Reliable NCM-MCI Test Online

