

Oracle 1Z0-931-25資格難易度、1Z0-931-25実際試験



ちなみに、JPTesKing 1Z0-931-25の一部をクラウドストレージからダウンロードできます：
す：<https://drive.google.com/open?id=15LQcJ5Z0QNugAxl2C3G6VH5RG9fjqhd>

今日、社会での競争はより激しく、専門知識がなければ競争で有利な地位を占めることができず、除かれることもあります。テスト1Z0-931-25認定に合格すると、一部の分野で有能になり、労働市場で競争上の優位性を獲得できます。1Z0-931-25学習教材を購入すると、1Z0-931-25テストにスムーズに合格します。当社Oracleの製品は多くの利点を高め、テストの準備をするのに最適です。1Z0-931-25学習準備は、一流の専門家チームによってコンパイルされ、実際の試験と密接にリンクしています。

Oracle 1Z0-931-25 認定試験の出題範囲：

トピック	出題範囲
トピック 1	Autonomous Database Dedicated: このセクションでは、ITアーキテクトのスキルを評価し、Autonomous Database DedicatedとAutonomous Database Cloud@Customerのワークフローと機能を学習します。専用リソースのプロビジョニング、OCIポリシーの設定、インフラストラクチャの監視、バッチ適用などのメンテナンスタスクのスケジュール設定、セキュリティ強化のための暗号化キーの管理などが含まれます。ITアーキテクトは、専用データベース環境をクラウド戦略に統合する方法を習得します。
トピック 2	Autonomous Database での開発: このセクションでは、アプリケーション開発者のスキルを測定し、Autonomous Databaseを使用したアプリケーションの開発と拡張に焦点を当てます。自然言語クエリのための生成AI、Autonomous JSON Database、ドキュメント検索のためのOracle Text、Autonomous Spatialを使用した位置情報に基づく分析、データ関係性のためのAutonomous Graph、そしてオブジェクトストレージとの統合といった分野を網羅し、開発者がインテリジェントでスケーラブルなアプリケーションを構築できるようにします。
トピック 3	Autonomous Database を使用したデータレイク分析: このセクションでは、ビッグデータエンジニアのスキルを評価し、データレイク環境における分析にAutonomous Databaseをどのように活用できるかを探ります。データの取り込み、クエリの最適化、クラウドネイティブ分析サービスの活用など、エンジニアが大量の構造化データと非構造化データを効率的に処理・分析できるようにします。

トピック 4	Autonomous Databaseツール: このセクションでは、データアナリストのスキルを評価し、高度なデータ処理と分析のためにAutonomous Databaseで利用可能なツールを網羅します。データベース開発のためのOracle Machine Learning、APEX、SQL Developer Webに加え、データ変換、ビジネスモデル作成、データインサイト、データ分析といったツールも含まれており、アナリストは大規模なデータセットから貴重なインサイトを抽出できます。
トピック 5	Autonomous Databaseの管理と保守: このセクションでは、データベース管理者のスキルを評価し、Autonomous Databaseインスタンスの継続的な管理と保守に焦点を当てます。REST APIとOCI CLIを使用した自動化、アクセス制御リストとプライベートエンドポイントの設定、パフォーマンスの監視、通知の設定、自動インデックス作成やデータセーフなどの機能の活用、ウォレットとサービスハンドルの介した接続の管理、そしてData Guardを使用した災害復旧の設定による事業継続性の確保などが含まれます。
トピック 6	Autonomous Database入門: このセクションでは、データベース管理者のスキルを評価し、Oracle Autonomous Databaseのアーキテクチャと主要機能について学習します。データベースがOracleエコシステムにどのように統合されるかを説明し、さまざまなAutonomous Database製品とそのライセンスモデルの概要を示します。これにより、管理者はこれらのクラウドベースのデータベースを効率的に導入および管理する方法を理解できます。
トピック 7	Autonomous Database Shared: このセクションでは、クラウドエンジニアのスキルを評価し、共有Autonomous Databaseインスタンスの作成と管理に焦点を当てます。インスタンスのプロビジョニング、スケーリング、起動と停止、Elastic Resource Poolsを使用したデータベース統合などが含まれます。また、ユーザー管理、クローニング、データベースの移行、監視、バックアップとリストアのプロセスも網羅し、高可用性を実現するData Guardについても紹介することで、クラウドエンジニアが最適なデータベースパフォーマンスを維持できるようにします。

>> Oracle 1Z0-931-25資格難易度 <<

Oracle 1Z0-931-25実際試験、1Z0-931-25試験合格攻略

1Z0-931-25試験資料の一つの利点は時間を節約できることです。言い換えれば、受験者は短い時間をかけて勉強したら、1Z0-931-25試験に合格できます。従って、1Z0-931-25試験資料を勉強する時間が短くてもいいです。1Z0-931-25試験資料はそんなにいい商品、何故選びませんか?また、弊社はいいサービスを提供します。1Z0-931-25資料を勉強するとき、何か質問がありましたら、弊社と連絡できます。

Oracle Autonomous Database Cloud 2025 Professional 認定 1Z0-931-25 試験問題 (Q145-Q150):

質問 # 145

Which subset of services is offered via OCI-CLI (Command Line Interface) for Autonomous Database (ADB) via calls made to the OCI APIs?

- A. Start, Delete, Update, Query, Stop
- **B. Create, Get, List, Stop, Restore**
- C. Create, Query, List, Stop, Restore
- D. Create, Query, Update, List, Start

正解: B

解説:

The OCI Command Line Interface (CLI) provides a range of commands for managing Autonomous Database via OCI APIs. The correct answer is:

Create, Get, List, Stop, Restore (B): These are key operations supported by the OCI CLI for Autonomous Database:

Create: oci db autonomous-database create provisions a new ADB instance.

Get: oci db autonomous-database get retrieves details of a specific ADB.

List: oci db autonomous-database list lists all ADBs in a compartment.

Stop: oci db autonomous-database stop halts the database.

Restore: oci db autonomous-database restore restores from a backup.

The incorrect options are:

A (Start, Delete, Update, Query, Stop): "Query" is not a CLI command; "Delete" and "Update" are valid but not part of this specific subset.

C (Create, Query, Update, List, Start): "Query" is invalid; "Update" is supported but not listed here.

D (Create, Query, List, Stop, Restore): "Query" is not a valid CLI operation.

This subset reflects common management tasks via CLI.

質問 # 146

What predefined user is created when provisioning an Autonomous Database (ADB) instance to which you connect to create other users and grant roles?

- A. SCOTT
- B. SYS
- C. DWDEV
- **D. ADMIN**

正解: D

解説:

When provisioning an Autonomous Database (ADB) instance, Oracle creates a default administrative user with extensive privileges. The correct user is:

ADMIN (B): The ADMIN user is automatically created during ADB provisioning and serves as the primary administrative account. It has full privileges to manage the database, including creating users, granting roles, and performing administrative tasks (e.g., scaling, backups). For example, after provisioning an ADB via the OCI console, you'd connect as ADMIN using the password you set, then run commands like: CREATE USER analyst1 IDENTIFIED BY "password"; GRANT CONNECT, RESOURCE TO analyst1;. This user is the entry point for initial configuration and ongoing management, authenticated via the client wallet for secure access (e.g., sqlplus admin/password@adb_high). The ADMIN user is distinct from traditional Oracle users like SYS because ADB's managed nature limits direct system-level access, funneling administration through ADMIN.

The incorrect options are:

SYS (A): In traditional Oracle databases, SYS is the superuser with ultimate control (e.g., owning the data dictionary). In ADB, however, SYS exists but is locked and inaccessible to customers due to the fully managed environment-Oracle manages system-level operations, and users connect as ADMIN instead.

DWDEV (C): There's no predefined DWDEV user in ADB. This might confuse with roles like DWROLE (for Data Warehouse developers), but no such user is created by default.

SCOTT (D): SCOTT is a sample user from older Oracle versions (with tables like EMP and DEPT), not created in ADB. It's irrelevant in this modern, managed context.

The ADMIN user's role ensures customers can manage ADB without needing Oracle's intervention, aligning with its autonomous design.

質問 # 147

Which two statements are true about Recovery Time Objective (RTO) and Recovery Point Objective (RPO) for Autonomous Data Guard? (Choose two.)

- A. RTO and RPO are adjustable through the OCI console
- B. RPO is adjustable, but RTO is always 5 minutes
- C. RTO and RPO are 0 minutes for manual failovers
- **D. RPO is 0 minutes for an automatic failover**
- **E. RTO is 2 minutes for an automatic failover**

正解: D、E

解説:

Autonomous Data Guard enhances high availability for Autonomous Database. The two true statements are:

RPO is 0 minutes for an automatic failover (C): Recovery Point Objective (RPO) measures potential data loss. With Autonomous Data Guard, the standby database is synchronously replicated with the primary, ensuring zero data loss (RPO = 0) during an automatic failover, as all transactions are mirrored in real-time.

RTO is 2 minutes for an automatic failover (E): Recovery Time Objective (RTO) measures downtime during failover. For

Autonomous Data Guard, Oracle specifies an RTO of approximately 2 minutes for automatic failovers, reflecting the time to detect failure and promote the standby to primary.

The incorrect options are:

RTO and RPO are adjustable through the OCI console (A): RTO and RPO are fixed by the Autonomous Data Guard architecture and cannot be manually adjusted via the OCI console.

RPO is adjustable, but RTO is always 5 minutes (B): RPO is not adjustable (it's 0 due to synchronous replication), and RTO is not fixed at 5 minutes; it's typically 2 minutes for automatic failover.

RTO and RPO are 0 minutes for manual failovers (D): Manual failovers (switchovers) have an RTO greater than 0 (typically a few minutes) due to manual initiation, though RPO remains 0 with synchronous replication.

These values ensure minimal disruption and data loss.

質問 # 148

Which of the following is not required for connecting to Autonomous Database (ADB) via SQL Developer?

- A. Username
- B. Password
- C. Connection Name
- D. Service
- E. Database name

正解: C

解説:

Connecting to Autonomous Database (ADB) via SQL Developer requires specific parameters. The correct answer is:

Connection Name (E): The Connection Name is a user-defined label in SQL Developer to identify the connection in the tool's interface. It is not a technical requirement for establishing the database connection itself, making it optional in terms of connectivity.

The required parameters are:

Password (A): Essential for user authentication alongside the username.

Service (B): Refers to the service name (e.g., high, medium, low) from the wallet's trsnames.ora, specifying the performance level and connection type.

Username (C): Required to identify the database user.

Database name (D): Needed to specify the target database or PDB within the ADB instance, typically provided via the wallet configuration.

Without A, B, C, and D, the connection cannot be established, but E is merely a convenience.

質問 # 149

What two actions can you do when a refreshable clone passes the refresh time limit? (Choose two.)

- A. You can use the instance as a read-only database
- B. You can disconnect from the source to make the database a read/write database
- C. You can manually refresh the clone
- D. You can extend the refresh time limit

正解: A、B

解説:

A refreshable clone in Autonomous Database is a read-only copy of a source database that syncs periodically, but it has a refresh time limit (typically 7 days). Once this limit is exceeded, specific actions are available. The two correct options are:

You can disconnect from the source to make the database a read/write database (B): After the refresh time limit passes, the clone can no longer sync with the source. You can "disconnect" it (via the OCI console or API, e.g., `oci db autonomous-database update --is-refreshable-clone false`), converting it into an independent, read/write Autonomous Database. This requires a new license and incurs full costs, but it allows modifications (e.g., INSERT or UPDATE) that were blocked in read-only mode. For example, a test clone might be disconnected to become a production instance after testing.

You can use the instance as a read-only database (C): Even after the refresh limit, the clone remains functional as a read-only database, retaining its last refreshed state. You can query it (e.g., `SELECT * FROM sales`) for analysis or reporting without further refreshes, though it won't reflect source updates. This is useful if ongoing read-only access suffices without needing write capabilities. The incorrect options are:

You can manually refresh the clone (A): False. Once the refresh time limit (e.g., 7 days) is exceeded, manual refreshes are not possible. The clone's refresh capability expires, and it can't sync again unless recreated. This is a fixed constraint to manage resource

usage in ADB.

You can extend the refresh time limit (D): False. The refresh period (set during clone creation, max 7 days) cannot be extended after provisioning. You'd need to create a new clone with a longer limit if needed, but post-expiry, no extension is allowed. These options provide flexibility post-expiry, balancing read-only continuity and full database conversion.

質問 # 150

.....

あなたはどのような方式で試験を準備するのが好きですか。PDF、オンライン問題集または模擬試験ソフトですか。我々JPTesKingはこの3つを提供します。すべては購入した前で無料でデモをダウンロードできます。ふさわしい方式を選ぶのは一番重要なのです。どの版でもOracleの1Z0-931-25試験の復習資料は効果的なのを保証します。

1Z0-931-25実際試験: <https://www.jptestking.com/1Z0-931-25-exam.html>

- 1Z0-931-25日本語版参考書 □ 1Z0-931-25試験関連情報 □ 1Z0-931-25試験番号 □ ➡ www.xhs1991.com
□□□から簡単に (1Z0-931-25) を無料でダウンロードできます1Z0-931-25資格問題集
- 1Z0-931-25試験過去問 □ 1Z0-931-25試験過去問 □ 1Z0-931-25試験資料 □ サイト ✓ www.goshiken.com
□✓□で (1Z0-931-25) 問題集をダウンロード1Z0-931-25資格問題集
- 有効的な1Z0-931-25資格難易度一回合格-素晴らしい1Z0-931-25実際試験 □ { www.mogixam.com } の無料ダウンロード▶ 1Z0-931-25 ◀ページが開きます1Z0-931-25参考書内容
- 有難い-更新する1Z0-931-25資格難易度試験-試験の準備方法1Z0-931-25実際試験 □ □ www.goshiken.com □
から簡単に { 1Z0-931-25 } を無料でダウンロードできます1Z0-931-25最速合格
- 効果的-更新する1Z0-931-25資格難易度試験-試験の準備方法1Z0-931-25実際試験 □ 今すぐ □
www.passtest.jp □ で ➡ 1Z0-931-25 □ を検索し、無料でダウンロードしてください1Z0-931-25資格参考書
- 1Z0-931-25資格問題集 □ 1Z0-931-25試験復習赤本 □ 1Z0-931-25試験過去問 □ サイト ➡
www.goshiken.com □ で ▶ 1Z0-931-25 ◀問題集をダウンロード1Z0-931-25試験復習赤本
- 1Z0-931-25ソフトウェア □ 1Z0-931-25認証試験 □ 1Z0-931-25試験攻略 □ 今すぐ □ www.mogixam.com
□ で □ 1Z0-931-25 □ を検索して、無料でダウンロードしてください1Z0-931-25テスト問題集
- 1Z0-931-25最速合格 □ 1Z0-931-25問題集無料 □ 1Z0-931-25試験復習赤本 □ ➡ www.goshiken.com □ で
※ 1Z0-931-25 □ ※ □ を検索して、無料で簡単にダウンロードできます1Z0-931-25試験番号
- 権威のある-最高の1Z0-931-25資格難易度試験-試験の準備方法1Z0-931-25実際試験 □ (www.passtest.jp)
は、 ➡ 1Z0-931-25 □ □ □ を無料でダウンロードするのに最適なサイトです1Z0-931-25認証試験
- 有効的な1Z0-931-25資格難易度一回合格-素晴らしい1Z0-931-25実際試験 □ ▶ www.goshiken.com ◀ の無料ダウンロード ✓ 1Z0-931-25 □ ✓ □ ページが開きます1Z0-931-25試験攻略
- 効果的-更新する1Z0-931-25資格難易度試験-試験の準備方法1Z0-931-25実際試験 □ ▷ www.xhs1991.com ◁
で 「 1Z0-931-25 」 を検索し、無料でダウンロードしてください1Z0-931-25独学書籍
- www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw,
www.stes.tyc.edu.tw, mpgimer.edu.in, www.wcs.edu.eu, lms.ait.edu.za, www.stes.tyc.edu.tw, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes

BONUS!!! JPTesKing 1Z0-931-25ダンプの一部を無料でダウンロード: <https://drive.google.com/open?id=15LQcJ5Z0QNugAxl2C3G6VH5RG9fjqghd>