

# NSE8\_812시험대비최신덤프자료 & NSE8\_812퍼펙트공부자료



그리고 PassTIP NSE8\_812 시험 문제집의 전체 버전을 클라우드 저장소에서 다운로드할 수 있습니다:  
<https://drive.google.com/open?id=1ZhjzN0f-IO489W4TBbKAAdnGP7MSJQ111>

PassTIP의 Fortinet인증 NSE8\_812시험덤프는 고객님의 IT자격증을 취득하는 꿈을 실현시켜 드리는 시험패스의 지름길입니다. Fortinet인증 NSE8\_812덤프에는 실제시험문제의 거의 모든 문제를 적중하고 습니다. PassTIP의 Fortinet인증 NSE8\_812덤프가 있으면 시험패스가 한결 간편해집니다.

포티넷 NSE8\_812 자격증 시험은 포티넷 NSE 8 - 필기 시험으로도 알려져 있으며, 고급 네트워크 보안에 대한 개인의 지식과 기술을 포괄적으로 평가하는 시험입니다. 이 시험은 복잡한 보안 인프라를 설계, 구현 및 관리하는 전문가들이 자신의 전문성을 인증하고자 하는 경우에 설계되었습니다. NSE8\_812 시험은 고급 네트워크 보안 전문가들에게 기준으로 간주되며, 이 시험을 통과하는 것은 NSE 8 자격증을 취득하기 위한 선결 조건입니다.

NSE8\_812 인증 시험은 60 개의 객관식 질문으로 구성된 2 시간 시험입니다. 이 시험에는 Fortinet Security Fabric, Fortigate Security Platforms 및 Fortinet Security Services와 같은 다양한 주제가 다릅니다. 시험은 고급 보안 개념에 대한 지식과 이해와 실제 시나리오에서이를 적용 할 수 있는 능력을 테스트하도록 설계되었습니다. 시험에 합격하려면 최소 점수 70%를 달성해야 합니다.

Fortinet NSE8\_812 인증 시험은 고급 네트워크 보안 지식과 기술을 검증하는 어려운 평가입니다. 이 인증은 글로벌적으로 인정되며 대규모 조직에서 복잡한 보안 인프라를 관리하는 전문가들에게 특히 유용합니다. NSE8\_812 시험에 합격해야만 고급 네트워크 보안 능력을 인증받을 수 있는 NSE 8 인증을 받을 수 있습니다.

>> NSE8\_812시험대비 최신 덤프자료 <<

## NSE8\_812시험대비 최신 덤프자료 인기 인증 시험덤프데모

많은 사이트에서Fortinet 인증NSE8\_812 인증시험대비자료를 제공하고 있습니다. 그중에서 PassTIP를 선택한 분들은Fortinet 인증NSE8\_812시험통과의 지름길에 오른것과 같습니다. PassTIP는 시험에서 불합격성적표를 받으시면 덤프비용을 환불하는 서비스를 제공해드려 아무런 걱정없이 시험에 도전하도록 힘이 되어드립니다. PassTIP덤프를 사용하여 시험에서 통과하신 분이 전해주시는 희소식이 PassTIP 덤프품질을 증명해드립니다.

## 최신 Fortinet Network Security Expert NSE8\_812 무료샘플문제 (Q76-Q81):

질문 # 76

Refer to the exhibit.

□

What is happening in this scenario?

- A. The user is authenticating against a FortiGate Captive Portal.
- C The user is authenticating against an IdP.
- **B. The user has not authenticated on their external browser.**
- C. The user status changed at FortiClient EMS to off-net.

**정답: B**

#### 질문 # 77

You want to use the MTA adapter feature on FortiSandbox in an HA-Cluster. Which statement about this solution is true?

- A. The configuration of the MTA Adapter Local Interface is different than on port1.
- B. The MTA adapter mode is only detection mode.
- C. The configuration is different than on a standalone device.
- **D. The MTA adapter is only available in the primary node.**

**정답: D**

#### 설명:

The MTA adapter feature on FortiSandbox is a feature that allows FortiSandbox to act as a mail transfer agent (MTA) that can receive, inspect, and forward email messages from external sources. The MTA adapter feature can be used to integrate FortiSandbox with third-party email security solutions that do not support direct integration with FortiSandbox, such as Microsoft Exchange Server or Cisco Email Security Appliance (ESA). The MTA adapter feature can also be used to enhance email security by adding an additional layer of inspection and filtering before delivering email messages to the final destination. The MTA adapter feature can be enabled on FortiSandbox in an HA-Cluster, which is a configuration that allows two FortiSandbox units to synchronize their settings and data and provide high availability and load balancing for sandboxing services. However, one statement about this solution that is true is that the MTA adapter is only available in the primary node. This means that only one FortiSandbox unit in the HA-Cluster can act as an MTA and receive email messages from external sources, while the other unit acts as a backup node that can take over the MTA role if the primary node fails or loses connectivity. This also means that only one IP address or FQDN can be used to configure the external sources to send email messages to the FortiSandbox MTA, which is the IP address or FQDN of the primary node. References: <https://docs.fortinet.com/document/fortisandbox/3.2.0/administration-guide/19662/mail-transfer-agent-mta> <https://docs.fortinet.com/document/fortisandbox/3.2.0/administration-guide/19662/high-availability-ha>

#### 질문 # 78

You are running a diagnose command continuously as traffic flows through a platform with NP6 and you obtain the following output:  
Given the information shown in the output, which two statements are true? (Choose two.)

- A. Enable HPE shaper for the NP6 will change the output
- **B. There are packet drops at the XAUI.**
- C. Host-shortcut mode is enabled.
- D. Enabling bandwidth control between the ISF and the NP will change the output
- **E. The output is showing a packet descriptor queue accumulated counter**

**정답: B,E**

#### 설명:

The diagnose command shown in the output is used to display information about NP6 packet descriptor queues. The output shows that there are 16 NP6 units in total, and each unit has four XAUI ports (XA0-XA3).

The output also shows that there are some non-zero values in the columns PDQ ACCU (packet descriptor queue accumulated counter) and PDQ DROP (packet descriptor queue drop counter). These values indicate that there are some packet descriptor queues that have reached their maximum capacity and have dropped some packets at the XAUI ports. This could be caused by congestion or misconfiguration of the XAUI ports or the ISF (Internal Switch Fabric).

References:<https://docs.fortinet.com/document/fortigate/7.0.0/cli-reference/19662/diagnose-np6-pdq>

The output is showing a packet descriptor queue accumulated counter, which is a measure of the number of packets that have been dropped by the NP6 due to congestion. The counter will increase if there are more packets than the NP6 can handle, which can happen if the bandwidth between the ISF and the NP is not sufficient or if the HPE shaper is enabled.

The output also shows that there are packet drops at the XAUI, which is the interface between the NP6 and the FortiGate's

backplane. This means that the NP6 is not able to keep up with the traffic and is dropping packets. The other statements are not true. Host-shortcut mode is not enabled, and enabling bandwidth control between the ISF and the NP will not change the output. HPE shaper is a feature that can be enabled to improve performance, but it will not change the output of the diagnose command.

#### 질문 # 79

You must analyze an event that happened at 20:37 UTC. One log relevant to the event is extracted from FortiGate logs:

□ The devices and the administrator are all located in different time zones Daylight savings time (DST) is disabled

\* The FortiGate is at GMT-1000.

\* The FortiAnalyzer is at GMT-0800

\* Your browser local time zone is at GMT-03.00

You want to review this log on FortiAnalyzer GUI, what time should you use as a filter?

- A. 10:37:08
- B. 12:37:08
- C. 17:37:08
- D. 20:37:08

정답: C

#### 설명:

To review this log on FortiAnalyzer GUI, the administrator should use the time filter that matches the local time zone of FortiAnalyzer, which is GMT-0800. Since the log was generated at 20:37 UTC (GMT+0000), the corresponding time in GMT-0800 is 20:37 - 8 hours = 12:37. However, since DST is disabled on FortiAnalyzer, the administrator should add one hour to account for daylight saving time difference, resulting in 12:37 + 1 hour = 13:37. Therefore, the time filter to use is 13:37:08. Reference: <https://docs.fortinet.com/document/fortianalyzer/6.4.0/administration-guide/103664/time-zone-and-daylight-saving-time>

#### 질문 # 80

Which two statements are correct on a FortiGate using the FortiGuard Outbreak Protection Service (VOS)? (Choose two.)

- A. If third-party AV database returns a match the scanned file is deemed to be malicious.
- B. The FortiGuard VOS can be used only with proxy-base policy inspections.
- C. The AV engine scan must be enabled to use the FortiGuard VOS feature
- D. The antivirus database queries FortiGuard with the hash of a scanned file
- E. The hash signatures are obtained from the FortiGuard Global Threat Intelligence database.

정답: D,E

#### 설명:

The FortiGuard Outbreak Prevention Service (VOS) is a feature that enhances the antivirus scanning capabilities of FortiGate by querying FortiGuard with the hash of a scanned file that is not found in the local antivirus database. If the hash matches a signature in the FortiGuard Global Threat Intelligence database, which contains information about known malware and zero-day threats, the file is deemed to be malicious and blocked by FortiGate. The VOS feature can be used with both proxy-based and flow-based policy inspections, and does not require the AV engine scan to be enabled. Reference: <https://docs.fortinet.com/document/fortigate/6.2.14/cookbook/968606/outbreak-prevention-service>

#### 질문 # 81

.....

PassTIP는 엘리트한 전문가들의 끊임없는 연구와 자신만의 노하우로 Fortinet NSE8\_812덤프자료를 만들어 냈으므로 여러분의 꿈을 이루어드립니다. 기존의 Fortinet NSE8\_812시험문제를 분석하여 만들어낸 Fortinet NSE8\_812덤프의 문제와 답은 실제시험의 문제와 답과 아주 비슷합니다. Fortinet NSE8\_812덤프는 합격보장해드리는 고품질 덤프입니다. PassTIP의 덤프를 장바구니에 넣고 페이지를 통한 안전결제를 진행하여 덤프를 다운받아 시험합격하세요.

NSE8\_812퍼펙트 공부자료 : [https://www.passtip.net/NSE8\\_812-pass-exam.html](https://www.passtip.net/NSE8_812-pass-exam.html)

- NSE8\_812최신 업데이트 공부자료 □ NSE8\_812시험패스 가능한 공부하기 □ NSE8\_812시험패스 가능한 공부하기 □ 지금“[www.koreadumps.com](http://www.koreadumps.com)”을(를) 열고 무료 다운로드를 위해 {NSE8\_812}를 검색하십시오

NSE8\_812시험패스 가능한 공부하기

- NSE8\_812최고품질 시험덤프자료 □ NSE8\_812최신 덤프데모 □ NSE8\_812최신 업데이트 공부자료 □ 무료로 다운로드를 위해 지금 { [www.itdumpskr.com](http://www.itdumpskr.com) }에서 《 NSE8\_812 》 검색NSE8\_812합격보장 가능 시험
- NSE8\_812시험대비 최신 덤프자료 덤프는 Fortinet NSE 8 - Written Exam (NSE8\_812) 시험을 단번에 패스하는 필수자료 □ ➡ [www.exampassdump.com](http://www.exampassdump.com) □□□에서 검색만 하면 「 NSE8\_812 」를 무료로 다운로드할 수 있습니다NSE8\_812시험정보
- NSE8\_812퍼펙트 덤프 샘플문제 다운 □ NSE8\_812덤프샘플 다운 □ NSE8\_812시험대비 덤프 최신자료 □ □ 무료 다운로드를 위해 지금 ( [www.itdumpskr.com](http://www.itdumpskr.com) ) 에서➡ NSE8\_812 □□□검색NSE8\_812시험패스 가능한 공부
- NSE8\_812시험대비 최신 덤프자료 시험 기출자료 □ ▶ [www.itdumpskr.com](http://www.itdumpskr.com) ◀을(를) 열고➡ NSE8\_812 □를 입력하고 무료 다운로드를 받으십시오NSE8\_812시험대비 인증덤프
- 최신 NSE8\_812시험대비 최신 덤프자료 덤프는 Fortinet NSE 8 - Written Exam (NSE8\_812)시험문제의 모든 유형과 범위를 커버 □ “ [www.itdumpskr.com](http://www.itdumpskr.com) ”을(를) 열고☀ NSE8\_812 □☀□를 검색하여 시험 자료를 무료로 다운로드하십시오NSE8\_812합격보장 가능 시험
- NSE8\_812높은 통과율 시험공부자료 □ NSE8\_812최신 덤프데모 □ NSE8\_812합격보장 가능 시험 □ 무료로 다운로드를 위해 { NSE8\_812 }를 검색하려면➡ [www.pass4test.net](http://www.pass4test.net) □을(를) 입력하십시오NSE8\_812시험대비 덤프공부문제
- NSE8\_812최고품질 시험덤프자료 □ NSE8\_812시험패스 가능한 공부 □ NSE8\_812덤프샘플 다운 □ 무료로 다운로드하려면 □ [www.itdumpskr.com](http://www.itdumpskr.com) □로 이동하여➡ NSE8\_812 □를 검색하십시오NSE8\_812시험패스 가능한 공부
- Fortinet 인증 NSE8\_812 덤프 □ 무료로 쉽게 다운로드하려면 【 [www.exampassdump.com](http://www.exampassdump.com) 】에서➡ NSE8\_812 □를 검색하세요NSE8\_812덤프샘플 다운
- 최신 NSE8\_812시험대비 최신 덤프자료 덤프는 Fortinet NSE 8 - Written Exam (NSE8\_812)시험문제의 모든 유형과 범위를 커버 □ > [www.itdumpskr.com](http://www.itdumpskr.com) □에서 검색만 하면➡ NSE8\_812 □□□를 무료로 다운로드할 수 있습니다NSE8\_812시험응시료
- 시험준비에 가장 좋은 NSE8\_812시험대비 최신 덤프자료 최신버전 덤프데모 문제 □ 무료로 쉽게 다운로드하려면➡ [www.koreadumps.com](http://www.koreadumps.com) □에서□ NSE8\_812 □를 검색하세요NSE8\_812덤프샘플 다운
- [qasimanxw309963.ourcodeblog.com](http://qasimanxw309963.ourcodeblog.com), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [apridnwb122165.fare-blog.com](http://apridnwb122165.fare-blog.com), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [socialicus.com](http://socialicus.com), [shaunawcxj928542.blogpayz.com](http://shaunawcxj928542.blogpayz.com), [esmærdzu772801.empirewiki.com](http://esmærdzu772801.empirewiki.com), [izaaknsgl096362.blognody.com](http://izaaknsgl096362.blognody.com), [oisijqx617665.fliplife-wiki.com](http://oisijqx617665.fliplife-wiki.com), [safazbao826526.csublogs.com](http://safazbao826526.csublogs.com), Disposable vapes

PassTIP NSE8\_812 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요:  
<https://drive.google.com/open?id=1ZhjzN0l-1O489W4TBbKAdnGP7MSJQ111>