

# 信頼的な220-1101模擬解説集 &合格スムーズ220-1101 模擬モード | 一番優秀な220-1101日本語版テキスト内 容



ちなみに、Jpexam 220-1101の一部をクラウドストレージからダウンロードできます: <https://drive.google.com/open?id=1b07sWbklLsMNITzoc5LbAUjkaulh8Og5>

弊社の220-1101練習資料は、さまざまな学位の受験者に適しています。これらの受験者は、この分野の知識のレベルに関係ありません。これらの220-1101トレーニング資料は当社にとって名誉あるものであり、お客様の目標達成を支援するための最大限の特権として扱っています。私たちの知る限り、220-1101試験準備は何百万人もの受験者に夢を追いかけ、より効率的に学習するように動機付けました。220-1101の練習資料は、あなたを失望させません。

CompTIA 220-1101試験は、90分以内に完了する必要がある90の複数選択とパフォーマンスベースの質問で構成されています。この試験では、コンピューターハードウェア、オペレーティングシステム、ネットワーキング、モバイルデバイス、トラブルシューティングなど、幅広いトピックをカバーしています。この試験は、ITサポートまたはIT運用の役割で9~12か月の経験があり、知識とスキルを向上させてキャリアを向上させたいIT専門家向けに設計されています。この試験に合格すると、個人がITサポートと技術的な役割を実行するために必要な基本的な知識とスキルを持っていることが示されています。

CompTIA A+認定試験: Core 1は、コンピューターハードウェアおよびソフトウェアに関するスキルと知識を検証したいIT専門家にとって重要な認定試験です。この認定は、IT業界の多くの雇用主に認められており、多くの初級ポジションの要件となっています。適切な準備と勉強により、候補者はCompTIA A+認定試験: Core 1に合格し、ITで成功するための第一歩を踏み出すことができます。

CompTIA A+認定は、IT業界でさまざまな雇用機会とキャリアパスを開くことができる貴重な資格情報です。Dell、HP、Intelなどの主要なテクノロジー企業によって認識されており、IT業界の多くの雇用主にも必要または推奨されています。CompTIA 220-1101の試験に合格し、CompTIA A+認定を獲得することで、候補者はIT業界で知識とスキルを実証し、この分野で仕事を獲得する可能性を高めることができます。

>> 220-1101模擬解説集 <<

## 効果的な220-1101模擬解説集 & 合格スムーズ220-1101模擬モード | 100% 合格率の220-1101日本語版テキスト内容 CompTIA A+ Certification Exam: Core 1

これらすべての220-1101学習教材で、あなたの成功は100%保証されます。さらに、無料のデモがあります。無料のデモでは、練習資料の内容について証明された経験に基づいた推測を提供します。この試験について決心している限り、その職業は疑う余地がないことを理解できます。そして、彼らの職業は220-1101トレーニング準備で徹底的に表現されています。彼らは220-1101試験の本当の知識をつかみ、忘れられない経験をするのに非常に役立ちます。この小さなメリットをお見逃しなく。

## CompTIA A+ Certification Exam: Core 1 認定 220-1101 試験問題 (Q76-Q81):

### 質問 # 76

The output from a dot matrix printer has become lighter over time. Which of the following should a technician do to fix the issue?

- A. Replace the ribbon.
- B. Clean the printhead.
- C. Install a maintenance kit.
- D. Calibrate the alignment.

正解: A

解説:

Comprehensive and Detailed In-Depth Explanation:

Dot matrix printers use an inked ribbon that physically contacts the paper through tiny pins. Over time, the ribbon wears out or dries up, resulting in faded or light print output. Replacing the ribbon restores print quality.

\* Option A: Cleaning helps with image clarity, not ink density.

\* Option C: Maintenance kits apply to laser printers, not dot matrix.

\* Option D: Calibration affects print position, not darkness.

CompTIA A+ Core 1 Exam Objective Reference:

\* Objective 3.7: Given a scenario, troubleshoot common printer problems.

### 質問 # 77

A system administrator has been tasked with allowing SMTP traffic through the system's host-based firewall.

Which of the following ports should the administrator enable?

- A. 0
- B. 1
- C. 2
- D. 3

正解: D

解説:

SMTP (Simple Mail Transfer Protocol) uses port 25 to send email messages between servers<sup>12</sup>.

SMTP uses port 25 to send email messages between mail servers. Therefore, the system administrator should enable port 25 to allow SMTP traffic through the host-based firewall. References: CompTIA A+ Certification Study Guide, Tenth Edition, pg. 282

### 質問 # 78

A remote user reports connectivity issues with the local internet provider. Even after a technician reboots the modem supplied by the ISP, the issue persists. Which of the following would BEST establish the connection in minimal time?

- A. Radio frequency ISP
- B. Fiber optic
- C. Mobile hotspot
- D. Neighbor's Wi-Fi

正解: C

解説:

Explanation

Using a mobile hotspot is the best way to establish an internet connection in minimal time for a remote user who is experiencing connectivity issues with the local internet provider. A mobile hotspot can be set up quickly and provides a reliable connection using cellular data. References: CompTIA A+ Certification Exam Objectives 1001, 3.4

### 質問 # 79

Following a scheduled power outage, users report they cannot access the local intranet. A technician is able to ping the IP address of the server that is hosting the website. Which of the following servers is MOST likely offline?

- A. File
- B. DHCP
- C. Web
- **D. DNS**

正解: D

解説:


DNS stands for Domain Name System and is a service that translates domain names (such as `www.example.com`) into IP addresses (such as `192.168.1.100`) that computers can use to communicate over a network. If the DNS server is offline, users may not be able to access websites or other network resources by using their domain names, even if they are online and reachable by their IP addresses. The technician should check if the DNS server is running and configured correctly, or use an alternative DNS server if possible.

#### 質問 # 80

A third-party contractor recently installed a new switch, router, and cabling for a small corporate office. After the installation, users started experiencing issues connecting to resources over the network.

#### INSTRUCTIONS

Click on each PC and server to review outputs. From the remediation section on the right, select an issue and solution for each device.





PC 1

Command terminal IPv4 properties

Internet protocol version 4 (TCP/IPv4) properties

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☒ Obtain an IP address automatically

☐ Use the following IP address:

|                  |               |
|------------------|---------------|
| IP address:      | 192.168.1.1   |
| Subnet mask:     | 255.255.255.0 |
| Default gateway: | 192.168.1.50  |

☐ Obtain DNS server address automatically

☐ Use the following DNS server addresses:

|                       |              |
|-----------------------|--------------|
| Preferred DNS server: | 192.168.1.1  |
| Alternate DNS server: | 192.168.1.50 |

☐ Validate settings upon exit

Advanced...

PC 1

Command terminal IPv4 properties

```
ipconfig /all

Windows IP Configuration

Host Name . . . . . : PC1
Primary Dns Suffix . . . . . :
Node Type . . . . . : Peer-Peer
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No
DNS Suffix Search List. . . . . : corp.lan

Ethernet adapter Ethernet 1:

Connection-specific DNS Suffix . : corp.lan
Description . . . . . : Realtek USB GbE Family Controller
Physical Address. . . . . : E1:7C:5C:D4:57:79
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . : No
IPv4 Address. . . . . : 192.168.1.1 (Preferred)
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 192.168.1.50
```



## PC 1



## Command terminal IPv4 properties

```
Host Name . . . . . : PC1
Primary Dns Suffix . . . . . :
Node Type . . . . . : Peer-Peer
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No
DNS Suffix Search List. . . . . : corp.lan
```

## Ethernet adapter Ethernet 1:

```
Connection-specific DNS Suffix . : corp.lan
Description . . . . . : Realtek USB GbE Family Controller
Physical Address. . . . . : E1:7C:5C:D4:57:79
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . : No
IPv4 Address. . . . . : 192.168.1.1 (Preferred)
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 192.168.1.50
DNS Servers . . . . . : 192.168.1.1
                        192.168.1.50
NetBIOS over Tcpip. . . . . : Enabled
```

## PC 2



## Command terminal IPv4 properties

```
Node Type . . . . . : Peer-Peer
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No
DNS Suffix Search List. . . . . : corp.lan
```

## Ethernet adapter Ethernet 1:

```
Connection-specific DNS Suffix . : corp.lan
Description . . . . . : Realtek USB GbE Family Controller
Physical Address. . . . . : 36:9E:94:F0:59:83
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
IPv4 Address. . . . . : 192.168.1.12 (Preferred)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : August 28, 2023 9:07:46 AM
Lease Expires . . . . . : August 29, 2023 9:07:46 AM
Default Gateway . . . . . : 192.168.1.50
DHCP Server . . . . . : 192.168.1.1
DNS Servers . . . . . : 192.168.1.1
                        192.168.1.50
NetBIOS over Tcpip. . . . . : Enabled
```



## Internet protocol version 4 (TCP/IPv4) properties

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☐ Use the following IP address:

IP address: 192.168.1.2

Subnet mask: 255.255.0.0

Default gateway: 192.168.1.50

☐ Obtain DNS server address automatically

☐ Use the following DNS server addresses:

Preferred DNS server: 192.168.1.1

Alternate DNS server: 192.168.1.50

☐ Validate settings upon exit

Advanced...

Host Name . . . . . : Server1

Primary Dns Suffix . . . . . :

Node Type . . . . . : Peer-Peer

IP Routing Enabled. . . . . : No

WINS Proxy Enabled. . . . . : No

DNS Suffix Search List. . . . . : corp.lan

## Ethernet adapter Ethernet 1:

Connection-specific DNS Suffix . : corp.lan

Description . . . . . : Realtek USB GbE Family Controller

Physical Address. . . . . : B2:9F:BB:2C:21:74

DHCP Enabled. . . . . : No

Autoconfiguration Enabled . . . . : No

IPv4 Address. . . . . : 192.168.1.1 (Preferred)

Subnet Mask . . . . . : 255.255.255.255

Default Gateway . . . . . : 192.168.1.50

DNS Servers . . . . . : 192.168.1.1

192.168.1.50

NetBIOS over Tcpip. . . . . : Enabled

## Internet protocol version 4 (TCP/IPv4) properties

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☒ Use the following IP address:

|                  |               |
|------------------|---------------|
| IP address:      | 192.168.1.1   |
| Subnet mask:     | 255.255.255.0 |
| Default gateway: | 192.168.1.50  |

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:

|                       |              |
|-----------------------|--------------|
| Preferred DNS server: | 192.168.1.1  |
| Alternate DNS server: | 192.168.1.50 |

☐ Validate settings upon exit

Advanced...

CompTIA



## Command terminal IPv4 properties

```
Host Name . . . . . : Server2
Primary Dns Suffix . . . . . :
Node Type . . . . . : Peer-Peer
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No
DNS Suffix Search List. . . . . : corp.lan
```

## Ethernet adapter Ethernet 1:

```
Connection-specific DNS Suffix . : corp.lan
Description . . . . . : Realtek USB GbE Family Controller
Physical Address. . . . . : AC:5D:46:89:72:6D
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . : No
IPv4 Address. . . . . : 192.168.1.2 (Preferred)
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 192.168.1.5
DNS Servers . . . . . : 192.168.1.1
                        192.168.1.50
NetBIOS over Tcpip. . . . . : Enabled
```



Server 2
Command terminal
IPv4 properties

Internet protocol version 4 (TCP/IPv4) properties

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☒ Use the following IP address:—

|                  |               |
|------------------|---------------|
| IP address:      | 192.168.1.2   |
| Subnet mask:     | 255.255.255.0 |
| Default gateway: | 192.168.1.50  |

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:—

|                       |              |
|-----------------------|--------------|
| Preferred DNS server: | 192.168.1.1  |
| Alternate DNS server: | 192.168.1.50 |

☐ Validate settings upon exit

Advanced...

正解:

解説:

See the Explanation and detailed steps below.

Explanation:

Looking at the network configurations and outputs from both PCs and servers, here are the possible issues and solutions:

1. PC 1

Issue: The IP address for PC1 is 192.168.1.1, which conflicts with Server 1 (which also uses 192.168.1.1).

Solution: Change the IP address on PC1 to a unique one within the range, like 192.168.1.3.

2. PC 2

Issue: PC 2 is configured with 192.168.1.2, which conflicts with Server 2 that has the same IP address.

Solution: Update the IP address on PC 2 to something unique, like 192.168.1.4.

3. Server 1

Issue: The IP address for Server 1 is 192.168.1.1, which conflicts with PC1.

Solution: Since Server 1 and PC1 are using the same IP address, change one of them. For Server 1, you could change the IP address to 192.168.1.5.

4. Server 2

Issue: Server 2 is using the IP address 192.168.1.2, which conflicts with PC2.

Solution: Update Server 2 to use a different IP address, such as 192.168.1.6.

General Remediation:

The primary problem here is overlapping IP addresses, leading to connectivity issues. Each device on the network must have a unique IP address. After making these changes, ensure that all devices can communicate properly by testing the connection between devices and verifying they can access shared resources.

## 質問 #81

.....

人生は自転車に乗ると似ていて、やめない限り、倒れないから。IT技術職員として、周りの人はCompTIA 220-1101試験に合格し高い月給を持って、上司からご格別の愛護を賜り更なるジョブプロモーションを期待されますけど、あなたはこういうように所有したいですか。変化を期待したいあなたにCompTIA 220-1101試験備考資料を提供する権威性のあるJpexamをお勧めさせていただきませんか。

220-1101模擬モード: [https://www.jpexam.com/220-1101\\_exam.html](https://www.jpexam.com/220-1101_exam.html)

- 最新の高効率のCompTIA 220-1101試験問題集、100%合格できます! □ ➡ [www.japancert.com](http://www.japancert.com) □□□にて限定無料の【220-1101】問題集をダウンロードせよ220-1101模擬資料
- 220-1101日本語版試験解答 □ 220-1101問題トレーニング □ 220-1101日本語資格取得 □ サイト ( [www.goshiken.com](http://www.goshiken.com) ) で ➡ 220-1101 □問題集をダウンロード220-1101日本語版問題解説
- 220-1101日本語資格取得 □ 220-1101日本語版トレーニング □ 220-1101専門知識 \ 今すぐ✓ [jp.fast2test.com](http://jp.fast2test.com) □✓□で➡ 220-1101 ⇐を検索して、無料でダウンロードしてください220-1101資格参考書
- 220-1101専門知識 □ 220-1101最速合格 □ 220-1101前提条件 □ ▶ [www.goshiken.com](http://www.goshiken.com) ◀で“220-1101”を検索し、無料でダウンロードしてください220-1101最速合格
- 220-1101模擬資料 □ 220-1101模擬資料 □ 220-1101資格問題対応 □ ▶ [www.xhs1991.com](http://www.xhs1991.com) □にて限定無料の➡ 220-1101 ⇐問題集をダウンロードせよ220-1101オンライン試験
- CompTIA 220-1101認定試験の準備を十分に完了したのか □ URL ✓ [www.goshiken.com](http://www.goshiken.com) □✓□をコピーして開き、【220-1101】を検索して無料でダウンロードしてください220-1101資格復習テキスト
- 220-1101学習関連題 □ 220-1101日本語版試験解答 □ 220-1101資格問題対応 □ 【 [www.passtest.jp](http://www.passtest.jp) 】を開いて□ 220-1101 □を検索し、試験資料を無料でダウンロードしてください220-1101資格問題対応
- 正確な220-1101模擬解説集試験-試験の準備方法-高品質な220-1101模擬モード □ ▶ [www.goshiken.com](http://www.goshiken.com) □から簡単に[220-1101]を無料でダウンロードできます220-1101問題トレーニング
- 検証する220-1101模擬解説集 - 合格スムーズ220-1101模擬モード | 権威のある220-1101日本語版テキスト内容 CompTIA A+ Certification Exam: Core 1 ⇨ 「 [www.xhs1991.com](http://www.xhs1991.com) 」から簡単に ( 220-1101 ) を無料でダウンロードできます220-1101専門知識
- 検証する220-1101模擬解説集 - 合格スムーズ220-1101模擬モード | 権威のある220-1101日本語版テキスト内容 CompTIA A+ Certification Exam: Core 1 □ ➡ 220-1101 □を無料でダウンロード「 [www.goshiken.com](http://www.goshiken.com) 」で検索するだけ220-1101合格資料
- 実際の220-1101模擬解説集試験-試験の準備方法-効率的な220-1101模擬モード □ 時間限定無料で使える □ 220-1101 □の試験問題は▶ [www.xhs1991.com](http://www.xhs1991.com) ◀サイトで検索220-1101学習関連題
- 39.109.117.191:85, [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.wcs.edu.eu](http://www.wcs.edu.eu), [e-mecaformation.com](http://e-mecaformation.com), Disposable vapes

2025年Jpexamの最新220-1101 PDFダンプおよび220-1101試験エンジンの無料共有: <https://drive.google.com/open?id=1b07sWbklLsMNITzoc5LbAUjkaulh8Og5>