

1z0-1104-25 Braindumpsit Dumps PDF & Oracle 1z0-1104-25 Braindumpsit IT-Zertifizierung - Testking Examen Dumps



Sie brauchen nicht die komplizierte Ordnungsarbeit machen. Sie brauchen nicht für eine lange Zeit warten. Auf unserer Webseite können Sie die neueste und zuverlässigste Prüfungsunterlagen für Oracle 1z0-1104-25 erhalten. Unterschiedliche Versionen bieten Ihnen unterschiedliche Erfindungen. Was zweifellos ist, dass alle Versionen von Oracle 1z0-1104-25 sind effektiv. Bezahlen Sie mit gesichertem Zahlungsmittel Paypal! Dann können Sie gleich die Oracle 1z0-1104-25 Prüfungsunterlagen herunterladen und benutzen!

Oracle 1z0-1104-25 Prüfungsplan:

Thema	Einzelheiten
Thema 1	• Detecting, Remediating, and Monitoring OCI Resources: This section of the exam measures the skills of OCI Administrators and emphasizes monitoring and maintaining security posture across cloud resources. It focuses on the use of Cloud Guard, security zones, and the Security Advisor. Candidates also need to understand how to identify rogue users with threat intelligence, as well as use monitoring, logging, and event services for continuous visibility into performance and security.
Thema 2	• OCI Security Introduction: This section of the exam measures the skills of Cloud Security Professionals and covers the basics of security in Oracle Cloud Infrastructure. It introduces the shared security responsibility model, the core principles of security design, and the use of foundational security services to secure deployments on OCI.
Thema 3	• Implementing Identity and Access Management (IAM): This section of the exam measures skills of OCI Administrators and focuses on identity and access controls. It covers IAM domains, users, groups, and compartments, as well as the use of IAM policies to manage access to resources. Candidates are also tested on configuring dynamic groups, network sources, and tag-based access control, along with managing MFA, sign-on policies, and activity monitoring.

Thema 4	• Implementing OS and Workload Protection: This section of the exam measures the skills of OCI Administrators and looks at securing workloads and operating systems. It includes the use of OCI Bastion for time-limited access, vulnerability scanning of hosts and containers, and the use of OS management for automated updates. The goal is to ensure that workloads remain resilient and well-protected.
Thema 5	• Protecting Infrastructure - Network and Applications: This section of the exam measures the skills of Cloud Security Professionals and covers methods for securing networks and applications on OCI. Topics include network security groups, firewalls, and security lists, while also focusing on the use of load balancers for availability. The section further addresses the configuration of OCI certificates and web application firewalls to strengthen infrastructure security.

>> 1z0-1104-25 Online Tests <<

1z0-1104-25 Examsfragen - 1z0-1104-25 Prüfungsaufgaben

Die Zertifizierungsantworten zur Oracle 1z0-1104-25 Zertifizierungsprüfung von Fast2test sind die Grundbedarfsgüter der Kandidaten, mit deren Sie sich ausreichend auf die Oracle 1z0-1104-25 Prüfung vorbereiten und selbstsicherer die Prüfung machen können. Sie sind sehr zielgerichtet und von guter Qualität. Nur Fast2test könnte so perfekt sein.

Oracle Cloud Infrastructure 2025 Security Professional 1z0-1104-25 Prüfungsfragen mit Lösungen (Q36-Q41):

36. Frage

Task 2: Create a Compute Instance and Install the Web Server

Create a compute instance, where:

Name: PBT-CERT-VM-01

Image: Oracle Linux 8

Shape: VM.Standard.A1.Flex

Subnet: Compute-Subnet-PBT-CERT

Install and configure Apache web server:

a.

Install Apache

`sudo yum -y install httpd`

b.

Enable and start Apache

`sudo systemctl enable httpd`

`sudo systemctl restart httpd`

2. Install and configure Apache web server:

a. Install Apache

`sudo yum -y install httpd`

b. Enable and start Apache

`sudo systemctl enable httpd`

`sudo systemctl restart httpd`

c. Configure firewall to allow HTTP traffic (port 80)

`sudo firewall-cmd --permanent --add-port=80/tcp`

`sudo firewall-cmd --reload`

d. Create an index.html file

`sudo bash -c 'echo You are visiting Web Server 1 >>> /var/www/html/index.html'` Enter the OCID of the created compute instance PBT-CERT-VM-01 in the text box below.

Antwort:

Begründung:

See the solution below in Explanation.

Explanation:

Task 2: Create a Compute Instance and Install the Web Server

Step 1: Create the Compute Instance

- * Log in to the OCI Console.
- * Navigate to Compute>Instances.
- * Click Create Instance.
- * Enter the following details:
- * Name: PBT-CERT-VM-01
- * Compartment: Select your assigned compartment.
- * Placement: Leave as default or select an availability domain (e.g., Availability Domain 1).
- * Image: Click Change Image, select Oracle Linux 8, and confirm.
- * Shape: Click Change Shape, select VM.Standard.A1.Flex, and configure:
- * OCPUs: 1 (or adjust as needed)
- * Memory: 6 GB (or adjust as needed)
- * Networking:
- * Virtual Cloud Network: Select PBT-CERT-VCN-01.
- * Subnet: Select Compute-Subnet-PBT-CERT.
- * Leave public IP assignment enabled for internet access.
- * SSH Key: Provide your public SSH key (upload or paste) for secure access.
- * Click Create and wait for the instance to be provisioned.

Step 2: Connect to the Compute Instance

- * Once the instance is created, note the Public IP Address from the instance details page.
- * Use an SSH client to connect:
- * Command: `ssh -i <private-key-file> opc@<public-ip-address>`
- * Replace <private-key-file> with your private key path and <public-ip-address> with the instance's public IP.

Step 3: Install and Configure Apache Web Server

- * Install Apache:
- * Run: `sudo yum -y install httpd`
- * Enable and Start Apache:
- * Run: `sudo systemctl enable httpd`
- * Run: `sudo systemctl restart httpd`
- * Configure Firewall to Allow HTTP Traffic (Port 80):
- * Run: `sudo firewall-cmd --permanent --add-port=80/tcp`
- * Run: `sudo firewall-cmd --reload`
- * Create an index.html File:
- * Run: `sudo bash -c 'echo "You are visiting Web Server 1" >> /var/www/html/index.html'`

Step 4: Verify the Configuration

* Open a web browser and enter `http://<public-ip-address>` to ensure the page displays "You are visiting Web Server 1".

- * If needed, troubleshoot by checking Apache status: `sudo systemctl status httpd`.

Step 5: Retrieve and Enter the OCID

- * Go to the instance details page for PBT-CERT-VM-01 under Compute>Instances.
- * Copy the OCID (a long string starting with `ocid1.instance.`, unique to your tenancy).
- * Enter the copied OCID exactly as it appears into the text box provided.

Notes

- * These steps are based on OCI Compute documentation and Oracle Linux 8 setup guides.
- * Ensure the security list PBT-CERT-CS-SL-01 allows inbound traffic on port 22 (SSH) and port 80 (HTTP) if not already configured.
- * The OCID will be unique to your instance; obtain it from the OCI Console after creation


37. Frage

Challenge 2 - Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 2: Create a Security Zone

Create a security Zone named IAD_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe (IAD-SAP-PBT-CSP-01) created in the previous task.

Enter the OCID of the created Security zone in the box below.

Security Zone name: IAD-SP-PBT-CSZ-01
Associated Recipe: IAD-SP-PBT-CSP-01
Compartment: 98815992-C01
Purpose: Allow compute in Public Subnet

ORACLE

Antwort:

Begründung:

See the solution below in Explanation.

Explanation:

To create a Security Zone named IAD_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe IAD-SP-PBT-CSP-01 created in the previous task, follow these steps based on the Oracle Cloud Infrastructure (OCI) Security Zones documentation.

Step-by-Step Solution for Task 2: Create a Security Zone

* Log in to the OCI Console:

* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

* Ensure you have access to the assigned compartment.

* Navigate to Security Zones:

* From the OCI Console, click the navigation menu (hamburger icon) on the top left.

- * Under Governance and Administration, select Security Zones.
 - * Create a New Security Zone:
 - * In the Security Zones dashboard, click the Create Security Zone button.
 - * Configure the Security Zone Details:
 - * Name: Enter IAD_SAP-PBT-CSZ-01.
 - * Compartment: Select the assigned compartment provided.
 - * Description (Optional): Add a description, e.g., "Security Zone for public subnet compute instances."
 - * Associate the Custom Security Zone Recipe:
 - * In the Recipe section, select the custom recipe IAD-SP-PBT-CSP-01 created in Task 1 from the dropdown list.
 - * Ensure the recipe is correctly associated to enforce the policy allowing compute instances in the public subnet.
 - * Define the Security Zone Scope:
 - * Under Resources to Protect, select the compartment or specific resources (e.g., the VCN with CIDR 10.0.0.0/16 and public subnet 10.0.10.0/24) to apply the security zone.
 - * Check the box to include all resources in the selected compartment if applicable.
 - * Create the Security Zone:
 - * Click Create to finalize the security zone creation.
 - * Once created, note the OCID of the security zone from the security zone details page. The OCID will be a unique identifier starting with ocid1.securityzone.
 - * Verify the Security Zone:
 - * Go to the Security Zones tab and locate IAD_SAP-PBT-CSZ-01.
 - * Confirm the associated recipe (IAD-SP-PBT-CSP-01) and the applied policies.
- OCID of the Created Security Zone
- * The exact OCID will be generated upon creation (e.g., ocid1.securityzone.oc1..<unique_string>).
- Please enter the OCID displayed in the OCI Console after completing Step 7.

38. Frage

"You are part of the security operations of an organization with thousands of users accessing Oracle Cloud Infrastructure (OCI). It is reported that an unknown user action was executed resulting in configuration errors.

You are tasked with identifying the details of all users who were active in the last six hours along with any REST API calls that were executed.

Which OCI feature should you use?

- A. Audit Analysis Dashboard
- B. Management Agent Log Ingestion
- C. Object Collection Rule
- D. Service Connector Hub

Antwort: A

39. Frage

Task 3: Create a Master Encryption Key

Note: OCI Vault to store the key required by this task is created in the root compartment as PBI_Vault_SP Create an RSA Master Encryption Key (MEK), where:

Key name: PBT-CERT-MEK-01-<username>

For example, if your username is 99008677-lab.user01, then the MEK name should be PBT-CERT-MEK-0199008677labuser01

Ensure you eliminate special characters from the user name.

Key shape: 4096 bits

Enter the OCID of the Master Encryption Key created in the provided text box:

Antwort:

Begründung:

See the solution below in Explanation.

Explanation:

Task 3: Create a Master Encryption Key

Step 1: Access the OCI Vault

* Log in to the OCI Console.

- * Navigate to Identity & Security > Vault.
 - * Select the root compartment.
 - * Locate and click on the vault named PBI_Vault_SP.
- Step 2: Create the Master Encryption Key
- * In the PBI_Vault_SP vault details page, under Resources, click Keys.
 - * Click Create Key.
 - * Enter the following details:
 - * Name: Replace <username> with your username (e.g., if your username is 99008677-lab.user01, remove special characters like - and . to get 99008677labuser01, then use PBT-CERT-MEK-0199008677labuser01).
 - * Key Shape: Select RSA with 4096 bits.
 - * Protection Mode: Select HSM (Hardware Security Module) if available, or Software if HSM is not required (based on vault capabilities).
 - * Compartment: Ensure it's set to the root compartment (where PBI_Vault_SP resides).
 - * Leave other settings (e.g., key usage) as default unless specified.
 - * Click Create Key and wait for the key to be generated.
- Step 3: Retrieve and Enter the OCID
- * After the key is created, go to the Keys section under PBI_Vault_SP.
 - * Click on the key named PBT-CERT-MEK-01<username> (e.g., PBT-CERT-MEK-0199008677labuser01).
 - * Copy the OCID (a long string starting with ocid1.key., unique to your tenancy) from the key details page.
 - * Enter the copied OCID exactly as it appears into the provided text box.

40. Frage

"A programmer is developing a Node.js application which will run on a Linux server on their on-premises data center. This application will access various Oracle Cloud Infrastructure (OCI) services using OCI SDKs.

What is the secure way to access OCI services with OCI Identity and Access Management (IAM)?

- A. Create a new OCI IAM user, add the user to a group associated with a policy that grants the desired permissions to OCI services. In the on-premises Linux server, generate the keypair used for signing API requests and upload the public key to the IAM user.
- B. Create a new OCI IAM user associated with a dynamic group and a policy that grants the desired permissions to OCI services. Add the on-premises Linux server in the dynamic group.
- C. Create a new OCI IAM user, add the user to a group associated with a policy that grants the desired permissions to OCI services. In the on-premises Linux server, add the user name and password to a file used by Node.js authentication.
- D. Create an OCI IAM policy with appropriate permissions to access the required OCI services and assign the policy to the on-premises Linux server."

Antwort: A

41. Frage

.....

Mit Oracle 1z0-1104-25 Zertifikat können Sie Ihre Berufsaussichten verbessern und viele neuen Chancen erschließen. Fast2test ist eine geeignete Website für die Kandidaten, die an der Oracle 1z0-1104-25 Zertifizierungsprüfung teilnehmen. Es wird nicht nur alle Informationen zur Oracle 1z0-1104-25 Zertifizierungsprüfung, sondern Ihnen auch eine gute Lernchance bieten. Fast2test wird Ihnen helfen, die Oracle 1z0-1104-25 Zertifizierungsprüfung ganz einfach zu bestehen.

1z0-1104-25 Examsfragen: <https://de.fast2test.com/1z0-1104-25-premium-file.html>

- Das neueste 1z0-1104-25, nützliche und praktische 1z0-1104-25 pass4sure Trainingsmaterial ☐ ➡ www.zertpruefung.ch ☐ ist die beste Webseite um den kostenlosen Download von 「 1z0-1104-25 」 zu erhalten ☐ 1z0-1104-25 Prüfungsunterlagen
- Kostenlos 1z0-1104-25 dumps torrent - Oracle 1z0-1104-25 Prüfung prep - 1z0-1104-25 examcollection braindumps ☐ Suchen Sie auf der Webseite ☐ www.itzert.com ☐ nach 【 1z0-1104-25 】 und laden Sie es kostenlos herunter ☐ 1z0-1104-25 Zertifizierung
- 1z0-1104-25 Prüfungsguide: Oracle Cloud Infrastructure 2025 Security Professional - 1z0-1104-25 echter Test - 1z0-1104-25 sicherlich-zu-bestehen ☐ URL kopieren ➡ www.pass4test.de ◀ Öffnen und suchen Sie 《 1z0-1104-25 》 Kostenloser Download ☐ 1z0-1104-25 Prüfungsmaterialien

- 1z0-1104-25 Prüfung ☐ 1z0-1104-25 Deutsch Prüfungsfragen ☐ 1z0-1104-25 Deutsche Prüfungsfragen ☐ Suchen Sie jetzt auf⇒ www.itcert.com ⇐ nach ✓ 1z0-1104-25 ☒ und laden Sie es kostenlos herunter ☐ 1z0-1104-25 Deutsche Prüfungsfragen
- 1z0-1104-25 Zertifizierungsfragen ☐ 1z0-1104-25 Kostenlos Downloaden ☐ 1z0-1104-25 Online Test ☐ Suchen Sie auf (www.itcert.com) nach ➡ 1z0-1104-25 ☐ und erhalten Sie den kostenlosen Download mühelos ☐ 1z0-1104-25 Zertifizierung
- 1z0-1104-25 Musterprüfungsfragen ☐ 1z0-1104-25 Zertifizierung ☐ 1z0-1104-25 Prüfungsunterlagen ☐ Suchen Sie einfach auf ➡ www.itcert.com ☐☐☐ nach kostenloser Download von “ 1z0-1104-25 ” ☐ 1z0-1104-25 Lerntipps
- Die anspruchsvolle 1z0-1104-25 echte Prüfungsfragen von uns garantiert Ihre bessere Berufsaussichten! ☐ URL kopieren
▷ www.itcert.com ◁ Öffnen und suchen Sie 《 1z0-1104-25 》 Kostenloser Download ☐ 1z0-1104-25 Kostenlos Downloaden
- 1z0-1104-25 Zertifizierungsfragen ☐ 1z0-1104-25 Prüfungsunterlagen ☐ 1z0-1104-25 Prüfungsunterlagen ☐ Suchen Sie einfach auf⇒ www.itcert.com ⇐ nach kostenloser Download von ☐ 1z0-1104-25 ☐ ☐ 1z0-1104-25 Fragenkatalog
- 1z0-1104-25 examkiller gültige Ausbildung Dumps - 1z0-1104-25 Prüfung Überprüfung Torrents ☐ URL kopieren ▷ www.zertfragen.com ◁ Öffnen und suchen Sie ▷ 1z0-1104-25 ◁ Kostenloser Download ☐ 1z0-1104-25 Kostenlos Downloaden
- Kostenlose Oracle Cloud Infrastructure 2025 Security Professional vce dumps - neueste 1z0-1104-25 examcollection Dumps ☐ Geben Sie ▶ www.itcert.com ◀ ein und suchen Sie nach kostenloser Download von ➡ 1z0-1104-25 ☐☐☐ ☐ 1z0-1104-25 Prüfung
- 1z0-1104-25 Antworten ☐ 1z0-1104-25 Testfragen ☐ 1z0-1104-25 Lerntipps ☐ Öffnen Sie die Webseite “ www.zertfragen.com ” und suchen Sie nach kostenloser Download von 【 1z0-1104-25 】 ☐ 1z0-1104-25 Zertifizierung
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw,
www.stes.tyc.edu.tw, learn.africanxrcommunity.org, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw,
Disposable vapes