


# UiPath UiPath-ADAv1 Prüfungsfragen - UiPath-ADAv1 Pruefungssimulationen



P.S. Kostenlose 2026 UiPath UiPath-ADAv1 Prüfungsfragen sind auf Google Drive freigegeben von ZertSoft verfügbar:  
<https://drive.google.com/open?id=191JsVJB-YachDK0STMgmoSYiEN5Yv3eJ>

Machen Sie sich noch Sorgen um die UiPath UiPath-ADAv1 (UiPath Automation Developer Associate v1 Exam) Zertifizierungsprüfung? Haben Sie schon mal gedacht, sich an einem entsprechenden Kurs teilzunehmen? Gute Prüfungsmaterialien zu wählen, wird Ihnen helfen, Ihre Fachkenntnisse zu konsolidieren und sich gut auf die UiPath UiPath-ADAv1 Zertifizierungsprüfung vorbereiten. Das Expertenteam von ZertSoft hat endlich die neuesten zielgerichteten Schulungsunterlagen, die Ihnen beim Vorbereiten der Prüfung helfen, nach ihren Erfahrungen und Kenntnissen erforscht. Die UiPath UiPath-ADAv1 Schulungsunterlagen von ZertSoft ist Ihre optimale Wahl.

ZertSoft ist eine Website, die alle IT-Lerner wissen. ZertSoft ist von den IT-Zertifizierungskandidaten immer gut bewertet. Es ist eine Website, die Leuten wirklich helfen kann, weil ZertSoft eine IT-Elitengruppen hat und auch die ausgezeichneten und echten Prüfungsmaterialien zur UiPath UiPath-ADAv1 Zertifizierungsprüfung anbietet. Deshalb kann ZertSoft anderen viele nützliche Schulungsunterlagen über UiPath-ADAv1 Prüfung bereitstellen, die ihre Bedürfnisse abdecken.

>> UiPath UiPath-ADAv1 Prüfungsfragen <<

## UiPath UiPath-ADAv1 Pruefungssimulationen & UiPath-ADAv1 Dumps Deutsch

Heutzutage herrscht in der IT-Branche ein heftiger Konkurrenz. Die UiPath UiPath-ADAv1 Zertifizierungsprüfung wird Ihnen helfen, in der IT-Branche immer konkurrenzfähig zu bleiben. Im ZertSoft können Sie die Trainingsmaterialien für UiPath-ADAv1 Zertifizierungsprüfung bekommen. Unser Eliteteam wird Ihnen die richtigen und genauen Trainingsmaterialien für die UiPath UiPath-ADAv1 Zertifizierungsprüfung bieten. Per die Lernmaterialien und die Examenübungen-und fragen von ZertSoft versprechen wir Ihnen, dass Sie die Prüfung beim ersten Versuch bestehen können, ohne dass Sie viel Zeit und Energie fürs Lernen verwenden.

## UiPath Automation Developer Associate v1 Exam UiPath-ADAv1 Prüfungsfragen mit Lösungen (Q342-Q347):

### 342. Frage

A developer has configured the Project Settings for UI Automation Modern and added a Check App State activity In the project, as shown below.

□

- A. 0.2 seconds
- B. 0.3 seconds
- C. 0 seconds
- D. 30 seconds

## Antwort: A

### Begründung:

#### Understanding the Default Delay in Modern UI Automation

In UiPath Studio, when using Modern UI Automation activities, the default values for delays, timeouts, and wait settings can be configured at the Project Settings level. If these properties are not explicitly set within an activity, UiPath will inherit the values from the Project Settings.

#### Analysis of the Provided Images:

\* Project Settings (UI Automation Modern Tab)

\* Delay before (seconds)

\* Run value: 0.2

\* Debug value: 0.2

\* This means that any Modern UI Automation activity (like Check App State) will use 0.2 seconds as the default delay before execution unless manually changed in the activity.

\* Check App State Activity Properties Panel

\* The "Delay before" field is empty, meaning it will inherit the default value from Project Settings, which is 0.2 seconds.

#### Explaining the Answer Choices:

\* A (0 seconds) # Incorrect

\* If the Project Settings had no predefined value, the default UiPath behavior might have been 0 seconds. However, the provided settings explicitly define it as 0.2 seconds.

\* B (0.2 seconds) # Correct

\* The Project Settings define 0.2 seconds as the default "Delay before" value for all Modern UI Automation activities.

\* Since no value is manually set in the Check App State activity, it inherits 0.2 seconds from Project Settings.

\* C (0.3 seconds) # Incorrect

\* 0.3 seconds is set as the "Delay after" value, not "Delay before".

\* D (30 seconds) # Incorrect

\* 30 seconds is the default timeout value, not the "Delay before" value.

B: (0.2 seconds)

#### # Official UiPath References:

\* UiPath Project Settings - Modern UI Automation

\* Check App State Activity

\* Delays and Timeouts in UI Automation

## 343. Frage

A developer configured the properties for a Click activity on an element inside a web page as shown in the following exhibit.

An animation on the web page never completely loads but the element indicated in the Click activity does load within the specified timeout duration. What occurs when this Click activity executes?

- A. Timeout error occurs without clicking on the element.
- B. Waits 10 seconds before clicking on the element.
- **C. Element is clicked once the element is fully loaded.**
- D. Continues to the next activity after 30 seconds without clicking on the element.

## Antwort: C

### Begründung:

The Click activity is used to simulate a mouse click on a specified UI element, such as a button or a link<sup>1</sup>. It has several properties that can be configured to customize its behavior, such as the input method, the click type, the timeout, and the wait for ready<sup>1</sup>.

The input method determines how the click is performed. It can be Default, Simulate, or Window Messages. The Default method uses the hardware driver to simulate the click, and it requires the target element to be visible and in focus. The Simulate and Window Messages methods use the technology of the target application to inject the click, and they can work in the background, even if the target element is hidden or minimized<sup>2</sup>.

The click type determines which mouse button is used for the click. It can be Single, Double, Down, or Up. The Single and Double types perform a single or double click using the left mouse button. The Down and Up types perform a press or release action using any mouse button<sup>1</sup>.

The timeout determines how long the activity waits for the target element to appear before throwing an error. It is measured in milliseconds, and it has a default value of 30000 (30 seconds). If the timeout is exceeded, the activity fails with a TimeoutException<sup>1</sup>.

The wait for ready determines when the activity executes. It can be None, Interactive, or Complete. The None option executes the activity immediately. The Interactive option executes the activity after the target element is loaded. The Complete option executes the

activity after the target application is loaded1.

In your case, you have configured the properties for the Click activity as follows:

Input method: Simulate

Click type: Single

Timeout: 30000

Wait for ready: Complete

This means that the Click activity will use the Simulate method to perform a single click on the target element in the background, after waiting for 30 seconds or until the target application is fully loaded, whichever comes first.

Since you have mentioned that an animation on the web page never completely loads but the element indicated in the Click activity does load within the specified timeout duration, what occurs when this Click activity executes is:

Element is clicked once the element is fully loaded.

This is because the Simulate method can work in the background, even if the web page is hidden or minimized, and it does not depend on the animation to complete. The Complete option for wait for ready ensures that the Click activity waits until the target element is loaded before clicking on it. The timeout value of 30000 does not affect this scenario, because it is not exceeded.

Therefore, option A is correct.

References:

Click - UiPath Documentation Portal.

What are different Input methods in UiPath - UiPath Community Forum

### 344. Frage

In the Output property of all Get Mail activities, what is the supported variable type?

- A. String
- B. MailMessage
- C. List<MailMessage>
- D. List<String>

**Antwort: C**

Begründung:

In the Output property of all Get Mail activities, the supported variable type is List<MailMessage>. The Output property is the property that stores the result of the activity in a variable. The Get Mail activities are the activities that retrieve email messages from various mail servers, such as POP3, IMAP, Outlook, or Exchange. The result of the Get Mail activities is a collection of email messages that match the specified criteria, such as the mail folder, the filter, or the top count. The collection of email messages is represented by the List<MailMessage> type, which is a generic list that contains MailMessage objects. A MailMessage object is a class that represents an email message, with properties such as Subject, Body, Attachments, From, To, etc1. For example, if the Get Mail activity is used to retrieve the email messages from the Inbox folder of an Outlook account, the Output property can be configured with a variable of type List<MailMessage>, such as mailList. The mailList variable will store the email messages as a list of MailMessage objects, which can then be accessed or manipulated using other activities, such as For Each, Save Attachments, or Send Mail2.

### 345. Frage

In a process, a variable called "Timestamp" of type DateTime is used. The developer wants to print in the Output panel the variable in the format "yyyy-MM-dd hh:mm".

Which expression should be used to display the value?

- A. Timestamp.ToString("yyyy MM dd hh mm")
- B. Timestamp.ToString("yyyy-MM-dd hh:mm")
- C. Timestamp.ToString(), "yyyy-MM-dd hh:mm")
- D. Timestamp.CompareTo("yyyy-MM-dd hh:mm")

**Antwort: B**

Begründung:

Comprehensive and Detailed Explanation:

To format a DateTime variable (Timestamp) as "yyyy-MM-dd hh:mm", we use the .ToString("format") method.

\* Correct Format:

Timestamp.ToString("yyyy-MM-dd hh:mm")

\* yyyy # Year (4 digits)

- \* MM # Month (2 digits)
- \* dd # Day (2 digits)
- \* hh # Hour (12-hour format)
- \* mm # Minutes (2 digits)

Why the other options are incorrect?

- \* Option A (Timestamp.ToString("yyyy MM dd hh mm")):
- \* Incorrect separator (space instead of - and :).
- \* Option C (Timestamp.CompareTo("yyyy-MM-dd hh:mm")):
- \* CompareTo() is used to compare DateTime values, not to convert to a string.
- \* Option D (Timestamp.ToString(), "yyyy-MM-dd hh:mm")):
- \* Incorrect syntax: extra comma (,) - this would cause an error.

References:

- \* UiPath DateTime Formatting - Official Docs
- \* UiPath Studio Guide - DateTime Manipulation

### 346. Frage

A developer has defined an Int32 variable called IntVar. The developer has written the following expression in a Log Message activity:

`Convert.ToBoolean(IntVar)`

If `IntVar = 1`, what is displayed in the Output panel after execution?

- A. A System.InvalidCastException is displayed.
- B. A System.ArgumentNullException is displayed.
- C. The value False is displayed.
- **D. The value True is displayed.**

**Antwort: D**

Begründung:

The method:

`Convert.ToBoolean(IntVar)`

Converts an integer to a Boolean using .NET conversion rules:

- \* 0 # False
- \* Any non-zero value (e.g., 1, 2, -3, etc.) # True

Why is Option B Correct?

- \* Since `IntVar = 1`, `Convert.ToBoolean(1)` returns True.
- \* This follows standard .NET conversion logic.

Example Execution:

Log Message = `Convert.ToBoolean(1)`

Output:

True

Why Other Options Are Incorrect?

- \* A (False is displayed) #
- \* Incorrect. Only 0 converts to False.
- \* C (System.ArgumentNullException) #
- \* Incorrect. This exception occurs when passing null, but `IntVar` has a valid integer.
- \* D (System.InvalidCastException) #
- \* Incorrect. `Convert.ToBoolean(Int32)` is a valid conversion in .NET.

References:

- \* Microsoft Docs - Convert.ToBoolean
- \* UiPath Forum - Converting Int to Boolean

### 347. Frage

.....

Wollen Sie UiPath UiPath-ADAv1 Dumps von ZertSoft probieren? Diese Dumps sind unbedingt die besten Unterlagen auf dem Markt, die im Zusammenhang mit den Prüfungen sind. Warum? Es gibt die folgenden vier Gründen. Zuerst sind die Prüfungsfragen von ZertSoft von den reichen Erfahrungen der IT-Eliten entworfen und auch sehr genau. Zweitens beinhalten ZertSoft Dumps alle

möglichen Prüfungsfragen in aktuellen Prüfungen. Drittens, die ZertSoft Dumps garantieren Ihnen, nur einmal die UiPath UiPath-ADAv1 Prüfung zu bestehen. Wenn die Teilnehmer durchgefallen sind, können Sie die volle Rückerstattung bekommen. Viertes gliedern sich ZertSoft in zwei verschiedenen Versionen, PDF-Versionen und Software-Versionen. Wenn Sie beide Dumps kaufen, können Sie diese Prüfung leichter vorbereiten.

**UiPath-ADAv1 Pruefungssimulationen:** <https://www.zertsoft.com/UiPath-ADAv1-pruefungsfragen.html>

Wenn Sie die Schulungsunterlagen zur UiPath UiPath-ADAv1-Prüfung von ZertSoft sehen, würden Sie finden, dass Sie genau was sind, was Sie wollen, Unser ZertSoft UiPath-ADAv1 Pruefungssimulationen ist international ganz berühmt, Am wichtigsten ist es, dass Die Schulungsunterlagen zur UiPath UiPath-ADAv1 Zertifizierungsprüfung von ZertSoft mit allen IT-Zertifizierungen im Einklang sind, UiPath UiPath-ADAv1 Prüfungsfragen Sonst erstatteten wir Ihnen die gamnte Summe zurück, um Ihre Interessen zu schützen.

Ich habe schon früher von diesem Unglücksapostel UiPath-ADAv1 gesprochen, dem Deutschland all das Unheil verdankt, welches die römische Kirche über dasselbe gebracht hat, Obwohl normalerweise UiPath-ADAv1 Dumps Deutsch die Veranstaltung viel kürzer ist, weil es nur eine Demonstration ist.

## **Die anspruchsvolle UiPath-ADAv1 echte Prüfungsfragen von uns garantiert Ihre bessere Berufsaussichten!**

Wenn Sie die Schulungsunterlagen zur UiPath UiPath-ADAv1-Prüfung von ZertSoft sehen, würden Sie finden, dass Sie genau was sind, was Sie wollen, Unser ZertSoft ist international ganz berühmt.

Am wichtigsten ist es, dass Die Schulungsunterlagen zur UiPath UiPath-ADAv1 Zertifizierungsprüfung von ZertSoft mit allen IT-Zertifizierungen im Einklang sind.

Sonst erstatteten wir Ihnen die gamnte Summe zurück, um Ihre Interessen zu UiPath-ADAv1 Pruefungssimulationen schützen, Nachdem die Kunden unserere Prüfungsmaterialien erfolgreich gekauft haben, werden wir Ihnen einjährigen Update-Service kostenlos bieten.

- UiPath-ADAv1 Deutsche Prüfungsfragen  UiPath-ADAv1 Fragen Und Antworten  UiPath-ADAv1 Praxisprüfung   
 Suchen Sie auf der Webseite ➡ [www.it-pruefung.com](http://www.it-pruefung.com)  nach { UiPath-ADAv1 } und laden Sie es kostenlos herunter  UiPath-ADAv1 Prüfungsinformationen
- Die seit kurzem aktuellsten UiPath UiPath-ADAv1 Prüfungsunterlagen, 100% Garantie für Ihen Erfolg in der UiPath Automation Developer Associate v1 Exam Prüfungen!  Suchen Sie jetzt auf ▶ [www.itzert.com](http://www.itzert.com) ◀ nach [ UiPath-ADAv1 ] und laden Sie es kostenlos herunter  UiPath-ADAv1 Fragen Antworten
- UiPath-ADAv1 Übungsmaterialien  UiPath-ADAv1 Prüfungsinformationen  UiPath-ADAv1 Exam Fragen   
Öffnen Sie ⇒ [www.echtfage.top](http://www.echtfage.top) ⇐ geben Sie ✓ UiPath-ADAv1  ✓  ein und erhalten Sie den kostenlosen Download   UiPath-ADAv1 Praxisprüfung
- Hohe Qualität von UiPath-ADAv1 Prüfung und Antworten  Suchen Sie einfach auf ➡ [www.itzert.com](http://www.itzert.com)  nach kostenloser Download von « UiPath-ADAv1 »  UiPath-ADAv1 Originale Fragen
- UiPath-ADAv1 Prüfungsinformationen  UiPath-ADAv1 Prüfungsinformationen  UiPath-ADAv1 Ausbildungsressourcen  Öffnen Sie  [www.echtfage.top](http://www.echtfage.top)  geben Sie « UiPath-ADAv1 » ein und erhalten Sie den kostenlosen Download  UiPath-ADAv1 Deutsch
- UiPath-ADAv1 Fragen Und Antworten  UiPath-ADAv1 Exam Fragen  UiPath-ADAv1 Originale Fragen  “  
[www.itzert.com](http://www.itzert.com)” ist die beste Webseite um den kostenlosen Download von ✓ UiPath-ADAv1  ✓  zu erhalten   
 UiPath-ADAv1 Deutsche Prüfungsfragen
- UiPath-ADAv1 Testantworten  UiPath-ADAv1 Vorbereitung  UiPath-ADAv1 Ausbildungsressourcen  Öffnen  
Sie die Webseite 【 [de.fast2test.com](http://de.fast2test.com) 】 und suchen Sie nach kostenloser Download von  UiPath-ADAv1   UiPath-ADAv1 Prüfungsinformationen
- UiPath-ADAv1 Schulungsangebot - UiPath-ADAv1 Simulationsfragen - UiPath-ADAv1 kostenlos downloaden  Geben  
Sie [ [www.itzert.com](http://www.itzert.com) ] ein und suchen Sie nach kostenloser Download von “ UiPath-ADAv1 ”  UiPath-ADAv1  
Übungsmaterialien
- UiPath-ADAv1 Prüfungen  UiPath-ADAv1 PDF Demo ☺ UiPath-ADAv1 Exam Fragen  Erhalten Sie den  
kostenlosen Download von ➡ UiPath-ADAv1  mühelos über ▷ [de.fast2test.com](http://de.fast2test.com) ◁  UiPath-ADAv1 Deutsch
- UiPath-ADAv1 Prüfungsinformationen  UiPath-ADAv1 Online Praxisprüfung  UiPath-ADAv1 Deutsch  Geben  
Sie ➡ [www.itzert.com](http://www.itzert.com)  ein und suchen Sie nach kostenloser Download von 「 UiPath-ADAv1 」  UiPath-ADAv1  
Exam Fragen
- Kostenlos UiPath-ADAv1 Dumps Torrent - UiPath-ADAv1 exams4sure pdf - UiPath UiPath-ADAv1 pdf vce  Öffnen  
Sie die Website ➡ [www.it-pruefung.com](http://www.it-pruefung.com)  Suchen Sie  UiPath-ADAv1  Kostenloser Download  UiPath-ADAv1  
Fragen Beantworten

