


100% Pass CWAP-405 - Certified Wireless Analysis Professional Authoritative Valid Dumps Files



P.S. Free & New CWAP-405 dumps are available on Google Drive shared by Actualtests4sure: https://drive.google.com/open?id=1WmaKX-AJ9Wzgs_n9ha9Bt_Lwfhx_Yj_

The easy to learn format of these amazing CWAP-405 exam questions will prove one of the most exciting exam preparation experiences of your life! When you are visiting on our website, you can find that every button is easy to use and has a swift response. And there are three varied versions of our CWAP-405 learning guide: the PDF, Software and APP online. Every version of our CWAP-405 simulating exam is auto installed if you buy and study with them. They are perfect in every detail.

Though there always exists fierce competition among companies in the same field. Our CWAP-405 study materials are always the top sellers in the market and our website is regarded as the leader in this career. Because we never stop improve our CWAP-405 practice guide, and the most important reason is that we want to be responsible for our customers. So we creat the most effective and accurate CWAP-405 Exam Braindumps for our customers and always consider carefully for our worthy customer.

>> CWAP-405 Valid Dumps Files <<

CWAP-405 Practice Braindumps | Exam CWAP-405 Learning

In fact, on one side, our CWAP-405 training braidumps can help you pass the exam and win the certification. On the othe side, i think it is even more important, that you can apply what you have learned on our CWAP-405 Practice Guide into practices. Your speed of finishing the task will be greatly elevated. Everting will take positive changes because of our CWAP-405 exam materials. Please cheer up for yourself.

CWNP Certified Wireless Analysis Professional Sample Questions (Q88-Q93):

NEW QUESTION # 88

Given: The Frame Check Sequence (FCS) is a 32 CRC used for error detection.
The CRC is calculated over what?

- A. PHY Header, MAC Header and Frame Body
- **B. Mac Header and Frame Body only**
- C. PHY Header and Mac Header only
- D. Frame Body only

Answer: B

Explanation:

The CRC is calculated over the MAC Header and Frame Body only. The CRC (Cyclic Redundancy Check) is a 32-bit value that is used for error detection in wireless transmissions. The CRC is calculated over the MAC Header and Frame Body of a PSDU, which are the parts of the data unit that contain information such as source and destination addresses, frame type, frame control, sequence number, payload, etc. The CRC is appended to the end of the PSDU as a FCS (Frame Check Sequence) field. The CRC is not calculated over the PHY Header or PHY Preamble, which are parts of the PPDU that contain information such as modulation, coding, data rate, etc. The PHY Header and PHY Preamble are added or removed by the PHY layer during the conversion between PSDU and PPDU. References: [Wireless Analysis Professional Study Guide CWAP-405], Chapter 4: 802.11 Physical Layer, page 97-98

NEW QUESTION # 89

A client is operating in an unstable RF environment. Out of five data frames transmitted to the client it only receives four. The client sends a Block Ack to acknowledge the receipt of these four frames but due to frame corruption the Block Ack is not received by the AP. Which frames will be retransmitted?

- A. Both the corrupted data and Block Ack
- B. Only the data frame which was corrupted
- **C. All data frames**
- D. Only the Block Ack

Answer: C

Explanation:

All data frames will be retransmitted in this scenario. This is because the AP uses a Block Ack (BA) mechanism to acknowledge the receipt of multiple data frames from a client in a single frame. The BA contains a bitmap that indicates which data frames were received correctly and which were not. If the BA is not received by the AP due to frame corruption, the AP will assume that none of the data frames were received by the client and will retransmit all of them. The other options are not correct, as they do not account for the loss of the BA or the use of the bitmap. References: [Wireless Analysis Professional Study Guide CWAP-405], Chapter 6: 802.11 Frame Exchanges, page 167-168

NEW QUESTION # 90

What is used to respond with an uplink transmission to an MU-RTS trigger frame in the 802.11ax PHY?

- **A. HE TB PPDU**
- B. HE SU PPDU
- C. VHT PPDU
- D. HE MU PPDU

Answer: A

Explanation:

An HE TB PPDU (High Efficiency Trigger-Based Packet Data Unit) is used to respond with an uplink transmission to an MU-RTS trigger frame in the 802.11ax PHY (Physical Layer). An MU-RTS trigger frame is a frame that initiates a multi-user transmission opportunity (MU-TXOP) by requesting multiple stations (STAs) to send clear-to-send (CTS) frames on different spatial streams or resource units (RUs). An HE TB PPDU is a frame that contains data from multiple STAs that have been allocated RUs by an MU-RTS trigger frame or another type of trigger frame. An HE SU PPDU (High Efficiency Single User Packet Data Unit) is a frame that contains data from a single STA using all available spatial streams or RUs. An HE MU PPDU (High Efficiency Multi User Packet Data Unit) is a frame that contains data from multiple STAs using different spatial streams or RUs without being triggered by another frame. A VHT PPDU (Very High Throughput Packet Data Unit) is a frame that uses the 802.11ac PHY and does not support

multi-user transmissions.

References:

CWAP-405 Study Guide, Chapter 3: 802.11 MAC Layer Frame Formats and Technologies, page 101
CWAP-405 Objectives, Section 3.4: Analyze multi-user transmissions
CWAP-405 Study Guide, Chapter 3: 802.11 MAC Layer Frame Formats and Technologies, page 99

NEW QUESTION # 91

You are troubleshooting VoIP WLAN issues. When performing a PING to a remote device that would be involved in a call link, you see that the time value averages 220 milliseconds.

How much extra delay beyond that recommended for VoIP links is in this link?

- A. There is 80 milliseconds more delay than recommended
- B. There is 70 milliseconds more delay than recommended
- C. There is no extra delay beyond that recommended, instead there is 80 milliseconds less
- D. There is not enough information because the PING command gives round-trip-times

Answer: C

NEW QUESTION # 92

You have been asked to recommend a solution for protocol capture of 802.11 frames consisting of 3x3:3

802.11ac communications. The requirement specifies that you gain a general view of a coverage area and does not require that you capture from specific user locations. The solution must be the least expensive practical solution possible that does not disrupt user access to the WLAN and it must be based on enterprise WLAN hardware.

What solution would you recommend so that any coverage area could be monitored on demand?

- A. Install laptop-based protocol analyzer near each AP
- B. Install the minimum number of APs required for coverage and use these APs for protocol analysis as needed
- C. Install Wireshark on the APs natively to allow dynamic capture while serving clients
- D. Install sufficient APs so that an AP can be taken offline to perform protocol analysis as needed

Answer: C

NEW QUESTION # 93

.....

The candidates all enjoy learning on our CWAP-405 practice exam study materials. Also, we have picked out the most important knowledge for you to learn. The difficult questions of the CWAP-405 study materials have detailed explanations such as charts, illustrations and so on. We have invested a lot of efforts to develop the CWAP-405 Training Questions. Please trust us. You absolutely can understand them after careful learning.

CWAP-405 Practice Braindumps: <https://www.actualtests4sure.com/CWAP-405-test-questions.html>

CWNP CWAP-405 Valid Dumps Files As it takes no place so that you can bring with you wherever you go, CWNP CWAP-405 Valid Dumps Files As long as the syllabus has changed, they need to repurchase new learning materials, Certified Wireless Analysis Professional test students can buy study guides online for preparing the CWAP-405 exam, CWNP CWAP-405 Valid Dumps Files By practicing the exam material in our Brain dumps PDF, you will be able to answer all the questions asked in the exam.

Commands issued to the `ftp` daemon are logged when the `-d` option is CWAP-405 Training Solutions used, She figured out how much vanilla frosting would equal the vanilla extract called for in the cheesecake recipe and used that instead.

Valid CWNP CWAP-405 Exam Questions are Conveniently Available in PDF Format

As it takes no place so that you can bring Exam CWAP-405 Learning with you wherever you go, As long as the syllabus has changed, they need to repurchase new learning materials, Certified Wireless Analysis Professional test students can buy study guides online for preparing the CWAP-405 Exam.

- [Exam CWAP-405 Quiz](#) [Valid CWAP-405 Study Guide](#) [Exam CWAP-405 Cram Questions](#) [Conv URL](#) [...](#)

- DOWNLOAD the newest Actualtests4sure C/WAP-405 PDF dumps from Cloud Storage for free: https://drive.google.com/open?id=1WmaKX-AJ9Wzgs_n9ha9Bt_Lwfhx_Yj

DOWNLOAD the newest Actualtests4sure C/WAP-405 PDF dumps from Cloud Storage for free: https://drive.google.com/open?id=1WmaKX-AJ9Wzgs_n9ha9Bt_Lwfhx_Yj