


C-ADBTP-2601 Valid Exam Test - Reliable C-ADBTP-2601 Test Online



With the help of performance reports of Avaya Aura® Core Components Support Certified Exam (72201X) Desktop practice exam software, you can gauge and improve your growth. You can also alter the duration and Avaya 72201X Questions numbers in your practice tests. Questions of this Avaya Aura® Core Components Support Certified Exam (72201X) mock test closely resemble the format of the actual test.

Avaya 72201X certification exam is designed to test the knowledge and skills of candidates in the areas of Avaya Aura® Communication Manager, Avaya Aura® Session Manager, and Avaya Aura® System Manager. Candidates will be tested on their ability to install, configure, and maintain these products, as well as their ability to troubleshoot issues that may arise.

Avaya Aura® Core Components Support Certified certification program is a globally recognized certification. It demonstrates that the holder has a comprehensive understanding of the Avaya Aura® system and the ability to configure, maintain, and troubleshoot the system's core components. Avaya Aura® Core Components Support Certified Exam certification program is designed to ensure that professionals have the necessary skills to support complex communication systems.

[>> 72201X Reliable Exam Question <<](#)

72201X Exam Guide - 72201X Test Questions & 72201X Exam Torrent

The client can try out and download our 72201X training materials freely before their purchase so as to have an understanding of our product and then decide whether to buy them or not. The website

[72201X Reliable Exam Question - 72201X Valid Test Guide](#)

SAP C-ADBTP-2601 practice test has real Administrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) exam questions. You can change the difficulty of these questions, which will help you determine what areas appertain to more study before taking your Administrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) exam dumps. Here we listed some of the most important benefits you can get from using our SAP C-ADBTP-2601 practice questions.

The only way to save yourself from this scenario is by relying on SAP C-ADBTP-2601 study material. TorrentValid equips you with the excellent SAP C-ADBTP-2601 dumps material to help you clear the SAP C-ADBTP-2601 real examination on the maiden attempt. One of the leading factors of TorrentValid in this industry is offering only top-rated and updated C-ADBTP-2601 Exams practice questions.

[>> C-ADBTP-2601 Valid Exam Test <<](#)

Reliable C-ADBTP-2601 Test Online, Authentic C-ADBTP-2601 Exam Hub

To attain all these you just need to enroll in the SAP C-ADBTP-2601 certification exam and put in all your efforts and prepare well to crack the SAP C-ADBTP-2601 exam easily. For the perfect and instant SAP C-ADBTP-2601 preparation, you can get help from SAP C-ADBTP-2601 Questions. The TorrentValid C-ADBTP-2601 exam questions are real and will entirely assist you in C-ADBTP-2601 exam preparation and you can easily pass the final SAP C-ADBTP-2601 certification exam.

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601)

Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to btpops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops#####-eu-hcm-dev

Then confirm by clicking Create or Enable.


Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Enable Cloud Foundry



1
Basic Info

Enter basic info for your environment instance.

Environment: * Can't find what you're looking for?
Cloud Foundry Runtime

Plan: *
standard

Landscape: *
cf-eu10-005


Instance Name: ⓘ
cf-eu-hcm-dev

Org Name: * ⓘ
btpops -eu-hcm-dev

i Cloud Foundry API endpoints may differ between subaccounts in the same region. The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

Create **Cancel**

Subaccount: EU HCM Dev - Overview



BTP Admin Certification / Environments / Human Resources / EU HCM Dev

General Cloud Foundry Environment Entitlements

General

37 Entitlements 1 Instances and Subscriptions

Subaccount: btpops3853-eu-hcm-dev Provider: Amazon Web Services (AWS) Used by: SAP S/4HANA Cloud Created By:
 Space ID: 4d5da059-27be-400b-9965-7ca1751ca3f5 Region: Europe (Frankfurt) - AWS Billing Framework: Standard Created On: March 27, 2026, 11:21:55 PM GMT+05:00
 Subaccount ID: 4d5da059-27be-400b-9965-7ca1751ca3f5 Environment: Multi-Environment Modified On: March 27, 2026, 11:22:17 PM GMT+05:00

Open in Audit Log Viewer

Cloud Foundry Environment

Information not available for you. You must be an org member. Go to KBA

API Endpoint: <https://api.cf.eu10-005.hana.ondemand.com>
 Org Name: btpops3853-eu-hcm-dev
 Org ID: v982a68f-3148-4546-a036-779c32323246
 Org Memory Limit: 1.824MB

Manage environment instance
 Disable Cloud Foundry

Spaces (0) **Create Space**

Name	Applications	Service Instances
No spaces defined in this subaccount.		

Part 2 - Create the space

Step 4 - Open Spaces


In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.



Subaccount: EU HCM Dev - Overview

General Cloud Foundry Environment Entitlements

Cloud Foundry Environment

Information not available for you. You must be an org member. Go to KBA

API Endpoint: <https://api.cf.eu10-005.hana.ondemand.com>
 Org Name: btpops3874-eu-hcm-dev
 Org ID: 5cb3623c-df16-4bd7-9933-88bc8da959f
 Org Memory Limit: 1.824MB

Manage environment instance
 Disable Cloud Foundry

Spaces (1) **Create Space**


Name	Applications	Service Instances
activity-recording	0	0

Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording
Confirm by clicking Create.



The screenshot shows the 'Create Space' dialog in SAP. The 'Create Space' field is filled with 'activity-recording'. Below it, under 'Assign space roles to', there are four checkboxes: 'Space Developer' (checked), 'Space Supporter' (unchecked), 'Space Manager' (checked), and 'Space Auditor' (unchecked). At the bottom, there is a large blue SAP logo, a blue 'Create' button, and a grey 'Cancel' button. A watermark 'torrentvalid.com' is visible across the center of the dialog.

Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory


For App Instances, set:

Unlimited

Then save the quota.

Create Space Quota

i You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach.
To assign the "Unlimited" value, use -1.

Name: *	<input type="text" value="half-org-quota"/>
Space Memory (MB): *	<input type="text" value="512"/> <i>Org Quota: 1024 MB (1GB)</i>
Routes: *	<input type="text" value="5"/> <i>Org Quota: 10</i>
Service Instances: *	<input type="text" value="250"/>  <i>Org Quota: 500</i>
Memory per Instance (MB): *	<input type="text" value="8192"/> <i>Org Quota: 16384 MB (16GB)</i>
App Instances: *	<input type="text" value="-1"/> <i>Org Quota: Unlimited</i>
Allow Paid Services:	<input type="checkbox" value="OFF"/>

Create

Cancel

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.

Subaccount: EU HCM Dev - Space Quotas


Space Quotas Quota Assignments

Space Quotas (1)

half-org-quota
Not assigned

Space Memory: 512MB
Routes: 5
Service Instances: 250

Paid Services: Not Allowed
App Instances: Unlimited
Memory per instance: 8GB



Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment



Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording



Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is btpops#####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly btpops#####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.
Creating the quota but not assigning it to activity-recording.

NEW QUESTION # 11

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain `btppops#####-sh-dev` in the region Amazon Web Services (AWS) → Europe (Frankfurt) `cf-eu10`.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain `btppops#####-sh-ops` in the region Amazon Web Services (AWS) → Europe (Frankfurt) `cf-eu10`.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.



Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name* Description

Parent*

> **Advanced**

Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.

SAP

Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Create Subaccount

Display Name*

Region*



Subdomain*

Description

Parent*

> **Advanced**

Cockpit supports multi-level directories in your account structure.
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under **Parent**.

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Set the region as:



Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Create Subaccount

Display Name *	Description
SH Ops	Shared Services Operations
Region *	
Europe (Frankfurt) - AWS	
Subdomain * ⓘ	Parent *
btpops xxxxsh-ops	Shared Services
> Advanced	
<p>Cockpit supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.</p>  	
<input type="button" value="Create"/> <input type="button" value="Cancel"/>	

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops####-sh-dev

Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpops####-sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10

Name	Type	Environment	Provider	Region	Labels	Changed On
BTP Admin Certification	Global Account					March 25, 2026, 5:11:2...
Americas	Directory					March 26, 2026, 3:27:5...
Directory (Managed)	Directory (Managed)				1 label	March 26, 2026, 3:50:1...
Subaccount	Multi-Environment	Microsoft Azure		US West (WA)		March 26, 2026, 3:35:3...
Subaccount	Multi-Environment	Microsoft Azure		US West (WA)		March 26, 2026, 3:39:3...
Directory	Directory				1 label	March 26, 2026, 3:28:2...
Subaccount	Multi-Environment	Amazon Web Services (AWS)		Europe (Frankfurt) - AWS		March 26, 2026, 3:43:4...
Subaccount	Multi-Environment	Amazon Web Services (AWS)		Europe (Frankfurt) - AWS		March 26, 2026, 3:48:3...
Subaccount	Multi-Environment	Amazon Web Services (AWS)		Europe (Frankfurt) - AWS		March 26, 2026, 3:46:5...
Shared Services	Directory					March 26, 2026, 4:14:2...
SH Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:15:5...
SH Ops	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:17:0...

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

bt pops#####-sh-dev

bt pops#####-sh-ops

Only replace ##### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

NEW QUESTION # 12

SIMULATION

Enable a Cloud Foundry Environment

Add a service plan for Cloud Foundry environment and enable it in a subaccount.

Task 1: Add a Service Plan for Cloud Foundry Environment

In your SAP BTP cockpit, in your EU HCM Dev subaccount, entitle one MEMORY service plan for the Cloud Foundry Runtime.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Human Resources directory.

Open the EU HCM Dev subaccount.

This matters because the runtime memory quota must be assigned to the EU HCM Dev subaccount specifically. SAP documents that the MEMORY plan is the quota-bearing plan for Cloud Foundry Runtime.

Step 1 - Open the EU HCM Dev subaccount

In the cockpit, choose Directories.

Open Human Resources.

Select EU HCM Dev.

You should now be on the EU HCM Dev subaccount page.

Step 2 - Open Entitlements

In EU HCM Dev, choose Entitlements.

SAP Help confirms that service plans and quota assignments for a subaccount are configured in the Entitlements area.

Step 3 - Configure entitlements

Click Configure Entitlements or Add Service Plans.

Search for:

Cloud Foundry Runtime

In SAP Help, this appears as Cloud Foundry Runtime (APPLICATION_RUNTIME), and the relevant plan for assigning runtime memory is MEMORY.

Step 4 - Select the MEMORY plan

Under Cloud Foundry Runtime, select:

MEMORY

Set the quantity to 1 if the cockpit shows an amount/quota field.

Add the plan to the subaccount.

Save the entitlement changes.

Subaccount EU HCM Dev: Add Service Plans

The screenshot displays the SAP 'Add Service Plans' interface for subaccount EU HCM Dev. The search results show 'Cloud Foundry Runtime' as the selected service. The 'MEMORY' plan is selected under 'Available Plans'. The plan details indicate it is for provisioning application runtime memory (GB). The interface also shows 'Entitlement Sources' and a summary at the bottom indicating '1 selected plan'.

SAP documents that the MEMORY plan is specifically used to assign runtime memory quota to the subaccount, and that 1 unit corresponds to 1 GB of runtime memory when quota is adjusted or assigned.

Step 5 - Verify the result

After saving, check the Entitlements page of EU HCM Dev.

You should see:

Cloud Foundry Runtime

plan: MEMORY

quantity: 1 if shown

Final expected result

Inside EU HCM Dev:

Cloud Foundry Runtime is entitled

the service plan is MEMORY

the assigned amount is 1 if the cockpit displays quantity/quota units

Common mistakes to avoid

Doing this in the wrong subaccount; it must be EU HCM Dev

Choosing the wrong Cloud Foundry plan; the task asks for MEMORY

Forgetting to save the entitlement change after adding the plan

Confusing the runtime memory entitlement with the later step of actually enabling the Cloud Foundry environment; SAP distinguishes the MEMORY runtime quota from enabling the Cloud Foundry org itself.

NEW QUESTION # 13

SIMULATION

Enable Service Subscriptions

Task 2: Entitle and Subscribe a Service in a Subaccount

In your AM PA Prod subaccount, entitle the standard (Application) service plan for SAP Build Work Zone, standard edition.

In the AM PA Prod subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your AM PA Prod subaccount, create a service subscription for SAP Build Work Zone, standard edition with the standard service plan.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Part A - Entitle the Service Plan in AM PA Prod

Step 1 - Open the AM PA Prod Subaccount

What to do

In the SAP BTP Cockpit, go to Directories.

Open the Partner directory.

Select the subaccount AM PA Prod.

Explanation:

This opens the exact subaccount where the entitlement and subscription must be created.

What to verify

You should now be on the AM PA Prod subaccount page.

Step 2 - Open Entitlements in the Subaccount

What to do


In AM PA Prod, open Entitlements.

Explanation:

SAP documents that subaccount entitlements are configured in the subaccount's entitlement area, where you add service plans and quotas available to that subaccount.

What to verify

You should see the Entitlements screen for AM PA Prod.





Step 3 - Add the Required Service Plan

What to do

Click Configure Entitlements or Add Service Plans.

Search for:

SAP Build Work Zone, standard edition

Select the service.

Choose the plan:

standard (Application)

Add the service plan.

Save the entitlement changes.

Explanation:

The task requires the standard (Application) plan specifically. SAP's entitlement flow requires you to add the service plan to the subaccount before you can subscribe to the application.

What to verify

Under Entitlements, you should now see:

SAP Build Work Zone, standard edition

plan: standard (Application)

Part B - Establish Trust to the Identity Provider

Step 4 - Open Trust Configuration

What to do

In the AM PA Prod subaccount, go to:

Security

Trust Configuration

Explanation:

SAP Help states that trust to a custom identity provider is established from the cockpit in Security > Trust Configuration.


What to verify


You should be on the Trust Configuration page of AM PA Prod.

Step 5 - Start the Trust Setup

What to do

Click Establish Trust or New Trust Configuration.





Explanation:

This opens the wizard or form to add a trusted identity provider for the subaccount. SAP documents this as the standard cockpit flow for custom identity provider trust.

Step 6 - Enter the Identity Provider

What to do

In the trust configuration, use the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard and confirm the trust setup.

Save the configuration.


Explanation:


The simulation explicitly requires trust to that identity provider domain. For SAP Build Work Zone, standard edition, SAP also notes that the subaccount must trust an identity provider before subscription use cases for business users are completed.

What to verify

On the Trust Configuration page, the identity provider

agvlamkzw.accounts.ondemand.com should appear as trusted.





Step 8 - Create the Subscription

What to do

Click Create.

Choose Subscription if a type selection appears.

Search for:

SAP Build Work Zone, standard edition

Select the plan:

standard

Then confirm the creation.

New Instance or Subscription

1
Basic Info

2
Parameters

3
Review

Enter basic info for your instance or subscription.

i Some services are not shown because Cloud Foundry is not enabled. To enable it, select it from the Service dropdown menu and create an instance of it.

Service: * ⓘ

[Can't find what you're looking for?](#)

Select service

Plan: *

torrentvalid.com



Next >

Create

Cancel

New Instance or Subscription

1

Basic Info

Enter basic info for your instance or subscription.


i
 Some services are not shown because Cloud Foundry is not enabled. To enable it, select it from the Service dropdown menu and create an instance of it.

Service: * i Can't find what you're looking for?

SAP Build Work Zone, standard edition ▼

Plan: *

standard ▼



Create
Cancel

Explanation:

SAP's getting-started guidance for SAP Build Work Zone, standard edition says that once the subaccount has the required entitlement, you can subscribe to the application from the subaccount.

What to verify

You should now see a subscription entry for:

SAP Build Work Zone, standard edition

plan: standard

Step 9 - Confirm the Subscription Is Active

What to do

Check the status of the new subscription in Instances and Subscriptions.

Explanation:

The subscription should be visible and active in the subaccount after creation.


What to verify

You should see:

SAP Build Work Zone, standard edition

subscription created successfully

SAP's guidance for subscription-based applications consistently uses this subaccount subscription flow after entitlement is present.



Final Expected Result for Task 2

Inside AM PA Prod:

the entitlement SAP Build Work Zone, standard edition is assigned

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, standard edition

the subscription uses the standard service plan

Common Mistakes to Avoid

1. Doing the entitlement in the wrong place

This task **must** be done in:

AM PA Prod subaccount

Not only in:

Partner directory

Directory entitlement and subaccount entitlement are different scopes in the cockpit.

2. Choosing the wrong service or wrong plan

Use exactly:

SAP Build Work Zone, standard edition

standard (Application) for entitlement

standard for the subscription selection screen

SAP's service subscription flow starts only after the correct entitlement exists.

3. Skipping trust configuration

The simulation explicitly requires trust to:

agvlamkzw.accounts.ondemand.com

Trust is configured in Security > Trust Configuration.

4. Looking for subscription creation before entitlement

The entitlement must be added first, otherwise the service may not appear in the subscription creation flow.

Quick Validation Checklist

Confirm all of the following in AM PA Prod:

Entitlements contains SAP Build Work Zone, standard edition

the plan is standard (Application)

Trust Configuration shows agvlamkzw.accounts.ondemand.com

Instances and Subscriptions shows SAP Build Work Zone, standard edition the subscription is created successfully

NEW QUESTION # 14

.....

With passing rate up to 98 to 100 percent, the quality and accuracy of our C-ADBTP-2601 training materials are unquestionable.

You may wonder their price must be equally steep. While it is not truth. On the contrary everyone can afford them easily. By

researching on the frequent-tested points in the real exam, our experts have made both clear outlines and comprehensive questions into our C-ADBTP-2601 Exam Prep. So our C-ADBTP-2601 practice engine is easy for you to understand.

Reliable C-ADBTP-2601 Test Online: <https://www.torrentvalid.com/C-ADBTP-2601-valid-braindumps-torrent.html>

SAP C-ADBTP-2601 Valid Exam Test They will mitigate your chance of losing. It is easy to use our C-ADBTP-2601 product which reduces the probability of getting panic in not understanding how to start and proceed, SAP C-ADBTP-2601 Valid Exam Test We will provide 24 - hour online after-sales service to every customer, SAP C-ADBTP-2601 Valid Exam Test We strongly believe that the software version of our study materials will be of great importance for you to prepare for the exam and all of the employees in our company wish you early success.

Show the current shortcut menu, Expectations C-ADBTP-2601 vary from company to company, They will mitigate your chance of losing. It is easy to use our C-ADBTP-2601 product which reduces the probability of getting panic in not understanding how to start and proceed.

C-ADBTP-2601 Exam Valid Exam Test- Perfect Reliable C-ADBTP-2601 Test Online Pass Success

We will provide 24 - hour online after-sales Valid Test C-ADBTP-2601 Test service to every customer, We strongly believe that the software version of our study materials will be of great importance for you C-ADBTP-2601 Latest Exam Experience to prepare for the exam and all of the employees in our company wish you early success.

With experienced experts to compile and verify, C-ADBTP-2601 learning materials are high quality.

- The Best SAP - C-ADBTP-2601 Valid Exam Test ☞ Open website ☞ www.vceengine.com ☞ and search for ☞ C-ADBTP-2601 ☞ for free download ☞ C-ADBTP-2601 Reliable Braindumps Files
- New C-ADBTP-2601 Test Pdf ☞ Learning C-ADBTP-2601 Mode ☞ Exam C-ADBTP-2601 Overview ☞ Search on **【 www.pdfvce.com 】** for ☞ C-ADBTP-2601 ☞ to obtain exam materials for free download ☞ C-ADBTP-2601 Reliable Exam Camp
- 100% Pass SAP - C-ADBTP-2601 –Reliable Valid Exam Test ☞ Enter **[www.validtorrent.com]** and search for ☞ C-ADBTP-2601 ☞ to download for free ☞ C-ADBTP-2601 Reliable Test Materials
- C-ADBTP-2601 Valid Exam Test Exam Pass For Sure | C-ADBTP-2601: Administrating SAP Business Technology Platform(C_ADBTP_2601) ☞ Open “www.pdfvce.com” and search for ☞ C-ADBTP-2601 ☞ to download exam materials for free ☞ Valid Test C-ADBTP-2601 Vce Free
- C-ADBTP-2601 Valid Exam Test - Free PDF First-grade C-ADBTP-2601 - Reliable Administrating SAP Business Technology Platform(C_ADBTP_2601) Test Online ☞ Open website ☞ www.troytecdumps.com ☞ and search for ☞ C-ADBTP-2601 ☞ for free download ☞ C-ADBTP-2601 PDF
- 100% Pass Quiz 2026 SAP The Best C-ADBTP-2601 Valid Exam Test ☞ Open **► www.pdfvce.com** ☞ and search for **▷ C-ADBTP-2601 ◁** to download exam materials for free ☞ C-ADBTP-2601 Reliable Exam Camp
- Exam C-ADBTP-2601 Collection ☞ C-ADBTP-2601 PDF ☞ C-ADBTP-2601 Reliable Braindumps Files ☞ Search for **☞ C-ADBTP-2601 ☞** on **► www.examcollectionpass.com** ◁ immediately to obtain a free download ☞ C-ADBTP-2601 New Exam Materials
- Exam C-ADBTP-2601 Quiz ☞ C-ADBTP-2601 Dumps Cost ☞ Test C-ADBTP-2601 Quiz ☞ Download (C-ADBTP-2601) for free by simply searching on **✓ www.pdfvce.com ✓** ☞ C-ADBTP-2601 Reliable Braindumps Files
- Valid Test C-ADBTP-2601 Vce Free ☞ Test C-ADBTP-2601 Questions Fee ☞ New C-ADBTP-2601 Test Pdf ☞ Search for ☞ C-ADBTP-2601 ☞ and easily obtain a free download on **▷ www.examcollectionpass.com** ◁ ☞ Exam C-ADBTP-2601 Collection
- C-ADBTP-2601 PDF ☞ C-ADBTP-2601 Latest Braindumps Book ☞ C-ADBTP-2601 Reliable Test Materials ☞ **☞ www.pdfvce.com** ☞ is best website to obtain ☞ C-ADBTP-2601 ☞ for free download **☞ Test C-ADBTP-2601 Quiz**
- Get a Free Demo of www.pass4test.com SAP Exam Questions and Start Your C-ADBTP-2601 Exam Preparation Now ☞ Search for ☞ C-ADBTP-2601 ☞ and download it for free on **▷ www.pass4test.com** ◁ website ☞ Exam C-ADBTP-2601 Overview
- matheucgq152432.thebloggers.com, www.stes.tyc.edu.tw, aronsiki563870.dreamyblogs.com, antonrunki469305.iamthewiki.com, haleemajolo706452.wikihearsay.com, ammarmynz559014.ourcodeblog.com, neiloby459678.bloggadores.com, jaydnax001977.blazingblog.com, teganrup887591.mycoolwiki.com, murrayxts570477.mappywiki.com, Disposable vapes