

SDLCSA: Supermicro Direct Liquid Cooling Service Associate (SDLCSA) Exam Dumps & PassGuide

SDLCSA Examen



BONUS!!! Laden Sie die vollständige Version der Zertpruefung SDLCSA Prüfungsfragen kostenlos herunter:
<https://drive.google.com/open?id=1aDgdijMPSk4rdAmdeu-XUB6SR1Z4DH8F>

Zertpruefung zusammengestellt Supermicro Zertpruefung SDLCSA mit Original-Prüfungsfragen und präzise Antworten, wie sie in der eigentlichen Prüfung erscheinen. Eine der Tatsachen Sicherstellung einer hohen Qualität der Supermicro Direct Liquid Cooling Service Associate (SDLCSA) Exam-Prüfung ist die ständig und regelmäßig zu aktualisieren. Zertpruefung ernennt nur die besten und kompetentesten Autoren für ihre Produkte und die Prüfung Zertpruefung SDLCSA zum Zeitpunkt des Kaufs ist absoluter Erfolg.

Es gibt zwei Dumps-Versionen bei Zertpruefung, nämlich PDF-Version und Software-Version. Damit können Sie selbst wählen. Sie können irgendwam und irgendwo lernen, indem sie die exam Fragen und Testantworten von PDF-Version drucken. Die Software-Version simuliert die aktuelle Prüfung, damit können Sie sich dieSDLCSA Prüfungsatmosphäre fühlen. Wenn sie die Supermicro SDLCSAZertifizierungsprüfung ablegen, können Sie die Prüfung leichten nehmen.

>> SDLCSA Online Prüfungen <<<

SDLCSA Prüfungsfragen, SDLCSA Online Praxisprüfung

Um die Supermicro SDLCSA Zertifizierungsprüfung zu bestehen, wählen Sie doch unseren Zertpruefung. Sie werden sicher nicht bereuen, dass Sie mit so wenigem Geld die Prüfung bestehen können. Unser Zertpruefung wird Ihnen helfen, sich auf die Prüfung gut vorzubereiten und die Supermicro SDLCSA Zertifizierungsprüfung (Supermicro Direct Liquid Cooling Service Associate (SDLCSA) Exam) erfolgreich zu bestehen. Außerdem bieten wir Ihnen kostenlos einen einjährigen Update-Service.

Supermicro Direct Liquid Cooling Service Associate (SDLCSA) Exam SDLCSA Prüfungsfragen mit Lösungen (Q11-Q16):

11. Frage

What are the full steps and proper order for removing the fan board from the motherboard tray?

- A. Pull up on the blue levers on each side of the fan board to unlock it > Pull the fan board straight up and out of the tray
- B. Disconnect the power supply from all the fans > Pull the fan board straight up and out of the tray
- C. Disconnect the power supply from all the fans > Pull up on the blue levers on each side of the fan board to unlock it > Pull the fan board straight up and out of the tray
- D. Pull the fan board straight up and out of the tray

Antwort: C

Begründung:

The fan board in Supermicro systems, including the SYS-421GE-TNHR2-LCC with DLC, manages cooling (even in hybrid

air/liquid setups). The removal process, per Supermicro's service manuals, involves:

- * Disconnect the power supply from all the fans: This ensures safety and prevents damage, a critical step in DLC systems where fans may supplement liquid cooling.
- * Pull up on the blue levers on each side of the fan board to unlock it: Blue levers are a common Supermicro design feature for releasing components securely.
- * Pull the fan board straight up and out of the tray: Once unlocked, the board is lifted free. Option B includes all necessary steps. A skips disconnection and unlocking, C omits the levers, and D misses power disconnection, risking damage. Supermicro's DLC solutions emphasize safe maintenance, supporting B as the correct procedure. References: Supermicro motherboard tray service guides, DLC system maintenance protocols.

12. Frage

How do you access the M.2 drive in the chassis?

- A. By removing the GPU tray from the chassis, then removing the air shroud from the GPU tray
- B. The M.2 drive is not accessible at all
- C. By removing the fan housing from the chassis, then removing the air shroud from the fan housing
- **D. By removing the motherboard tray from the chassis, then removing the air shroud from the motherboard tray**

Antwort: D

Begründung:

In Supermicro systems like the SYS-421GE-TNHR2-LCC, M.2 drives are typically mounted on the motherboard for fast storage in high-performance computing (HPC) and AI workloads, often cooled indirectly by DLC systems. To access the M.2 drive, you must:

Remove the motherboard tray from the chassis: This exposes the motherboard where M.2 slots reside.

Remove the air shroud from the motherboard tray: The shroud covers components for airflow or hybrid cooling, and its removal provides access to the M.2 slot.

Option D aligns with Supermicro's design, as seen in manuals (e.g., SYS-420GP-TNAR), where M.2 drives are motherboard-mounted. A is incorrect since M.2 drives are serviceable; B (GPU tray) and C (fan housing) don't house M.2 drives in this context. Supermicro's DLC solutions prioritize motherboard accessibility, making D the correct procedure.

References: Supermicro motherboard tray manuals, DLC system component layouts.

13. Frage

What are the full steps and proper order for removing the LPIO board from the PCIe tray?

- A. Remove metal bracket holding down LPIO board > Remove PCIe air shroud > Remove internal fans
- B. Remove a few AOC NIC cards > Remove PCIe tray > Remove motherboard tray
- C. Remove GPU > Remove metal bracket holding down LPIO board > Remove 3 or 4 AOC NIC cards
- **D. Remove PCIe air shroud > Remove all AOC NIC cards > Remove metal bracket holding down LPIO board**

Antwort: D

Begründung:

Removing the LPIO (Low-Profile IO) board from the PCIe tray in the SYS-421GE-TNHR2-LCC involves:


* Remove PCIe air shroud: Clears access to components (standard in Supermicro designs).

* Remove all AOC NIC cards: Disconnects cards on the LPIO board for unobstructed removal.

* Remove metal bracket holding down LPIO board: Unscrews (typically 2 screws) the bracket securing the board. Option B follows Supermicro's logical service order (e.g., SYS-420GP-TNAR), ensuring safe access in DLC systems. A (GPU) is unrelated, C (tray removals) is excessive, and D (fans) is irrelevant. B aligns with Supermicro's DLC modularity, making it correct. References: Supermicro PCIe tray service guides, DLC system IO removal protocols.

14. Frage

Before removing the LPIO board from the PCIe tray, what other component needs to be removed first?



- A. GPU tray
- **B. Metal bracket**
- C. Motherboard tray
- D. Air shroud

Antwort: B

Begründung:

The LPIO (Low-Profile IO) board in Supermicro systems like the SYS-421GE-TNHR2-LCC, part of the PCIe tray, is typically secured by a metal bracket that must be removed first. This bracket holds the LPIO board and associated cables (e.g., BMC cable) in place, as seen in similar designs (e.g., SYS-420GP-TNAR). Removing it involves unscrewing (often 2 screws) and lifting it off, granting access to the LPIO board. A (GPU tray) is a separate assembly, C (motherboard tray) is unrelated to the PCIe tray's LPIO, and D (air shroud) covers components but doesn't secure the board. Supermicro's DLC systems emphasize modular access, making B the correct step. References: Supermicro PCIe tray service guides, DLC system IO component layouts.

Where is the air shroud located on the PCIe tray?

- A. On the bottom of the PCIe tray
- B. On the top / right side of the PCIe tray
- C. On the top / left side of the PCIe tray
- **D. On the top / center of the PCIe tray**

Antwort: D

Begründung:

The air shroud on the PCIe tray in Supermicro systems like the SYS-421GE-TNHR2-LCC is positioned to optimize airflow or assist liquid cooling efficiency in hybrid setups. Per Supermicro's design (e.g., SYS-420GP-TNAR), the shroud is located on the top/center of the PCIe tray, covering the cards to direct cooling effectively across components. This central placement ensures even distribution, critical in DLC systems where air may still cool non-liquid-cooled parts. Options B and D (right/left) are less practical for uniform coverage, and A (bottom) contradicts standard shroud placement above components. Supermicro's DLC expertise integrates air shrouds strategically, making C the verified location. References: Supermicro PCIe tray diagrams, DLC solution design principles.

16. Frage

.....

Die Produkte von Zertpruefung werden von den erfahrungsreichen IT-Fachleuten nach ihren Kenntnissen und Erfahrungen bearbeitet. Wenn Sie sich an der Supermicro SDLCSA Zertifizierungsprüfung beteiligen wollen, wählen Sie doch Zertpruefung. Zertpruefung bietet Ihnen umfassende Prüfungsmaterialien von guter Qualität, so dass Sie sich besser auf die fachliche Supermicro SDLCSA Prüfung vorbereiten und das SDLCSA Zertifikat erhalten.

SDLCSA Prüfungsfragen: https://www.zertpruefung.de/SDLCSA_exam.html

Mithilfe unserer SDLCSA PrüfungGuide haben mehr als Kandidaten ihre SDLCSA Zertifizierungsprüfung erfolgreich bestanden, Supermicro SDLCSA Online Prüfungen Die Prüfung werden immer aktualisiert, Dieses Gefühl haben schon viele Benutzer der Supermicro SDLCSA Prüfungssoftware von unserer Zertpruefung empfunden, Supermicro SDLCSA Online Prüfungen Wir legen großen Wert auf Benutzererfahrung.

murmelte sie unter dem Klinkern ihrer Armreife, SDLCSA Der Hauptmann wusste nicht, wie er sonst darauf antworten sollte, Mithilfe unserer SDLCSA PrüfungGuide haben mehr als Kandidaten ihre SDLCSA Zertifizierungsprüfung erfolgreich bestanden.

Supermicro Direct Liquid Cooling Service Associate (SDLCSA) Exam cexamkiller Praxis Dumps & SDLCSA Test Training Überprüfungen

Die Prüfung werden immer aktualisiert, Dieses Gefühl haben schon viele Benutzer der Supermicro SDLCSA Prüfungssoftware von unserer Zertpruefung empfunden, Wir legen großen Wert auf Benutzererfahrung.

Außerdem wird unser Test Material Ihre Vorbereitung SDLCSA Deutsche Prüfungsfragen erleichtern, dass Sie die Zeit sparen können, wenn Sie Supermicro Direct Liquid Cooling Service Associate (SDLCSA) Exam Prüfung pdf üben.

- Supermicro SDLCSA Fragen und Antworten, Supermicro Direct Liquid Cooling Service Associate (SDLCSA) Exam Prüfungsfragen □ Suchen Sie einfach auf 「 www.it-pruefung.com 」 nach kostenloser Download von ► SDLCSA ◀ □ □SDLCSA Prüfungs
- SDLCSA Unterlage □ SDLCSA Probesfragen □ SDLCSA Trainingsunterlagen □ Suchen Sie jetzt auf { www.itcert.com } nach ☼ SDLCSA □☼ □ und laden Sie es kostenlos herunter □SDLCSA Zertifizierungsprüfung
- SDLCSA Zertifikatsdemo □ SDLCSA Prüfungsinformationen □ SDLCSA Deutsch □ Erhalten Sie den kostenlosen Download von [SDLCSA] mühelos über { www.echtefrage.top } □SDLCSA Praxisprüfung
- SDLCSA Prüfungs-Guide ◀ SDLCSA Zertifizierungsprüfung □ SDLCSA Prüfungs □ Öffnen Sie die Website □ www.itcert.com □ Suchen Sie 「 SDLCSA 」 Kostenloser Download □SDLCSA Trainingsunterlagen
- SDLCSA PDF Testsoftware □ SDLCSA Zertifikatsdemo □ SDLCSA Fragen Antworten □ Suchen Sie einfach auf ► de.fast2test.com ◀ nach kostenloser Download von ► SDLCSA ◀ □SDLCSA Fragen Antworten
- SDLCSA Probesfragen ☯ SDLCSA Schulungsangebot □ SDLCSA Deutsch ✓ Suchen Sie auf der Webseite ✓ www.itcert.com □✓ □ nach ✓ SDLCSA □✓ □ und laden Sie es kostenlos herunter □SDLCSA Trainingsunterlagen
- SDLCSA Fragen&Antworten □ SDLCSA Prüfungsunterlagen □ SDLCSA Praxisprüfung □ Öffnen Sie die Webseite ► www.zertpruefung.ch ◀ und suchen Sie nach kostenloser Download von ✓ SDLCSA □✓ □ □SDLCSA PDF

Testsoftware

- [illegible]

Außerdem sind jetzt einige Teile dieser Zertprüfung SDLCSA Prüfungsfragen kostenlos erhältlich: <https://drive.google.com/open?id=1aDgdjjMPsk4rdAmdeu-XUB6SR1Z4DH8F>