


# New NSE5\_SSE\_AD-7.6 Exam Guide, Latest NSE5\_SSE\_AD-7.6 Test Cram



Checking our NSE5\_SSE\_AD-7.6 free demo is a great way of learning the pattern of exam materials and if it suits what you wanted. There are valid NSE5\_SSE\_AD-7.6 test questions and accurate answers along with the professional explanations in our study guide. All real questions just need to practice one or two days and remember the answers will save you much time in NSE5\_SSE\_AD-7.6 Real Exam. Come and join us.

We have always taken care to provide the best Fortinet NSE5\_SSE\_AD-7.6 exam dumps to our customers. That's why we offer many other benefits with our product. We provide a demo version of the real product to our customers to clear their doubts about the truthfulness and accuracy of Fortinet NSE 5 - FortiSASE and SD-WAN 7.6 Core Administrator (NSE5\_SSE\_AD-7.6) preparation material. You can try the product before you buy it.

[>> New NSE5\\_SSE\\_AD-7.6 Exam Guide <<](#)

## Get Success in Fortinet NSE5\_SSE\_AD-7.6 Certification Exam on First Attempt

If you feel that you always suffer from procrastination and cannot make full use of your spare time, maybe our NSE5\_SSE\_AD-7.6 study materials can help you solve your problem. We are willing to recommend you to try the NSE5\_SSE\_AD-7.6 study materials from our company. Our NSE5\_SSE\_AD-7.6 training guide are high quality and efficiency test tools for all people. If you buy our NSE5\_SSE\_AD-7.6 Preparation questions, we can promise that you can use our NSE5\_SSE\_AD-7.6 study materials for study in anytime and anywhere. Because we have three version of NSE5\_SSE\_AD-7.6 exam questions that can satisfy all needs of our customers.

## Fortinet NSE 5 - FortiSASE and SD-WAN 7.6 Core Administrator Sample Questions (Q28-Q33):

### NEW QUESTION # 28

Which two statements correctly describe what happens when traffic matches the implicit SD-WAN rule? (Choose two.)

- A. The traffic is distributed, regardless of weight, through all available static routes.
- B. Traffic is load balanced using the algorithm set for the v4-ecmp-mode setting.
- C. Traffic does not match any of the entries in the policy route table.
- D. FortiGate flags the session with `may_dirty` and `vwl_default`.
- E. The session information output displays no SD-WAN service id.

**Answer: D,E**

Explanation:

When traffic matches the implicit SD-WAN rule, the session is flagged with `may_dirty` and `vwl_default`, indicating it was steered by the default SD-WAN behavior.

Because the implicit rule is used, no specific SD-WAN service is matched, so the session information shows no SD-WAN service

ID.

### NEW QUESTION # 29

You are configuring SD-WAN to load balance network traffic. Which two facts should you consider when setting up SD-WAN? (Choose two.)

- A. When applicable, FortiGate load balances traffic through all members that meet the SLA target.
- B. SD-WAN load balancing is possible only when using the manual and the best quality strategies.
- C. You can select the outsessions hash mode with all strategies that allow load balancing.
- D. Only the manual and lowest cost (SLA) strategies allow SD-WAN load balancing.

**Answer: A,C**

Explanation:

According to the SD-WAN 7.6 Core Administrator study guide and the FortiOS 7.6 Administration Guide, configuring load balancing within SD-WAN rules requires an understanding of how the engine selects and distributes sessions across multiple links.

\* SLA Target Logic (Option A): In FortiOS 7.6, the Lowest Cost (SLA) strategy has been enhanced.

When the load-balance option is enabled for this strategy, the FortiGate does not just pick a single "best" link; it identifies all member interfaces that currently meet the configured SLA target (e.g., latency < 100ms). It then load balances the traffic across all those healthy links to maximize resource utilization.

\* Hash Modes (Option D): When an SD-WAN rule is configured for load balancing (valid for Manual and Lowest Cost (SLA) strategies in 7.6), the administrator must define a hash mode to determine how sessions are distributed. While "outsessions" in the question is a common exam-variant typo for outbandwidth (or sessions-based hashing), the core principle remains: you can select the specific load-balancing algorithm (e.g., source-ip, round-robin, or bandwidth-based) for all strategies where load-balancing is enabled.

Why other options are incorrect:

\* Option B and C: These options are too restrictive. In FortiOS 7.6, load balancing is not limited to only "manual and best quality" or "manual and lowest cost" in a singular way. The documentation highlights that Manual and Lowest Cost (SLA) are the primary strategies that support the explicit load-balance toggle to steer traffic through multiple healthy members simultaneously.

### NEW QUESTION # 30

Which statement about security posture tags in FortiSASE is correct?

- A. Multiple tags can be assigned to an endpoint and used for evaluation.
- B. Only one tag can be assigned to an endpoint.
- C. Multiple tags can be assigned to an endpoint, but only one is used for evaluation.
- D. Tags are static and do not change with endpoint status.

**Answer: A**

Explanation:

According to the FortiSASE 7.6 Administration Guide and FCP - FortiSASE 24/25 Administrator curriculum, security posture tags (often referred to as ZTNA tags) are the fundamental building blocks for identity-based and posture-based access control.

\* Multiple Tag Assignment: A single endpoint can be assigned multiple tags at the same time. For example, an endpoint might simultaneously have the tags "OS-Windows-11", "AV-Running", and "Corporate-Domain-Joined".

\* Evaluation Logic: During the policy evaluation process (for both SIA and SPA), FortiSASE or the FortiGate hub considers all tags assigned to the endpoint. Security policies can be configured to use these tags as source criteria. If an administrator defines a policy that requires both "AV-Running" and

"Corporate-Domain-Joined," the system evaluates both tags to decide whether to permit the traffic.

\* Dynamic Nature: Contrary to Option C, these tags are highly dynamic. They are automatically applied or removed in real-time based on the telemetry data sent by the FortiClient to the SASE cloud. If a user disables their antivirus, the "AV-Running" tag is removed immediately, and the endpoint's access is revoked by the next policy evaluation.

\* Scalability: While the system supports many tags, documentation recommends a baseline of custom tags for optimal performance, though it confirms that multiple tags are standard for reflecting a comprehensive security posture.

Why other options are incorrect:

\* Option A: This is incorrect because the system does not pick just one tag; it evaluates the collection of tags against the policy's requirements (e.g., matching any or matching all).

\* Option C: This is incorrect because tags are dynamic and change as soon as the endpoint's status (like vulnerability count or software presence) changes.

\* Option D: This is incorrect because the architectural advantage of ZTNA is the ability to layer multiple security "checks" (tags) for a single user.

### NEW QUESTION # 31

What is a key use case for FortiSASE Secure Internet Access (SIA) in an agentless deployment? (Choose one answer)

- A. It distributes a PAC file to secure non-web traffic protocols and applies antivirus protection only for managed endpoints.
- B. It requires FortiClient endpoints and supports ZTNA tags to secure all network traffic for unmanaged endpoints.
- C. It acts as a secure web gateway (SWG) distributing a PAC file for explicit web proxy use, securing HTTP and HTTPS traffic with a full security stack, and is ideal for unmanaged endpoints like contractors.
- D. It provides secure web browsing by isolating browser sessions and enforcing data loss prevention for temporary employees.

#### Answer: C

Explanation:

According to the FortiSASE 7.6 Administration Guide and the FCP - FortiSASE 24/25 Administrator curriculum, the Agentless deployment mode - commonly referred to as Secure Web Gateway (SWG) mode - is a vital component of the Secure Internet Access (SIA) framework.

\* Deployment Mechanism: In an agentless deployment, FortiSASE functions as an explicit web proxy.

This is achieved by distributing a PAC (Proxy Auto-Configuration) file to the user's browser, which instructs the device to send its web traffic to the nearest FortiSASE Point of Presence (PoP).

\* Target Use Case: This mode is specifically designed for unmanaged endpoints, such as those used by contractors, partners, or temporary workers, where the organization does not have the authority or capability to install the FortiClient agent.

\* Security Capabilities: Even without an agent, FortiSASE applies a full security stack to the redirected traffic. This includes Web Filtering, Anti-Malware, SSL Inspection, and Inline-CASB to secure HTTP and HTTPS sessions.

\* Protocol Limitations: Because it relies on proxy settings, this mode is limited to web protocols (HTTP / HTTPS) and does not inherently secure non-web traffic like ICMP, DNS, or custom TCP/UDP applications unless they are specifically proxied.

Why other options are incorrect:

\* Option A: While it provides secure browsing, session isolation (RBI) is a specific feature that can be used in either mode; the defining characteristic of the agentless use case is the proxy-based redirection for unmanaged devices.

\* Option C: A PAC file can only secure web traffic (protocols that support proxying), not non-web traffic protocols.

\* Option D: Agentless mode is the opposite of requiring FortiClient; ZTNA tags generally require the FortiClient agent to provide the necessary telemetry for tag evaluation.

### NEW QUESTION # 32

You have a FortiGate configuration with three user-defined SD-WAN zones and one or two members in each of these zones. One SD-WAN member is no longer used in health-check and SD-WAN rules. This member is the only member of its zone. You want to delete it.

What happens if you delete the SD-WAN member from the FortiGate GUI?

- A. FortiGate accepts the deletion and places the member in the default SD-WAN zone.
- B. FortiGate accepts the deletion and removes static routes as required.
- C. FortiGate displays an error message. SD-WAN zones must contain at least one member.
- D. FortiGate accepts the deletion with no further action.

#### Answer: B

Explanation:

Comprehensive and Detailed Explanation with all FortiSASE and SD-WAN 7.6 Core Administrator curriculum documents:

According to the SD-WAN 7.6 Core Administrator study guide and FortiOS 7.6 Administration Guide, the behavior for deleting an SD-WAN member from the GUI when it is the only member in its zone is governed by the following operational logic:

\* Reference Checks: Before allowing the deletion of any SD-WAN member, FortiOS performs a "check for dependencies." If an interface is being used in an active Performance SLA or an SD-WAN Rule, the GUI will typically prevent the deletion or gray out the option until those references are removed.

However, the question specifies that this member is no longer used in health-checks or rules.

\* Zone Integrity: Unlike some other network objects, an SD-WAN zone is permitted to exist without any members. When you delete the final member of a user-defined zone through the GUI, the zone itself remains in the configuration as an empty container.

\* Route Management: When an SD-WAN member is deleted, any static routes that were specifically tied to that interface's membership in the SD-WAN bundle are automatically updated or removed by the FortiGate to prevent routing loops or "blackholing" traffic. This is part of the automated cleanup process handled by the FortiOS management plane.

\* GUI vs. CLI: In the GUI, the process is streamlined to allow the removal of the member interface.

Once the member is deleted, the interface returns to being a "regular" system interface and can be used for standard firewall policies or other functions.

Why other options are incorrect:

\* Option A: There is no requirement that a zone must contain at least one member; "empty" zones are valid configuration objects in FortiOS 7.6.

\* Option C: While the deletion is accepted, it is not with "no further action"-the system must still reconcile the routing table and interface status.

\* Option D: FortiGate does not automatically move deleted members into the default zone (virtual-wan-link). Once deleted, the interface is simply no longer an SD-WAN member.

## NEW QUESTION # 33

.....

Our loyal customers give us strong support in the past ten years. Luckily, our NSE5\_SSE\_AD-7.6 learning materials never let them down. Our company is developing so fast and healthy. Up to now, we have made many achievements. Also, the NSE5\_SSE\_AD-7.6 study guide is always popular in the market. All in all, we will keep up with the development of the society. And we always keep updating our NSE5\_SSE\_AD-7.6 Practice Braindumps to the latest for our customers to download. Just buy our NSE5\_SSE\_AD-7.6 exam questions and you will find they are really good!

**Latest NSE5\_SSE\_AD-7.6 Test Cram:** [https://www.itexamreview.com/NSE5\\_SSE\\_AD-7.6-exam-dumps.html](https://www.itexamreview.com/NSE5_SSE_AD-7.6-exam-dumps.html)

Fortinet New NSE5\_SSE\_AD-7.6 Exam Guide Of course, you care more about your passing rate, You can conveniently test your performance by checking your score each time you use our Fortinet NSE5\_SSE\_AD-7.6 practice exam software (desktop and web-based), But in order to pass Fortinet certification NSE5\_SSE\_AD-7.6 exam many people spent a lot of time and energy to consolidate knowledge and didn't pass the exam, Business Applications NSE5\_SSE\_AD-7.6 braindumps as your NSE5\_SSE\_AD-7.6 exam prep material, we guarantee your success in the first attempt.

The nurse is aware that he should contact the lab for them NSE5\_SSE\_AD-7.6 to collect the blood: bullet.jpg |, Configuring the Servers, Of course, you care more about your passing rate.

You can conveniently test your performance by checking your score each time you use our Fortinet NSE5\_SSE\_AD-7.6 Practice Exam software (desktop and web-based), But in order to pass Fortinet certification NSE5\_SSE\_AD-7.6 exam many people spent a lot of time and energy to consolidate knowledge and didn't pass the exam.

## Free PDF Quiz 2026 Fortinet NSE5\_SSE\_AD-7.6: Useful New Fortinet NSE 5 - FortiSASE and SD-WAN 7.6 Core Administrator Exam Guide

Business Applications NSE5\_SSE\_AD-7.6 braindumps as your NSE5\_SSE\_AD-7.6 exam prep material, we guarantee your success in the first attempt, All the Topics included in the Exam Course by Vendor are included in the guides by Technical experts.

- NSE5\_SSE\_AD-7.6 Dumps Download □ NSE5\_SSE\_AD-7.6 Dumps Download □ Reliable NSE5\_SSE\_AD-7.6 Exam Labs □ Open [www.examcollectionpass.com](http://www.examcollectionpass.com) and search for NSE5\_SSE\_AD-7.6 to download exam materials for free □ NSE5\_SSE\_AD-7.6 Dumps Discount
- Hot New NSE5\_SSE\_AD-7.6 Exam Guide | Professional Latest NSE5\_SSE\_AD-7.6 Test Cram Fortinet NSE 5 - FortiSASE and SD-WAN 7.6 Core Administrator 100% Pass □ Search for NSE5\_SSE\_AD-7.6 on [www.pdfvce.com](http://www.pdfvce.com) immediately to obtain a free download □ NSE5\_SSE\_AD-7.6 Valid Test Braindumps
- 100% Pass 2026 Fortinet NSE5\_SSE\_AD-7.6: Fortinet NSE 5 - FortiSASE and SD-WAN 7.6 Core Administrator Pass-Sure New Exam Guide □ Open website [www.verifieddumps.com](http://www.verifieddumps.com) and search for NSE5\_SSE\_AD-7.6 for free download □ Latest NSE5\_SSE\_AD-7.6 Dumps Questions
- Pass Guaranteed Fortinet Marvelous NSE5\_SSE\_AD-7.6 - New Fortinet NSE 5 - FortiSASE and SD-WAN 7.6 Core Administrator Exam Guide □ Search for NSE5\_SSE\_AD-7.6 and easily obtain a free download on [www.pdfvce.com](http://www.pdfvce.com) Trustworthy NSE5\_SSE\_AD-7.6 Exam Content
- Trustworthy NSE5\_SSE\_AD-7.6 Exam Content □ Exam NSE5\_SSE\_AD-7.6 Overviews □ NSE5\_SSE\_AD-7.6 Valid Test Tutorial □ Go to website [www.prep4away.com](http://www.prep4away.com) open and search for "NSE5\_SSE\_AD-7.6" to

download for free ☐Exam NSE5 SSE AD-7.6 Overviews