

FCSS_NST_SE-7.4인증시험대비공부문제, FCSS_NST_SE-7.4최신인증시험기출자료



참고: Itexamdump에서 Google Drive로 공유하는 무료 2026 Fortinet FCSS_NST_SE-7.4 시험 문제집이 있습니다:
<https://drive.google.com/open?id=1atzk1DMcBhSNJ9ayaHDs7QYnNIqihwPb>

Fortinet FCSS_NST_SE-7.4인증시험을 패스하고 자격증 취득으로 하여 여러분의 인생은 많은 인생역전이 이루어질 것입니다. 회사, 생활에서는 물론 많은 업그레이드가 있을 것입니다. 하지만FCSS_NST_SE-7.4시험은Fortinet인증의 아주 중요한 시험으로서FCSS_NST_SE-7.4시험패스는 쉬운 것도 아닙니다.

Itexamdump의 Fortinet인증 FCSS_NST_SE-7.4시험덤프자료는 IT인사들의 많은 찬양을 받아왔습니다.이는 Itexamdump의 Fortinet인증 FCSS_NST_SE-7.4덤프가 신뢰성을 다시 한번 인증해주는것입니다. Fortinet인증 FCSS_NST_SE-7.4시험덤프의 인기는 이 시험과목이 얼마나 중요한지를 증명해줍니다. Itexamdump의 Fortinet인증 FCSS_NST_SE-7.4덤프로 이 중요한 IT인증시험을 준비하시면 우수한 성적으로 시험을 통과하여 인정받는 IT전문가로 될것입니다.

>> FCSS_NST_SE-7.4인증시험대비 공부문제 <<

시험패스에 유효한 FCSS_NST_SE-7.4인증시험대비 공부문제 최신버전 덤프데모 문제 다운

취직을 원하시나요? 승진을 원하시나요? 연봉인상을 원하시나요? 무엇을 원하시든 국제적으로 인정받은 IT인증자격증을 취득하는것이 길입니다. Fortinet인증 FCSS_NST_SE-7.4시험은 널리 인정받는 인기자격증의 시험과목입니다. Fortinet인증 FCSS_NST_SE-7.4시험을 패스하여 자격증을 취득하면 소원이 이루어집니다. Itexamdump의Fortinet인증 FCSS_NST_SE-7.4덤프는 시험패스율이 높아Fortinet인증 FCSS_NST_SE-7.4시험준비에 딱 좋은 공부자료입니다. Itexamdump에서 덤프를 마련하여 자격증취득에 도전하여 인생을 바꿔보세요.

최신 Fortinet Certified Solution Specialist FCSS_NST_SE-7.4 무료샘플문제 (Q60-Q65):

질문 # 60

Which two statements about an auxiliary session are true? (Choose two.)

- A. With the auxiliary session setting enabled, two sessions are created in case of routing change.
- B. With the auxiliary session setting disabled, for each traffic path, FortiGate uses the same auxiliary session.
- C. With the auxiliary session setting enabled, ECMP traffic is accelerated to the NP6 processor.
- D. With the auxiliary session setting disabled, only auxiliary sessions are offloaded.

정답: A,C

질문 # 61

Refer to the exhibit, which shows a truncated output of a real-time LDAP debug.

```
# diagnose debug application fnbamd -1
# diagnose debug enable
fnbamd_fsm.c[1274] handle_req-Rcvd auth req 8781845 for jsmith in Lab op=27 prot=0
fnbamd_ldap.c[637] resolve_ldap_FQDN-Resolved address 10.10.181.10 result 10.10.181.10
fnbamd_ldap.c[232] start_search_dn-base:'DC=TAC,DC=ottawa,DC=fortinet,DC=com' filter:sAMAccountName=jsmith
fnbamd_ldap.c[1351] fnbamd_ldap_get_result-Setting to SEARCH state
fnbamd_fsm.c[1833] poll_ldap_servers-Continue pending for req 8781845
fnbamd_ldap.c[266] get_all_dn-Found DN CN=John Smith,CN=Users,DC=TAC,DC=ottawa,DC=fortinet,DC=com
```

What two conclusions can you draw from the output? (Choose two.)

- A. The user is authenticating using CN=John Smith.
- B. FortiOS is able to locate the user in step 3 (Bind Request) of the LDAP authentication process.
- C. The name of the configured LDAP server is Lab.
- D. FortiOS is performing the second step (Search Request) in the LDAP authentication process.

정답: A,D

질문 # 62

Refer to the exhibit, which shows the output of a diagnose command.

```
FGT # diagnose debug rating
Locale      : english
Service     : Web-filter
Status      : Enable
License     : Contract
Service     : Antispam
Status      : Disable
Service     : Virus Outbreak Prevention
Status      : Disable
Num. of servers : 1
Protocol    : https
Port        : 443
Anycast     : Enable
Default servers : Included
-- Server List (Mon May 6 03:47:52 2024) --
IP          Weight  RTT  Flags  TZ  FortiGuard-requests  Curr  Lost  Total  Lost  Updated Time
64.26.151.37 10      45   -5     -   262432               0     0     846   Mon May 6 03:47:43 2024
64.26.151.35 10      46   -5     -   329072               0     0     6806  Mon May 6 03:47:43 2024
66.117.56.37 10      75   -5     -   71638               0     0     275   Mon May 6 03:47:43 2024
65.210.95.240 20     71   -8     -   36875               0     0     92    Mon May 6 03:47:43 2024
209.22.147.36 20    103   I    -8   34784               0     0    1070  Mon May 6 03:47:43 2024
208.91.112.194 20    107   D    -8   35170               0     0    1533  Mon May 6 03:47:43 2024
96.45.33.65 60     144   0     0   33728               0     0     120   Mon May 6 03:47:43 2024
80.85.69.41 71     226   1     1   33797               0     0     192   Mon May 6 03:47:43 2024
62.209.40.74 150    97    9     9   33754               0     0     145   Mon May 6 03:47:43 2024
121.111.236.179 45    44   F    -5   26410             26226 26227  Mon May 6 03:47:43 2024
```

The administrator did not override the FortiGuard FQDN or IP address in the FortiGate configuration.

Which IP address did FortiGate get when resolving the service.fortiguard.net name?

- A. 121.111.236.179
- B. 209.22.147.36
- C. 208.91.112.194
- D. 64.26.151.37

정답: D

설명:

Because you left the FortiGuard FQDN at its default, the device performs a DNS lookup on service.fortiguard.net and populates the "Server List" with all returned A records. The very first address in that list (and the one used first) is 64.26.151.37, as shown in the output.

질문 # 63

Refer to the exhibit, which shows a session entry.

```
session_info: proto=1 proto_state=00 duration=1 expire=59 timeout=0 flags=00000000
sockflag=00000000 sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=log may_dirty none
statistic (bytes/packets/allow_err): org=168/2/1 reply=168/2/1 tuples=2
tx speed (Bps/kbps) : 97/0 rx speed (Bps/kbps) : 97/0
origin->sink: org pre->post, reply pre->post dev=9->3/3->9 gwy=10.200.1.254/10.1.0.1
hook=post dir=org act=snat 10.1.10.10:40602->10.200.5.1:8 (10.200.1.1:60430)
hook=pre dir=reply act=dnat 10.200.5.1:60430->10.200.1.1:0(10.1.10.10:40602)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=0002a5c9 tos=ff/ff app_list=0 app=0 url_cat=0
dd_type=0 dd_mode=0
```

Which statement about this session is true?

- A. It is an ICMP session from 10.1.10.1 to 10.200.5.1.
- B. Return traffic to the initiator is sent to 10.200.1.254.
- C. Return traffic to the initiator is sent to 10.1.0.1.
- D. It is an ICMP session from 10.1.10.10 to 10.200.1.1.

정답: A

질문 # 64

Refer to the exhibit, which shows the output of a BGP debug command.

```
# get router info bgp summary

VRF 0 BGP router identifier 0.0.0.117, local AS number 65117
BGP table version is 3
3 BGP AS-PATH entries
0 BGP community entries

Neighbor      V      AS MsgRcvd MsgSent  TblVer  InQ OutQ Up/Down State/PfxRcd
10.125.0.60    4    65060   1698   1756      0     0   0 never   OpenSent
10.127.0.75    4    65060   2206   2250     102     0   0 02:45:55      0
100.64.3.1     4    65061    101    115      0     0   0 never   Active

Total number of neighbors 3
```

What is the reason that the local FortiGate is not receiving any prefixes from its neighbors?

- A. The local router is waiting for the keepalive message from the router 10.125.0.60.
- B. None of the three neighbors have successfully established the TCP three-way handshake with the local router.
- C. The router 100.64.3.1 needs to update the local AS number to 65060 to become adjacent with the local router.
- D. The RIB-OUT configuration for router 10.127.0.75 prevents any route advertisement to the local router.

정답: B

설명:

Since none of the peers are in the Established state (two remain in Active/OpenSent and the one "0" in the PfxRcd column actually indicates no adjacency), there is no session over which to receive any routes.

FCSS_NST_SE-7.4최신 인증시험 기출자료: https://www.itexamdump.com/FCSS_NST_SE-7.4.html

- 시험대비에 가장 적합한 FCSS_NST_SE-7.4인증시험대비 공부문제 인증덤프자료 □ 오픈 웹 사이트 □
www.dumptop.com □ 검색 「 FCSS_NST_SE-7.4 」 무료 다운로드 FCSS_NST_SE-7.4 시험패스
- FCSS_NST_SE-7.4 시험문제 □ FCSS_NST_SE-7.4 인증시험 인기 덤프자료 □ FCSS_NST_SE-7.4 최신버전
시험대비 공부자료 □ 무료로 다운로드 하려면 ⇒ www.itdumpskr.com ⇐로 이동하여 > FCSS_NST_SE-7.4 □를
검색하십시오 FCSS_NST_SE-7.4 인증덤프 공부자료
- FCSS_NST_SE-7.4 인증시험덤프 □ FCSS_NST_SE-7.4 공부자료 □ FCSS_NST_SE-7.4 시험문제 □ 「
www.dumptop.com」 웹사이트에서 (FCSS_NST_SE-7.4) 를 열고 검색하여 무료 다운로드 FCSS_NST_SE-
7.4 시험패스
- FCSS_NST_SE-7.4 인증시험대비 공부문제 기출문제 □ 무료 다운로드를 위해 지금 「 www.itdumpskr.com 」
에서 ⇒ FCSS_NST_SE-7.4 □ 검색 FCSS_NST_SE-7.4 시험패스 인증덤프 공부
- FCSS_NST_SE-7.4 시험문제 □ FCSS_NST_SE-7.4 시험유효자료 □ FCSS_NST_SE-7.4 시험대비 덤프데모
□ 오픈 웹 사이트 【 www.koreadumps.com 】 검색 □ FCSS_NST_SE-7.4 □ 무료 다운로드 FCSS_NST_SE-7.4 시
험문제
- FCSS_NST_SE-7.4 인증시험대비 공부문제 기출문제 □ { www.itdumpskr.com } 의 무료 다운로드 {
FCSS_NST_SE-7.4 } 페이지가 지금 열립니다 FCSS_NST_SE-7.4 시험대비 덤프데모
- FCSS_NST_SE-7.4 인증시험대비 공부문제 100% 합격 보장 가능한 시험덤프자료 □ ⇒ kr.fast2test.com □ 웹
사이트를 열고 > FCSS_NST_SE-7.4 □를 검색하여 무료 다운로드 FCSS_NST_SE-7.4 시험문제
- FCSS_NST_SE-7.4 최고 품질 덤프데모 다운로드 !! FCSS_NST_SE-7.4 퍼펙트 덤프 공부문제 □
FCSS_NST_SE-7.4 시험유효자료 □ ⇒ www.itdumpskr.com □ 웹사이트를 열고 ⇒ FCSS_NST_SE-7.4 □ □ □를
검색하여 무료 다운로드 FCSS_NST_SE-7.4 인증시험 덤프 공부
- FCSS_NST_SE-7.4 인증시험대비 공부문제 시험준비에 가장 좋은 인기시험 공부자료 □ 무료로 다운로드 하
려면 { www.pass4test.net } 로 이동하여 ✓ FCSS_NST_SE-7.4 □ ✓ □를 검색하십시오 FCSS_NST_SE-7.4 시험대비
덤프 최신자료
- FCSS_NST_SE-7.4 인증시험대비 공부문제 기출문제 □ > www.itdumpskr.com □ 을 (를) 열고 ⇒
FCSS_NST_SE-7.4 □를 입력하고 무료 다운로드를 받으십시오 FCSS_NST_SE-7.4 인증덤프 공부자료
- 시험패스 가능한 FCSS_NST_SE-7.4 인증시험대비 공부문제 최신버전 공부자료 □ > kr.fast2test.com □ 의 무
로 다운로드 「 FCSS_NST_SE-7.4 」 페이지가 지금 열립니다 FCSS_NST_SE-7.4 시험유효자료
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
lms.fairscale.in, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, ar-ecourse.eurospeak.eu, issuu.com, yogesganesan.com, Disposable vapes

그 외, Itexamdump FCSS_NST_SE-7.4 시험 문제집 일부가 지금은 무료입니다: <https://drive.google.com/open?id=1atzk1DMcBhSNJ9ayaHDs7QYnNIqihwPb>