

PDF NCM-MCI Download & Valid NCM-MCI Exam Cost



Do you still worry about that you can't find an ideal job and earn low wage? Do you still complaint that your working abilities can't be recognized and you have not been promoted for a long time? You can try to obtain the NCM-MCI certification and if you pass the exam you will have a high possibility to find a good job with a high income. If you buy our NCM-MCI Questions torrent you will pass the exam easily and successfully. Our NCM-MCI study materials are compiled by experts and approved by professionals with experiences for many years.

Nutanix NCM-MCI Exam Practice Test Helps You Ace Your Nutanix Certified Expert

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam is a challenging exam that needs you to perform with excellent knowledge. We recommend you to be prepared for the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam as it is crucial for your professional career.

Nutanix offers you a really easy way to prepare for your Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam by providing the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) practice test software. This practice test software has everything that an individual requires to pass their certification exam in the first attempt. The questions offered in the practice test software are similar to those you can expect in the real Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam scenario. The practice test software is also equipped with learning tools and features that will help you learn about your weak areas.

If you want to buy the high quality **Nutanix NCM-MCI Exam Dumps** for NCM-MCI exam, then Getcertkey is your first choice. Do not hesitate to choose us as your loyal partner because we are the only one can help you pass Nutanix Certified Master (NCM) - Multicloud Infrastructure (NCM-MCI) test successfully. At the same time, you can get 100% guaranteed NCM-MCI exam questions and answers with high accuracy and hit rate. NCM-MCI practice test is the best source to prepare for your Nutanix Certified Master (NCM) - Multicloud Infrastructure (NCM-MCI) Certification Exam for 100 percent results.

>> PDF NCM-MCI Download <<

Valid NCM-MCI Exam Cost & New NCM-MCI Dumps Ebook

We can provide you with a safety and efficiency shopping experience when you choose Getcertkey NCM-MCI test Camp Questions. You see, we use Paypal to do the payment, so the payment process is secured and your personal information is secret and protected. In addition, the payment process is very easy to operate. You will receive an email attached with NCM-MCI study pdf after your payment in about 5-10 minutes, then you can start your study immediately.

How to Succeed in Nutanix NCM-MCI Exam

Nutanix NCM-MCI Exam is an essential source for your successful certification. So the materials will help you to pass the exam.

Now, we are providing you the opportunity of experiencing our best service by offering the **Nutanix NCM-MCI Dumps** Package. It is a bundle pack that includes all the Nutanix NCM-MCI Dumps required for Nutanix NCM-MCI exam.

We have included in it all of our products because according to our research their combination has proven very effective for passing Nutanix NCM-MCI Exam. If you prepare for this exam using these products individually, it may not be easy for you to pass it in one attempt. The reason is that each product has its separate function and topics which when combined with other products make a complete study package for passing Nutanix NCM-MCI Exam successfully.

So, we recommend you to use this powerful package instead of individual products if you really want to save your time and money while achieving your goal of becoming Nutanix Certified Professional.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q17-Q22):

NEW QUESTION # 17

Task 10

An administrator is working to create a VM using Nutanix V3 API calls with the following specifications.

* VM specifications:

- * vCPUs: 2
- * Memory: 8GB
- * Disk Size: 50GB
- * Cluster: Cluster A
- * Network: default- net

The API call is failing, indicating an issue with the payload:

The body is saved in Desktop/ Files/API_ Create_ VM,text

Correct any issues in the text file that would prevent from creating the VM. Also ensure the VM will be created as speeded and make sure it is saved for re-use using that filename.

Deploy the vm through the API

Note: Do not power on the VM.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LLEzCAO>

<https://jsonformatter.curiousconcept.com/#>

accli net.list (uuid network default_net)

ncli cluster info (uuid cluster)

Put Call: <https://Prism Central IP address : 9440/api/nutanix/v3/vms>

Edit these lines to fix the API call, do not add new lines or copy lines.

You can test using the Prism Element API explorer or PostMan

Body:

```
{
{
"spec": {
"name": "Test_Deploy",
"resources": {
"power_state": "OFF",
"num_vcpus_per_socket": ,
"num_sockets": 1,
"memory_size_mib": 8192,
"disk_list": [
{
"disk_size_mib": 51200,
"device_properties": {
"device_type": "DISK"
}
},
{
"device_properties": {
"device_type": "CDROM"
}
}
}
}
```

```

],
"nic_list":[
{
"nic_type": "NORMAL_NIC",
"is_connected": true,
"ip_endpoint_list": [
{
"ip_type": "DHCP"
}
],
"subnet_reference": {
"kind": "subnet",
"name": "default_net",
"uuid": "00000000-0000-0000-0000-000000000000"
}
},
"cluster_reference": {
"kind": "cluster",
"name": "NTNXDemo",
"uuid": "00000000-0000-0000-0000-000000000000"
}
},
"api_version": "3.1.0",
"metadata": {
"kind": "vm"
}
}

```

<https://www.nutanix.dev/2019/08/26/post-a-package-building-your-first-nutanix-rest-api-post-request/> Reference

NEW QUESTION # 18

Task 11

An administrator has noticed that after a host failure, the SQL03 VM was not powered back on from another host within the cluster. The Other SQL VMs (SQL01, SQL02) have recovered properly in the past.

Resolve the issue and configure the environment to ensure any single host failure affects a minimal number of SQL VMs.

Note: Do not power on any VMs

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

One possible reason why the SQL03 VM was not powered back on after a host failure is that the cluster was configured with the default (best effort) VM high availability mode, which does not guarantee the availability of VMs in case of insufficient resources on the remaining hosts. To resolve this issue, I suggest changing the VM high availability mode to guarantee (reserved segments), which reserves some memory on each host for failover of VMs from a failed host. This way, the SQL03 VM will have a higher chance of being restarted on another host in case of a host failure.

To change the VM high availability mode to guarantee (reserved segments), you can follow these steps:

Log in to Prism Central and select the cluster where the SQL VMs are running.

Click on the gear icon on the top right corner and select Cluster Settings.

Under Cluster Services, click on Virtual Machine High Availability.

Select Guarantee (Reserved Segments) from the drop-down menu and click Save.

To configure the environment to ensure any single host failure affects a minimal number of SQL VMs, I suggest using anti-affinity rules, which prevent VMs that belong to the same group from running on the same host. This way, if one host fails, only one SQL VM will be affected and the other SQL VMs will continue running on different hosts.

To create an anti-affinity rule for the SQL VMs, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Group.

Enter a name for the group, such as SQL Group, and click Next.
Select the SQL VMs (SQL01, SQL02, SQL03) from the list and click Next.
Select Anti-Affinity from the drop-down menu and click Next.
Review the group details and click Finish.
I hope this helps. How else can I help?
https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6_5:ahv-affinity-policies-c.html

NEW QUESTION # 19

Task 5

An administrator has been informed that a new workload requires a logically segmented network to meet security requirements.

Network configuration:

VLAN: 667

Network: 192.168.0.0

Subnet Mask: 255.255.255.0

DNS server: 34.82.231.220

Default Gateway: 192.168.0.1

Domain: cyberdyne.net

IP Pool: 192.168.9.100-200

DHCP Server IP: 192.168.0.2

Configure the cluster to meet the requirements for the new workload if new objects are required, start the name with 667.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the cluster to meet the requirements for the new workload, you need to do the following steps:

Create a new VLAN with ID 667 on the cluster. You can do this by logging in to Prism Element and going to Network Configuration > VLANs > Create VLAN. Enter 667 as the VLAN ID and a name for the VLAN, such as 667_VLAN.

Create a new network segment with the network details provided. You can do this by logging in to Prism Central and going to Network > Network Segments > Create Network Segment. Enter a name for the network segment, such as 667_Network_Segment, and select 667_VLAN as the VLAN. Enter 192.168.0.0 as the Network Address and 255.255.255.0 as the Subnet Mask. Enter 192.168.0.1 as the Default Gateway and 34.82.231.220 as the DNS Server. Enter cyberdyne.net as the Domain Name.

Create a new IP pool with the IP range provided. You can do this by logging in to Prism Central and going to Network > IP Pools > Create IP Pool. Enter a name for the IP pool, such as 667_IP_Pool, and select 667_Network_Segment as the Network Segment. Enter 192.168.9.100 as the Starting IP Address and 192.168.9.200 as the Ending IP Address.

Configure the DHCP server with the IP address provided. You can do this by logging in to Prism Central and going to Network > DHCP Servers > Create DHCP Server. Enter a name for the DHCP server, such as 667_DHCP_Server, and select 667_Network_Segment as the Network Segment. Enter 192.168.0.2 as the IP Address and select 667_IP_Pool as the IP Pool.



NEW QUESTION # 20

Task 7

An administrator has environment that will soon be upgraded to 6.5. In the meantime, they need to implement log and apply a security policy named Staging_Production, such that not VM in the Staging Environment can communicate with any VM in the production Environment, Configure the environment to satisfy this requirement.

Note: All other configurations not indicated must be left at their default values.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the environment to satisfy the requirement of implementing a security policy named Staging_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment, you need to do the following steps: Log in to Prism Central and go to Network > Security Policies > Create Security Policy. Enter Staging_Production as the name of the security policy and select Cluster A as the cluster.

In the Scope section, select VMs as the entity type and add the VMs that belong to the Staging Environment and the Production Environment as the entities. You can use tags or categories to filter the VMs based on their environment.

In the Rules section, create a new rule with the following settings:

Direction: Bidirectional

Protocol: Any

Source: Staging Environment

Destination: Production Environment

Action: Deny

Save the security policy and apply it to the cluster.

This will create a security policy that will block any traffic between the VMs in the Staging Environment and the VMs in the Production Environment. You can verify that the security policy is working by trying to ping or access any VM in the Production Environment from any VM in the Staging Environment, or vice versa. You should not be able to do so.

□

NEW QUESTION # 21

Task 12

An administrator needs to create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month.

No other entities should be included in the report.

The report should run monthly and should send an email to admin@syberdyne.net when it runs.

Generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip Note: Make sure the report and zip file are named correctly. The SMTP server will not be configured.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter VMs_Power_State as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, Cluster Name, vCPUs, Memory, Power State. Click Next.

Under the Time Period option, select Last Month. Click Next.

Under the Report Settings option, select Monthly from the Schedule drop-down menu. Enter admin@syberdyne.net as the Email Recipient. Select CSV as the Report Output Format. Click Next.

Review the report details and click Finish.

To generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip, you can follow these steps:

Log in to Prism Central and click on Operations on the left menu.

Select Reports from the drop-down menu and find the VMs_Power_State report from the list. Click on Run Now.

Wait for the report to be generated and click on Download Report. Save the file as Desktop\Files\VMs_Power_state.zip.

1. Open the Report section on Prism Central (Operations > Reports)

2. Click on the New Report button to start the creation of your custom report

3. Under the Custom Views section, select Data Table

4. Provide a title to your custom report, as well as a description if required.

5. Under the Entity Type option, select VM

6. This report can include all as well as a selection of the VMs

7. Click on the Custom Columns option and add the below variables:

a. Name - Name of the listed Virtual Machine

b. vCPUs - A combination of the vCores and vCPU's assigned to the Virtual Machine c. Memory - Amount of memory assigned to the Virtual Machine d. Disk Capacity - The total amount of assigned virtual disk capacity e. Disk Usage - The total used virtual disk capacity f. Snapshot Usage - The total amount of capacity used by snapshots (Excluding Protection Domain snapshots)

8. Under the Aggregation option for Memory and Disk Usage accept the default Average option

□

9. Click on the Add button to add this custom selection to your report

10. Next click on the Save and Run Now button on the bottom right of the screen

[illegible]