

JN0-637 Official Study Guide & Juniper JN0-637 Latest Braindumps Sheet: Security, Professional (JNCIP-SEC) Pass for Sure

Addressing Table

Device	IP Address	Subnet Mask	Gateway
PC1	10.1.1.1	255.255.255.0	10.1.1.1
PC2	10.1.1.2	255.255.255.0	10.1.1.1
PC3	10.1.1.3	255.255.255.0	10.1.1.1
PC4	10.1.1.4	255.255.255.0	10.1.1.1
PC5	10.1.1.5	255.255.255.0	10.1.1.1
PC6	10.1.1.6	255.255.255.0	10.1.1.1
PC7	10.1.1.7	255.255.255.0	10.1.1.1
PC8	10.1.1.8	255.255.255.0	10.1.1.1
PC9	10.1.1.9	255.255.255.0	10.1.1.1
PC10	10.1.1.10	255.255.255.0	10.1.1.1
PC11	10.1.1.11	255.255.255.0	10.1.1.1
PC12	10.1.1.12	255.255.255.0	10.1.1.1
PC13	10.1.1.13	255.255.255.0	10.1.1.1
PC14	10.1.1.14	255.255.255.0	10.1.1.1
PC15	10.1.1.15	255.255.255.0	10.1.1.1
PC16	10.1.1.16	255.255.255.0	10.1.1.1
PC17	10.1.1.17	255.255.255.0	10.1.1.1
PC18	10.1.1.18	255.255.255.0	10.1.1.1
PC19	10.1.1.19	255.255.255.0	10.1.1.1
PC20	10.1.1.20	255.255.255.0	10.1.1.1
PC21	10.1.1.21	255.255.255.0	10.1.1.1
PC22	10.1.1.22	255.255.255.0	10.1.1.1
PC23	10.1.1.23	255.255.255.0	10.1.1.1
PC24	10.1.1.24	255.255.255.0	10.1.1.1
PC25	10.1.1.25	255.255.255.0	10.1.1.1
PC26	10.1.1.26	255.255.255.0	10.1.1.1
PC27	10.1.1.27	255.255.255.0	10.1.1.1
PC28	10.1.1.28	255.255.255.0	10.1.1.1
PC29	10.1.1.29	255.255.255.0	10.1.1.1
PC30	10.1.1.30	255.255.255.0	10.1.1.1

Objectives

- Part 1: Configure the FTP Server
- Part 2: Configure the Web Server

Background Information

Part 1: Configure the FTP Server

Step 1: Install the FTP Service

1. Enable the FTP service on the PC1.
2. Install the FTP service on the PC1.
3. Start the FTP service on the PC1.

Step 2: Allow users access to the FTP server

1. Create a user named 'ftpuser' with a password of 'ftpuser'.
2. Add the user to the system's user database.

Part 2: Configure the Web Server

Step 1: Install the HTTP Service

Step 2: Configure the Web Server

2026 Latest Braindumps VCE JN0-637 PDF Dumps and JN0-637 Exam Engine Free Share: <https://drive.google.com/open?id=1T5cIQ1IXnVICRznW7T0rIxAzlZ1AuB4k>

We attract customers by our fabulous JN0-637 certification material and high pass rate, which are the most powerful evidence to show our strength. We are so proud to tell you that according to the statistics from our customers' feedback, the pass rate among our customers who prepared for the exam with our JN0-637 Test Guide have reached as high as 99%, which definitely ranks the top among our peers. Hence one can see that the Security, Professional (JNCIP-SEC) learn tool compiled by our company are definitely the best choice for you.

We have installed the most advanced operation system in our company which can assure you the fastest delivery speed, to be specific, you can get immediately our JN0-637 training materials only within five to ten minutes after purchase after payment. At the same time, your personal information will be encrypted automatically by our operation system as soon as you pressed the payment button, that is to say, there is really no need for you to worry about your personal information if you choose to buy the JN0-637 Exam Practice from our company. We aim to leave no misgivings to our customers so that they are able to devote themselves fully to their studies on JN0-637 guide materials: Security, Professional (JNCIP-SEC) and they will find no distraction from us. I suggest that you strike while the iron is hot since time waits for no one.

>> JN0-637 Official Study Guide <<


JN0-637 Latest Braindumps Sheet & Latest JN0-637 Exam Cost

With JN0-637 test training materials of BraindumpsVCE, you can put away with disorder emotion and clean up them. JN0-637 test training materials of BraindumpsVCE are the most accurate training materials in the current market. Using it, the passing rate of JN0-637 Exam is 100%. Choose BraindumpsVCE is equal to choose success.

Juniper Security, Professional (JNCIP-SEC) Sample Questions (Q47-Q52):

NEW QUESTION # 47

You Implement persistent NAT to allow any device on the external side of the firewall to initiate traffic.



```
user@host# show security nat
source {
  rule-set intl {
    from interface ge-0/0/4.0;
    to interface ge-0/0/5.0;
    rule in1 {
      match {
        source-address 172.16.2.0/24;
        destination-address 203.1.113.0/24;
      }
      then {
        source-nat {
          interface {
            persistent-nat {
              permit any-remote-host;
            }
          }
        }
      }
    }
  }
}
```

Referring to the exhibit, which statement is correct?

- A. The target-host-port parameter should be used instead of the any-remote-host parameter
- B. The port-overloading parameter needs to be turned off in the NAT source interface configuration
- C. The any-remote-host parameter does not support interface-based NAT and needs an IP pod to work.
- D. The target-host parameter should be used instead of the any-remote-host parameter.

Answer: C

NEW QUESTION # 48

Referring to the exhibit,

```
[edit security nat]
user@srx# show
source {
  interface {
    port-overloading off;
  }
  rule-set rule1 {
    from zone trust;
    to zone untrust;
    rule allow {
      match {
        source-address 172.16.1.0/24;
        destination-address 0.0.0.0/0;
      }
      then {
        source-nat {
          interface {
            persistent-nat {
              permit target-host-port;
            }
          }
        }
      }
    }
  }
}
```



which two statements are correct about the NAT configuration? (Choose two.)

- A. Both the internal and the external host can initiate a session after the initial translation.
- B. Any external host will be able to initiate a session to the reflexive address.
- C. Only a specific host can initiate a session to the reflexive address after the initial session.
- D. The original destination port is used for the source port for the session.

Answer: C,D

Explanation:

Persistent NAT with target-host restricts session initiation to specific addresses, enhancing security. Reflexive NAT supports multiple connections by preserving the original port. Refer to Juniper NAT Configuration Documentation.

Referring to the NAT configuration shown in the exhibit:

* Specific Host Can Initiate a Session (Answer B): The configuration uses persistent NAT with the permit target-host-port statement. This allows a specific external host (based on the target host and port used in the initial session) to initiate a session back to the internal host after the initial session has been established.

Explanation: Persistent NAT ensures that the translation state is maintained, allowing external hosts to connect back only under specific conditions (e.g., the same target host and port as used in the original connection).

* Original Destination Port (Answer D): The original destination port used by the internal host is retained as the source port when the session is established from outside to inside. This behavior is a result of how persistent NAT binds the internal and external sessions, ensuring that communication occurs over the same port used for the initial session.

NEW QUESTION # 49

Referring to the exhibit,

```

user@srx> show chassis high-availability information
Node failure codes:
  HW Hardware monitoring   LB Loopback monitoring
  MB Mbuf monitoring       SR SRG monitoring
  CS Cold Sync monitoring  SU Software Upgrade
Node Status: ONLINE
Local-id: 1
Local-IP: 10.10.1.1
HA Peer Information:
  Peer Id: 2           IP address: 10.10.1.2   Interface: ge-0/0/1.0
  Routing Instance: default
  Encrypted: NO       Conn State: UP
  Cold Sync Status: COMPLETE
Services Redundancy Group: 0
  Current State: ONLINE
  Peer Information:
    Peer Id: 2
SRG failure event codes:
  BF BFD monitoring
  IP IP monitoring
  IF Interface monitoring
  CP Control Plane monitoring
Services Redundancy Group: 1
  Deployment Type: SWITCHING
  Status: ACTIVE
  Activeness Priority: 200
  Preemption: ENABLED
  Process Packet In Backup State: NO

```

which three statements about the multinode HA environment are true? (Choose three.)

- A. Node 1 will host services redundancy group 1 unless it is unavailable.
- B. Node 2 will process transit traffic that it receives for services redundancy group 1.
- C. IP monitoring has failed for the services redundancy group.
- D. Two services redundancy groups are available.
- E. Session state is synchronized on both nodes.

Answer: A,D,E

Explanation:

Referring to the exhibit for a multinode HA environment, we can conclude the following about the HA setup:

* Two Services Redundancy Groups (Correct: Option A):The output shows the status of SRG 0 and SRG 1, confirming that there are two services redundancy groups in the HA configuration.

* Node 1 Hosting SRG 1 (Correct: Option C):The exhibit indicates that Node 1 is currently active for SRG 1. According to the configuration, Node 1 will continue to host SRG 1 unless it becomes unavailable.

* Session State Synchronization (Correct: Option D):In this HA setup, session state synchronization is enabled between the two nodes. This ensures that sessions remain active and seamless failover can occur if one node fails.

Juniper References:

* Juniper HA Documentation: Provides details on multinode HA setups, SRG configurations, and session synchronization.

NEW QUESTION # 50

Exhibit:



Your company uses SRX Series devices to establish an IPsec VPN that connects Site-1 and the HQ networks. You want VoIP traffic to receive priority over data traffic when it is forwarded across the VPN. Which three actions should you perform in this scenario? (Choose three.)

- A. Enable the multi-sa parameter to enable two separate IPsec SAs for the VoIP and data traffic.
- B. Enable the copy-outer-dscp parameter so that DSCP header values are copied to the tunneled packets.
- C. Configure CoS forwarding classes and scheduling parameters.
- D. Create a firewall filter that identifies VoIP traffic and associates it with the correct forwarding class.
- E. Enable next-hop tunnel binding.

Answer: A,C,D

NEW QUESTION # 51

Exhibit

```
[edit]
user@SRX# show interfaces ge-0/0/4
unit 0 {
  family inet {
    address 192.168.100.1/32;
  }
}

[edit security zones]
user@SRX# show security-zone trust
host-inbound-traffic {
  system-services {
    netconf;
  }
}
interfaces {
  ge-0/0/4.0 {
    host-inbound-traffic {
      system-services {
        ssh;
      }
    }
  }
}
}
```

You are not able to ping the default gateway of 192.168.100.1 (or your network that is located on your SRX Series firewall). Referring to the exhibit, which two commands would correct the configuration of your SRX Series device? (Choose two.)

- A.

```
[edit security zones security-zone trust]
user@SRX# set interfaces ge-0/0/4.0 host-inbound-traffic system-services ping
```
- B.

```
[edit security zones security-zone trust]
user@SRX# set host-inbound-traffic system-services ping except
```
- C.

```
[edit interfaces ge-0/0/4]
user@SRX# replace pattern 32 with 24
```
- D.

```
Juniper
[edit security zones security-zone trust]
user@SRX# set host-inbound-traffic system-services ping
```

Answer: A,C

NEW QUESTION # 52

.....

Our IT professionals have made their best efforts to offer you the latest JN0-637 study guide in a smart way for the certification exam preparation. With the help of our JN0-637 dumps collection, all level of candidates can grasp the key content of the real exam and solve the difficulty of JN0-637 Real Questions easily. The most important is that our test engine enables you practice JN0-637 exam pdf on the exact pattern of the actual exam.

JN0-637 Latest Braindumps Sheet: https://www.braindumpsvce.com/JN0-637_exam-dumps-torrent.html

You can do the demo test first to inspect the value of JNCIP-SEC JN0-637 test dumps, Juniper JN0-637 Official Study Guide The one who choose our product will have more chance to pass the exam. Now, we promise here that is not true to our JN0-637 latest practice materials, Besides, the demo for the JN0-637 Latest Braindumps Sheet - Security, Professional (JNCIP-SEC) vce test engine is the screenshot format which allows you to scan, Then let Our JN0-637 guide tests free you from the depths of pain.

Tap Try a Sample to download a sample of the book, The part enclosed within the double quotation marks is the message to print, You can do the demo test first to inspect the value of JNCIP-SEC JN0-637 Test Dumps.

Web-Based Juniper JN0-637 Practice Exam Software

The one who choose our product will have more chance to pass the exam, Now, we promise here that is not true to our JN0-637 latest practice materials, Besides, the demo JN0-637 for the Security, Professional (JNCIP-SEC) vce test engine is the screenshot format which allows you to scan.

Then let Our JN0-637 guide tests free you from the depths of pain.

- Choose Updated Juniper JN0-637 Preparation Material in 3 Formats Open ⇒ www.examdiscuss.com ⇐ and search for ✓ JN0-637 ✓ to download exam materials for free JN0-637 Accurate Test
- Security, Professional (JNCIP-SEC) training torrent - JN0-637 updated dumps - Security, Professional (JNCIP-SEC) latest material Search for 「 JN0-637 」 and download exam materials for free through ✓ www.pdfvce.com ✓ Reliable JN0-637 Mock Test
- Get Valid JN0-637 Official Study Guide and Excellent JN0-637 Latest Braindumps Sheet Easily obtain free download of ⇒ JN0-637 by searching on ► www.testkingpass.com ◀ JN0-637 Reliable Test Pattern
- JN0-637 Latest Braindumps Ppt JN0-637 Valid Test Pdf JN0-637 Reliable Test Bootcamp Download 「 JN0-637 」 for free by simply entering www.pdfvce.com website JN0-637 Real Exam
- Free PDF JN0-637 - Security, Professional (JNCIP-SEC) –Trustable Official Study Guide Search for ► JN0-637 and download it for free on ► www.vce4dumps.com website JN0-637 Latest Exam Notes
- Get Valid JN0-637 Official Study Guide and Excellent JN0-637 Latest Braindumps Sheet Download ⇒ JN0-637 ⇐ for free by simply entering ⇒ www.pdfvce.com website JN0-637 Reliable Test Pattern
- New JN0-637 Test Price Guaranteed JN0-637 Passing JN0-637 Exam Syllabus Search for ➡ JN0-637 and download it for free on ➡ www.prepawaypdf.com website JN0-637 Reliable Test Bootcamp
- Free PDF JN0-637 - Security, Professional (JNCIP-SEC) –Trustable Official Study Guide Go to website ⇒ www.pdfvce.com open and search for 「 JN0-637 」 to download for free JN0-637 Download Free Dumps
- Verified Juniper JN0-637 Official Study Guide - The Best www.practicevce.com - Leader in Certification Exam Materials Easily obtain free download of ✓ JN0-637 ✓ by searching on ⇒ www.practicevce.com Guaranteed JN0-637 Passing
- JN0-637 Download Free Dumps JN0-637 Reliable Test Questions JN0-637 Latest Exam Notes Easily obtain free download of JN0-637 by searching on ► www.pdfvce.com ◀ Guaranteed JN0-637 Passing
- Get Valid JN0-637 Official Study Guide and Excellent JN0-637 Latest Braindumps Sheet Easily obtain “ JN0-637 ” for free download through ► www.prepawayexam.com JN0-637 Real Exam Questions
- idajbem370680.empirewiki.com, charliegfwn862274.blogdanica.com, finnianthjv282880.yomoblog.com, iowa-bookmarks.com, jakubfbag821753.mysticwiki.com, bookmarkcork.com, bookmarkcork.com, haseebjhfs972234.blog2news.com, topdirectory1.com, bookmarkproduct.com, Disposable vapes

P.S. Free 2026 Juniper JN0-637 dumps are available on Google Drive shared by BraindumpsVCE: <https://drive.google.com/open?>

id=1T5cIQ1IXnVICRznW7T0rIxAzlZ1AuB4k