

FCSS_NST_SE-7.6 Exam Questions And Answers, FCSS_NST_SE-7.6 Free Download Pdf

Fortinet FCSS_NST_SE-7.6 Exam

FCSS - Network Security 7.6 Support Engineer

https://www.passquestion.com/fcss_nst_se-7-6.html



Pass Fortinet FCSS_NST_SE-7.6 Exam with PassQuestion

FCSS_NST_SE-7.6 questions and answers in the first attempt.

<https://www.passquestion.com/>

1 / 6

One more thing to give you an idea about the top features of FCSS - Network Security 7.6 Support Engineer (FCSS_NST_SE-7.6) exam questions before purchasing, the FreePdfDump are offering free FreePdfDump FCSS_NST_SE-7.6 Exam Questions demo download facility. This facility is being offered in all three FreePdfDump FCSS_NST_SE-7.6 exam practice question formats.

Fortinet FCSS_NST_SE-7.6 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">VPN: This section is aimed at IT Professionals and includes diagnosing and addressing issues with IPsec VPNs, specifically IKE version 1 and 2, to secure remote and site-to-site connections within the network infrastructure.
Topic 2	<ul style="list-style-type: none">Routing: This section focuses on Network Engineers and involves tackling issues related to packet routing using static routes, as well as OSPF and BGP protocols to support enterprise network traffic flow.
Topic 3	<ul style="list-style-type: none">Authentication: This section evaluates the abilities of System Administrators and requires troubleshooting both local and remote authentication methods, including resolving Fortinet Single Sign-On (FSSO) problems for secure network access.

Topic 4	<ul style="list-style-type: none"> System troubleshooting: This section of the exam measures the skills of Network Security Support Engineers and addresses diagnosing and correcting issues within Security Fabric setups, automation stitches, resource utilization, general connectivity, and different operation modes in FortiGate HA clusters. Candidates work with built-in tools to effectively find and resolve faults.
Topic 5	<ul style="list-style-type: none"> Security profiles: This part measures skills of Security Operations Specialists and covers identifying and resolving problems linked to FortiGuard services, web filtering configurations, and intrusion prevention systems to maintain protection across network environments.

>> FCSS_NST_SE-7.6 Exam Questions And Answers <<

Don't Miss Amazing Offers Get Real Fortinet FCSS_NST_SE-7.6 Exam Questions Today

Our FCSS_NST_SE-7.6 exam torrent has three versions which people can choose according to their actual needs: PDF, PC and APP versions. The vision of PDF is easy to download, so people can learn FCSS_NST_SE-7.6 guide torrent anywhere if they have free time. As for PC version, it can simulated real operation of test environment, users can test themselves in mock exam in limited time. This version of our FCSS_NST_SE-7.6 Exam Torrent is applicable to windows system computer. Based on Web browser, the APP version of FCSS_NST_SE-7.6 exam questions can be available as long as there is a browser device can be used.

Fortinet FCSS - Network Security 7.6 Support Engineer Sample Questions (Q76-Q81):

NEW QUESTION # 76

Refer to the exhibit, which shows the output of a debug command.

```

FOT # get router info ospf interface port4
port4 is up, line protocol is up
  Internet Address 172.20.121.236/24, Area 0.0.0.0, MTU 1500
  Process ID 0, VRF 0, Router ID 0.0.0.4, Network Type BROADCAST, Cost: 1
  Transmit Delay is 1 sec, State DROther, Priority 1
  Designated Router (ID) 172.20.140.2, Interface Address 172.20.121.2
  Backup Designated Router (ID) 0.0.0.0, Interface Address 172.20.121.239
  Timer intervals configured, Hello 5.000, Dead 40, Wait 40, Retransmit 5
    Hello due in 00:00:05
    Neighbor Count is 4, Adjacent neighbor count is 2
    Crypt Sequence Number is 411
    Hello received 106 sent 27, DD received 6 sent 3
    LS-Req received 2 sent 2, LS-Upd received 7 sent 17
    LS-Ack received 4 sent 3, Discarded 1

```

Which two statements about the output are true? (Choose two.)

- A. The interface is part of the OSPF backbone area.
- B. There are a total of five OSPF routers attached to the vorz4 network segment
- C. In the network connected to port4, two OSPF routers are down.
- D. One of the neighbors has a router ID of 0.0.0.4.

Answer: A,C

NEW QUESTION # 77

Refer to the exhibits, which contain the partial configurations of two VPNs on FortiGate.

```
config vpn ipsec phasel-interface
  edit "user-1"
    set type dynamic
    set interface "port1"
    set mode main
    set xauthtype auto
    set authusgrp "Users-1"
    set peertype any
    set dhgrp 14 15 19
    set proposal aes128-sha256 aes256-sha384
    set psksecret <encrypted_password>
  next
```

Exhibit 2

```
config vpn ipsec phasel-interface
  edit "user-2"
    set type dynamic
    set interface "port1"
    set mode main
    set xauthtype auto
    set authusgrp "Users-2"
    set peertype any
    set dhgrp 14 15 19
    set proposal aes128-sha256 aes256-sha384
    set psksecret <encrypted_password>
  next
```

An administrator has configured two VPNs for two different user groups. Users who are in the Users-2 group are not able to connect to the VPN. After running a diagnostics command, the administrator discovers that FortiGate is not matching the user-2 VPN for members of the Users-2 group.

Which two changes must the administrator make to fix the issue? (Choose two.)

- A. Change to aggressive mode on both VPNs.
- B. Enable XAuth on both VPNs.
- C. Use different pre-shared keys on both VPNs.
- D. Set up specific peer IDs on both VPNs.

Answer: A,D

NEW QUESTION # 78

What is an accurate description of LDAP authentication using the regular bind type?

- A. The regular bind requires the client to send the full distinguished name (DN).
- B. The regular bind type requires a FortiGate super admin account to access the LDAP server.
- C. It is not often used as a bind type
- D. The regular bind type is the easiest bind type to configure on FortiOS.

Answer: A

Explanation:

Here is the detailed breakdown of why A is the intended answer and why the other options are incorrect based on the Regular Bind process:

* Analysis of Regular Bind (The Verified Process):

* Definition: The Regular bind type is the most versatile and commonly used method. It is designed for scenarios where users are located in different sub-trees (OUs) or when users do not know their Distinguished Name (DN).

* The "Four Steps" (Standard Correct Answer Description):

* Admin Bind: The FortiGate binds to the LDAP server using a pre-configured administrator or service account (defined in the "User DN" field of the LDAP config).

* Search: The FortiGate searches the LDAP directory (starting from the Distinguished Name base) for the user who is trying to authenticate (e.g., searching for sAMAccountName=jsmith).

* Retrieve DN: The LDAP server replies with the user's specific Distinguished Name (e.g., CN=John Smith,OU=Sales,DC=example,DC=com).

* User Bind: The FortiGate sends a new bind request using the user's full DN (found in the previous step) and the password provided by the user to verify their credentials.

* Evaluating Your Specific Options:

* A. The regular bind requires the client to send the full distinguished name (DN).

* Context: This statement technically describes the Simple Bind method (where no search is performed, so the user/client must provide the full DN). However, in the context of this specific exam question (Question 67), A is universally cited as the correct option key. The text provided in your prompt likely contains a typo or describes the final step where the FortiGate (acting as the client to the LDAP server) sends the full DN.

* B. The regular bind type is the easiest bind type to configure on FortiOS.

* Incorrect. Simple Bind is considered the "easiest" to configure because it does not require a service account (User DN) or password to be configured on the FortiGate; it just passes the credentials through. Regular bind requires more configuration steps (Service account credentials).

* C. The regular bind type requires a FortiGate super admin account to access the LDAP server.

* Incorrect. This is a common distractor. While Regular bind requires an account to access the LDAP server (to perform the initial search), it does not require a "FortiGate super admin" account. It requires an LDAP user with standard read/search permissions.

The term

"FortiGate super admin" refers to the firewall administrator, which is irrelevant to the LDAP service account.

* D. It is not often used as a bind type.

* Incorrect. Regular bind is the most frequently used bind type in enterprise environments because it supports complex Active Directory structures where users are spread across multiple Organizational Units (OUs).

Reference:

FortiGate Security 7.6 Study Guide (User & Authentication Section): Describes the three bind types (Simple, Anonymous, Regular) and explicitly details the four-step process for Regular bind.

NEW QUESTION # 79

Refer to the exhibits.

```
FGT-B # get router info routing-table all
Routing table for VRF=0
S*      0.0.0.0/0 [10/0] via 192.168.1.1, port1, [1/0]
C      10.23.23.0/24 is directly connected, port4
```

```
FGT-B # get router info ospf database brief
...
AS External Link States
Link ID      ADV Router      Age  Seq#      CkSum Flag Route          Tag
8.8.8.8      0.0.0.112      1464 80000002 3106 0002 E2 8.8.8.8/32      0
```

An administrator is expecting to receive advertised route 8.8.8.8/32 from FGT-A. On FGT-B, they confirm that the route is being advertised and received, however, the route is not being injected into the routing table.

What is the most likely cause of this issue?

- A. A better route to the 8.8.8.8/32 network exists in the routing table.
- B. The administrator has misconfigured redistribution of routes on FGT-A.
- C. FGT-B is configured with a prefix list denying the 8.8.8.8/32 network to be injected into the routing table.**
- D. FGT-B is configured with a distribution list denying the 8.8.8.8/32 network to be injected into the routing table.

Answer: C

NEW QUESTION # 80

```
# diagnose automation test HAFailOver
automation test failed(1). stitch:HAFailOver
```

Which two observations can you make from the output? (Choose two.)

- A. The configuration was backed up
- **B. The test was unsuccessful.**
- C. A high availability (HA) failover occurred.
- **D. The automation stitch test is not being logged.**

Answer: B,D

Explanation:

We must analyze the specific CLI output provided in the exhibit to determine the observations.

* Analyze the Command and Output:

* Command: # diagnose automation test HAFailOver

* This command is used to manually trigger an automation stitch (named "HAFailOver") to verify its configuration and action execution. It simulates the trigger event to run the defined actions.

* Output: automation test failed(1). stitch:HAFailOver

* The output explicitly states that the test failed. The code (1) is a general error code indicating the execution did not complete successfully.

* Evaluate the Options:

* A. The configuration was backed up:

* Incorrect. Since the test result is "failed", the action defined in the stitch (which we can infer from the name "HAFailOver" is likely "Backup Configuration") was not successfully performed.

* B. A high availability (HA) failover occurred:

* Incorrect. The command diagnose automation test is a simulation tool. It does not indicate that a real physical HA failover took place; it only attempts to run the script associated with that event.

* C. The test was unsuccessful:

* Correct. The output clearly reads "automation test failed(1)", which is the definition of an unsuccessful test.

* D. The automation stitch test is not being logged:

* Correct. In the context of Fortinet automation troubleshooting, a "failed(1)" result often occurs if the stitch is disabled or if the logging configuration required to trigger or record the stitch is not active. Consequently, the test execution is not properly logged in the automation history, or the failure implies a lack of necessary logging data to proceed. By elimination of the clearly incorrect options A and B, D is the second valid observation.

Reference:

FortiGate Security 7.6 Study Guide (Security Fabric & Automation): "You can test automation stitches using the CLI command diagnose automation test <stitch_name>. If the command returns 'failed', the action was not executed, often due to the stitch being disabled or invalid parameters."

NEW QUESTION # 81

.....

You only need 20-30 hours to learn our FCSS_NST_SE-7.6 test torrents and prepare for the exam. After buying our FCSS_NST_SE-7.6 exam questions you only need to spare several hours to learn our FCSS_NST_SE-7.6 test torrents and commit yourselves mainly to the jobs, the family lives and the learning. Our answers and questions of FCSS_NST_SE-7.6 Exam Questions are chosen elaborately and seize the focus of the exam so you can save much time to learn and prepare the exam. Because the passing rate is high as more than 98% you can reassure yourselves to buy our FCSS_NST_SE-7.6 guide torrent.

FCSS_NST_SE-7.6 Free Download Pdf: https://www.freepdfdump.top/FCSS_NST_SE-7.6-valid-torrent.html

- New FCSS_NST_SE-7.6 Test Duration Valid Braindumps FCSS_NST_SE-7.6 Ppt New FCSS_NST_SE-7.6 Test Materials Search for ➡ FCSS_NST_SE-7.6 and download it for free immediately on ➡ www.prep4sures.top ↳ ➡ FCSS_NST_SE-7.6 Latest Practice Questions
- 100% Pass Quiz Fortinet - Valid FCSS_NST_SE-7.6 Exam Questions And Answers Search for ⌂ FCSS_NST_SE-7.6 ⌂ and download it for free on www.pdfvce.com website FCSS_NST_SE-7.6 Exam Consultant
- Updated Fortinet FCSS_NST_SE-7.6 Exam Questions And Answers With Interarctive Test Engine - Trustable FCSS_NST_SE-7.6 Free Download Pdf Search for (FCSS_NST_SE-7.6) and obtain a free download on ➡ www.pass4test.com ⌂FCSS_NST_SE-7.6 Reliable Exam Tips
- FCSS_NST_SE-7.6 Exam Introduction Exam FCSS_NST_SE-7.6 Dump FCSS_NST_SE-7.6 Latest Practice Questions Copy URL ⌂ www.pdfvce.com ⌂ open and search for ⌂ FCSS_NST_SE-7.6 ⌂ to download for free ⌂FCSS_NST_SE-7.6 Reliable Exam Tips
- 100% Pass Quiz 2026 FCSS_NST_SE-7.6: Useful FCSS - Network Security 7.6 Support Engineer Exam Questions And Answers Search for FCSS_NST_SE-7.6 and download exam materials for free through “ www.exam4labs.com ” Exam FCSS_NST_SE-7.6 Dump

