

C_ADBTP Boot Camp - Test C_ADBTP Practice



Our SAP C_ADBTP practice exam simulator mirrors the SAP C_ADBTP exam experience, so you know what to anticipate on Administrating SAP Business Technology Platform(C_ADBTP_2601) day. Our SAP C_ADBTP practice test software features various question styles and levels, so you can customize your SAP C_ADBTP Exam Questions preparation to meet your needs.

SAP C_ADBTP actual test question is a good choice. The SAP C_ADBTP PDF is the most convenient format to go through all exam questions easily. It is a compilation of actual SAP C_ADBTP exam questions and answers. The PDF is also printable so you can conveniently have a hard copy of SAP C_ADBTP Dumps with you on occasions when you have spare time for quick revision. The PDF is easily downloadable from our website and also has a free demo version available.

>> C_ADBTP Boot Camp <<

Test SAP C_ADBTP Practice - Latest C_ADBTP Braindumps Questions

It is C_ADBTP exam qualification certification that gives you capital of standing in society and serving your company. Nowadays, using the Internet to study on our C_ADBTP exam questions has been a new trend of making people access to knowledge and capability-building. Our C_ADBTP Preparation materials display a brand-new learning model and a comprehensive knowledge structure on our official exam bank, which aims at improving your technical skills and creating your value to your future.

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Create Subaccount



Display Name* Description

Region*

Subdomain* Parent*

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

SAP  

Create Cancel

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: bt pops #####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Create Subaccount

Display Name* Description

Region*

Subdomain* Parent*

Advanced

Used for production

Enable beta features

Add labels to this subaccount.

Name: Values:

Create **Cancel**

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

Name	Type	Environment	Region	Changed On
STP Admin Certification XXXX	Global Account			March 25, 2025, 5:11:2...
Americas	Directory			March 26, 2025, 3:27:5...
Partner	Directory			March 26, 2025, 3:30:3...
AM FS Dev Test	Subaccount	Multi-Environment	US West (OR)	March 26, 2025, 3:35:3...
AM FS Prod	Subaccount	Multi-Environment	US West (OR)	March 26, 2025, 3:39:3...
Eurasia	Directory			March 26, 2025, 3:28:2...
Human Resources	Directory			March 26, 2025, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Europe (Frankfurt) - AWS	March 26, 2025, 3:43:4...
EU HCM Test	Subaccount	Multi-Environment	Europe (Frankfurt) - AWS	March 26, 2025, 3:46:5...

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: bt pops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Create Subaccount

Display Name *
EU HCM Prod

Description
Human Resources Production

Region *
Europe (Frankfurt) - AWS

Subdomain * ⓘ
bt pops xxxx eu-hcm-prod

Parent *
Human Resources

Advanced

Used for production ⓘ

Enable beta features ⓘ

Add labels to this subaccount. ⓘ

Name: Enter label name

Values:

Create Cancel

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: bt pops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: bt pops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: bt pops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Name	Type	Environment	Region	Changed On
BT Admin Certification XXXX	Global Account			March 26, 2020, 9:11:2...
Americas	Directory			March 26, 2020, 9:27:5...
Partner	Directory			March 26, 2020, 9:30:3...
AWS HK Dev Test	Subaccount	Microsoft Azure	US West (M2)	March 26, 2020, 9:29:3...
AWS HK Prod	Subaccount	Microsoft Azure	US West (M2)	March 26, 2020, 9:29:3...
Human Resources	Directory			March 26, 2020, 9:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Europe (Frankfurt) - AWS	March 26, 2020, 9:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Europe (Frankfurt) - AWS	March 26, 2020, 9:48:3...
EU HCM Test	Subaccount	Multi-Environment	Europe (Frankfurt) - AWS	March 26, 2020, 9:48:5...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

bt pops#####-eu-hcm-dev

bt pops#####-eu-hcm-test

btpops####-eu-hcm-prod

Only replace #### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

NEW QUESTION # 11

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances area.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:


Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.




A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.



Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

Space: activity-recording - Service Instances

The screenshot shows the SAP Cloud Foundry console interface. At the top, there is a navigation bar with the SAP logo and a 'Create' button. Below the navigation bar, there is a search bar and a filter section with 'Service: All', 'Plan: All', and 'Status: All'. The main content area is titled 'Instances (1)' and contains a table with the following data:

Instance	Service	Plan	Credentials	Status
html5-eu-hcm-dev	HTML5 Application Repository Service	app-host		Created

Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

Typing the wrong instance name; use exactly html5-eu-hcm-dev.

The screenshot shows the SAP Cloud Foundry console interface displaying a hierarchy of subaccounts. The table below shows the structure:

Name	Type	Environment	Provider	Region	Labels	Changed On
Global Account	Global Account					March 25, 2026, 5:11:2...
Partner	Directory					March 26, 2026, 3:27:5...
Partner (Managed)	Directory (Managed)				1 label	March 26, 2026, 3:50:1...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (CA)		March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)		March 26, 2026, 3:39:3...
Eurasia	Directory					March 26, 2026, 3:28:2...
Human Resources	Directory				1 label	March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:46:5...
Shared Services	Directory					March 26, 2026, 4:14:2...
SH Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:15:5...
SH Ops	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:17:0...

NEW QUESTION # 12

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with

value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

Answer:

Explanation:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name *
Eurasia

Description
Eurasia Accounts

Parent *
BTP Admin Certification

> **Advanced**

Cockpit supports multi-level directories in your account structure.
You can add your new directory directly to the root global account or to an existing directory by choosing the location under **Parent**.

Create Cancel

Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the directories of the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

Name	Type	Entitlement	Parent	Region	Created On
Global Account	Global Account				March 25, 2024, 9:12:00
Americas	Directory		Global Account		March 26, 2024, 9:27:00
Eurasia	Directory		Americas		March 26, 2024, 9:27:00

- Edit
- Go to Overview
- More Info
- Create Directory
- Create Subaccount
- Delete

Select Parent

Search

Show only directories I can create in Expand All Collapse All

▼ BTP Admin Certification xxxx

- Americas
- Eurasia

actualtestpdf.com



Select Cancel

Create Directory

Display Name* Description

Parent*

▼ Advanced

Enable entitlement management Enable user management

Add labels to this directory.

Name: Values:

Create Cancel

Explanation:
This creates Partner as a child directory under Americas.
The label is required and must be entered exactly:
access = external
This label helps classify the directory.
What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

Create Directory

Display Name*
Human Resources

Parent*
Eurasia

Description
Human Resources Accounts

Advanced

Enable entitlement management Enable user management

Add labels to this directory.

Name: access Values: internal x

Create **Cancel**

Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

Name	Type	Environment	Provider	Region	Labels	Changed On
BTP Admin Certification: XXXXX	Global Account					March 20, 2026, 6:56:2...
Americas	Directory					March 22, 2026, 4:25:1...
Partner	Directory				1 label	March 22, 2026, 4:29:2...
Eurasia	Directory					March 22, 2026, 4:26:0...
Human Resources	Directory				1 label	March 22, 2026, 4:31:0...

Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

NEW QUESTION # 13

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain btopps#####-sh-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain btopps#####-sh-ops in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.
In the left navigation menu, click Directories.



Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name *

Shared Services

Parent *

BTP Admin Certification

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new directory directly to the root global account or to an existing directory by choosing the location under **Parent**.

Create Cancel

Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Create Subaccount

Display Name * SH Dev

Description Shared Services Development

Region * Europe (Frankfurt) - AWS

Subdomain * btpops #####-sh-dev

Parent * Shared Services

> Advanced

Cockpit supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

SAP

Create Cancel

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpps####sh-dev

Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpps####sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10

Name	Type	Environment	Provider	Region	Labels	Changed On
BTP Admin Certification	Global Account					March 25, 2026, 5:11:2...
Americas	Directory					March 26, 2026, 3:27:5...
Partner	Directory (Managed)				1 label	March 26, 2026, 3:50:1...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)		March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)		March 26, 2026, 3:39:3...
Europe	Directory				1 label	March 26, 2026, 3:28:2...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:43:0...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:48:3...
FINANCE Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:46:5...
Shared Services	Directory					March 26, 2026, 4:14:2...
SH Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:15:5...
SH Ops	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:17:0...

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

btpps####sh-dev

btpps####sh-ops

Only replace #### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

NEW QUESTION # 14

.....

Our C_ADBTP real test was designed by many experts in different area, they have taken the different situation of customers into consideration and designed practical C_ADBTP study materials for helping customers save time. Whether you are a student or an office worker, we believe you will not spend all your time on preparing for C_ADBTP Exam, you are engaged in studying your specialized knowledge, doing housework, looking after children and so on. With our simplified information, you are able to study efficiently. And do you want to feel the true exam in advance? Just buy our C_ADBTP exam questions!

Test C_ADBTP Practice: https://www.actualtestpdf.com/SAP/C_ADBTP-practice-exam-dumps.html

While Test C_ADBTP Practice guide is more or less a Test C_ADBTP Practice ebook, the tutorial offers the versatility not available from Test C_ADBTP Practice books or Test C_ADBTP Practice dumps, Our C_ADBTP exam materials will remove you from the bad condition, Every individual product offers unique learning and exam preparing features to assist your C_ADBTP exam questions preparation: Accurate C_ADBTP PDF Questions with Free Updates, The only money I spent was to purchase ActualtestPDF Test C_ADBTP Practice.com's study pack that I needed for the SAP Test C_ADBTP Practice exam preparation.

Special discounts on bundle Administrating SAP Business Technology Platform(C_ADBTP_2601)purchase, Paste a selection from the Clipboard, C_ADBTP Boot Camp While SAP Certified Associate guide is more or less a SAP Certified Associate ebook, the tutorial offers the versatility not available from SAP Certified Associate books or SAP Certified Associate dumps.

Latest SAP - C_ADBTP - Administrating SAP Business Technology Platform(C_ADBTP_2601) Boot Camp

Our C_ADBTP Exam Materials will remove your from the bad condition, Every individual product offers unique learning and exam preparing features to assist your C_ADBTP exam questions preparation: Accurate C_ADBTP PDF Questions with Free Updates.

The only money I spent was to purchase ActualtestPDF.com's C_ADBTP study pack that I needed for the SAP exam preparation, You can understand each version's merits and using method in detail before you decide to buy our C_ADBTP learning guide.

- Web-Based SAP C_ADBTP Practice Test - Compatible with All Major The page for free download of C_ADBTP on www.dumpsmaterials.com will open immediately Exam C_ADBTP Training
- Related C_ADBTP Exams Top C_ADBTP Exam Dumps Exam C_ADBTP Quiz Easily obtain free download of "C_ADBTP" by searching on www.pdfvce.com New Guide C_ADBTP Files
- Braindumps C_ADBTP Downloads C_ADBTP Detail Explanation Test C_ADBTP Guide Enter www.exam4labs.com and search for C_ADBTP to download for free Dumps C_ADBTP Free
- C_ADBTP Boot Camp Professional Questions Pool Only at Pdfvce Open www.pdfvce.com enter C_ADBTP and obtain a free download Test C_ADBTP Cram Pdf
- Top C_ADBTP Boot Camp Free PDF | Professional Test C_ADBTP Practice: Administrating SAP Business Technology Platform(C_ADBTP_2601) Simply search for "C_ADBTP" for free download on www.troytecdumps.com Dumps C_ADBTP Free
- C_ADBTP Valid Test Tips Free C_ADBTP Brain Dumps Test C_ADBTP Cram Pdf Open www.pdfvce.com enter C_ADBTP and obtain a free download Exam C_ADBTP Quiz
- Exam C_ADBTP Training Actual C_ADBTP Test C_ADBTP Detail Explanation Search for C_ADBTP and obtain a free download on www.dumpsquestion.com Top C_ADBTP Exam Dumps
- Top C_ADBTP Exam Dumps Testing C_ADBTP Center Top C_ADBTP Exam Dumps Search on www.pdfvce.com for C_ADBTP to obtain exam materials for free download Related C_ADBTP Exams
- Realistic C_ADBTP Boot Camp - Win Your SAP Certificate with Top Score Search for C_ADBTP and easily obtain a free download on www.prep4away.com New Guide C_ADBTP Files
- C_ADBTP Study Guide - C_ADBTP Free Download pdf - C_ADBTP Latest Pdf Vce Search for [C_ADBTP] and

download it for free immediately on ➤ www.pdfvce.com ☐ ☐Reliable C_ADBTP Real Exam

- C_ADBTP Boot Camp Professional Questions Pool Only at www.prep4sures.top ☐ Search for ➤ C_ADBTP ☐ and easily obtain a free download on ➤ www.prep4sures.top ☐ ☐Exam C_ADBTP Training
- deweylwn1313731.blogchaat.com, maeimpz458963.daneblogger.com, www.impactio.com, deborahylw395697.sasugawiki.com, pennydltd753121.actoblog.com, total-bookmark.com, yxzbookmarks.com, caoinhetngi675979.governor-wiki.com, bookmarkforest.com, www.stes.tyc.edu.tw, Disposable vapes