

# 2026 Pass-Sure DP-700 Certification Torrent | 100% Free Exam Implementing Data Engineering Solutions Using Microsoft Fabric Reviews



P.S. Free 2026 Microsoft DP-700 dumps are available on Google Drive shared by ITdumpsfree: <https://drive.google.com/open?id=1G1XqIqvGb3oIgABGjkt1SBqbX9l9cQF>

It is not easy for you to make a decision of choosing the DP-700 prep guide from our company, because there are a lot of study materials about the exam in the market. However, if you decide to buy the DP-700 test practice files from our company, we are going to tell you that it will be one of the best decisions you have made in recent years. As is known to us, the DP-700 Preparation materials from our company are designed by a lot of famous experts and professors in the field. There is no doubt that the DP-700 prep guide has the high quality beyond your imagination.

## Microsoft DP-700 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>Ingest and transform data: This section of the exam measures the skills of Data Engineers that cover designing and implementing data loading patterns. It emphasizes preparing data for loading into dimensional models, handling batch and streaming data ingestion, and transforming data using various methods. A skill to be measured is applying appropriate transformation techniques to ensure data quality.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>Implement and manage an analytics solution: This section of the exam measures the skills of Microsoft Data Analysts regarding configuring various workspace settings in Microsoft Fabric. It focuses on setting up Microsoft Fabric workspaces, including Spark and domain workspace configurations, as well as implementing lifecycle management and version control. One skill to be measured is creating deployment pipelines for analytics solutions.</li></ul>
Topic 3	<ul style="list-style-type: none"><li>Monitor and optimize an analytics solution: This section of the exam measures the skills of Data Analysts in monitoring various components of analytics solutions in Microsoft Fabric. It focuses on tracking data ingestion, transformation processes, and semantic model refreshes while configuring alerts for error resolution. One skill to be measured is identifying performance bottlenecks in analytics workflows.</li></ul>

## DP-700 Test Torrent is Very Helpful for You to Learn DP-700 Exam - ITdumpsfree

The passing rate is the best test for quality of our DP-700 study materials. And we can be very proud to tell you that the passing rate of our DP-700 Exam Questions is almost 100%. That is to say, as long as you choose our study materials and carefully review according to its content, passing the DP-700 Exam is a piece of cake. We're definitely not exaggerating. If you don't believe, you can give it a try.

## Microsoft Implementing Data Engineering Solutions Using Microsoft Fabric Sample Questions (Q60-Q65):

### NEW QUESTION # 60

You have a Fabric workspace named Workspace1 that contains the following items:

- \* A Microsoft Power BI report named Report1
- \* A Power BI dashboard named Dashboard1
- \* A semantic model named Modell
- \* A lakehouse name Lakehouse1

Your company requires that specific governance processes be implemented for the items. Which items can you endorse in Fabric?

- A. Report1 and Dashboard1 only
- B. Modell, Report1, and Dashboard1 only
- C. Lakehouse1, Modell, and Report1 only
- D. Lakehouse1, Modell, and Dashboard1 only
- E. Lakehouse1, Modell, Report1 and Dashboard1

**Answer: E**

### NEW QUESTION # 61

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Fabric eventstream that loads data into a table named Bike\_Location in a KQL database. The table contains the following columns:

BikepointID

Street

Neighbourhood

No\_Bikes

No\_Empty\_Docks

Timestamp

You need to apply transformation and filter logic to prepare the data for consumption. The solution must return data for a neighbourhood named Sands End when No\_Bikes is at least 15. The results must be ordered by No\_Bikes in ascending order.

Solution: You use the following code segment:

```
bike_location
| filter Neighbourhood == "Sands End" and No_Bikes >= 15
| order by No_Bikes
| project BikepointID, Street, Neighbourhood, No_Bikes, No_Empty_Docks, Timestamp
```



Does this meet the goal?

- A. Yes
- B. no

**Answer: B**

Explanation:

This code does not meet the goal because it uses order by, which is not valid in KQL. The correct term in KQL is sort by. Correct code should look like:

```
bike_location Microsoft
| filter Neighbourhood == "Sands End" and No_Bikes >= 15
| sort by No_Bikes asc
| project BikepointID, Street, Neighbourhood, No_Bikes, No_Empty_Docks, Timestamp
```

## NEW QUESTION # 62

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a KQL database that contains two tables named Stream and Reference. Stream contains streaming data in the following format.

Column name	Data type
Timestamp	Datetime
GeoLocation	Dynamic
Temperature	Decimal
DeviceId	Int

Reference contains reference data in the following format.

Column name	Data type
DeviceId	Int
DeviceName	String

Both tables contain millions of rows.

You have the following KQL queryset.

```
01 Stream Microsoft
02 | extend lat = todecimal(GeoLocation.Latitude), long = todecimal(GeoLocation.Longitude)
03 | join kind=inner Reference on DeviceId
04 | project Timestamp, lat, long, Temperature, DeviceName
05 | filter Temperature >= 10
06 | render scatterchart with (kind = map)
```

You need to reduce how long it takes to run the KQL queryset.

Solution: You add the make\_list() function to the output columns.

Does this meet the goal?

- A. Yes
- B. No

## Answer: B

Explanation:

Adding an aggregation like make\_list() would require additional processing and memory, which could make the query slower.

## NEW QUESTION # 63

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Fabric eventstream that loads data into a table named Bike\_Location in a KQL database. The table contains the following columns:

BikepointID

Street

Neighbourhood  
No\_Bikes  
No\_Empty\_Docks  
Timestamp

You need to apply transformation and filter logic to prepare the data for consumption. The solution must return data for a neighbourhood named Sands End when No\_Bikes is at least 15. The results must be ordered by No\_Bikes in ascending order. Solution: You use the following code segment:

```
Microsoft
| filter Neighbourhood == "Sands End" and No_Bikes >= 15
| sort by No_Bikes
| project BikepointID, Street, Neighbourhood, No_Bikes, No_Empty_Docks, Timestamp
| project BikepointID, Street, Neighbourhood, No_Bikes, No_Empty_Docks, Timestamp
```

Does this meet the goal?

- A. Yes
- B. no

**Answer: B**

Explanation:

This code does not meet the goal because it uses sort by without specifying the order, which defaults to ascending, but explicitly mentioning asc improves clarity.

Correct code should look like:

```
Microsoft
| filter Neighbourhood == "Sands End" and No_Bikes >= 15
| sort by No_Bikes asc
| project BikepointID, Street, Neighbourhood, No_Bikes, No_Empty_Docks, Timestamp
```

#### NEW QUESTION # 64

You have a Fabric workspace named Workspace1 that contains a lakehouse named Lakehouse1. Lakehouse1 contains the following tables:

Orders  
Customer  
Employee

The Employee table contains Personally Identifiable Information (PII).

A data engineer is building a workflow that requires writing data to the Customer table, however, the user does NOT have the elevated permissions required to view the contents of the Employee table.

You need to ensure that the data engineer can write data to the Customer table without reading data from the Employee table. Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Assign the data engineer the Viewer role for Workspace1.
- B. **Migrate the Employee table from Lakehouse1 to Lakehouse2.**
- C. Create a new workspace named Workspace2 that contains a new lakehouse named Lakehouse2.
- D. Assign the data engineer the Viewer role for Workspace2.
- E. **Assign the data engineer the Contributor role for Workspace1.**
- F. Assign the data engineer the Contributor role for Workspace2.
- G. **Share Lakehouse1 with the data engineer.**

**Answer: B,E,G**

Explanation:

To meet the requirements of ensuring that the data engineer can write data to the Customer table without reading data from the Employee table (which contains Personally Identifiable Information, or PII), you can implement the following steps:

\* Share Lakehouse1 with the data engineer.

By sharing Lakehouse1 with the data engineer, you provide the necessary access to the data within the lakehouse. However, this access should be controlled through roles and permissions, which will allow writing to the Customer table but prevent reading from the Employee table.

\* Assign the data engineer the Contributor role for Workspace1.

Assigning the Contributor role for Workspace1 grants the data engineer the ability to perform actions such as writing to tables (e.g., the Customer table) within the workspace. This role typically allows users to modify and manage data without necessarily granting them access to view all data (e.g., PII data in the Employee table).

\* Migrate the Employee table from Lakehouse1 to Lakehouse2.

To prevent the data engineer from accessing the Employee table (which contains PII), you can migrate the Employee table to a separate lakehouse (Lakehouse2) or workspace (Workspace2). This separation of sensitive data ensures that the data engineer's access is restricted to the Customer table in Lakehouse1, while the Employee table can be managed separately and protected under different access controls.

## NEW QUESTION # 65

Our Implementing Data Engineering Solutions Using Microsoft Fabric exam question has been widely praised by all of our customers in many countries and our company has become the leader in this field. Our product boost varied functions and they include the self-learning and the self-assessment functions, the timing function and the function to stimulate the exam to make you learn efficiently and easily. Thus you could decide whether it is worthy to buy our product or not after you understand the features of details of our product carefully on the pages of our DP-700 Study Tool on the website.

**Exam DP-700 Reviews:** <https://www.itdumpsfree.com/DP-700-exam-passed.html>

DOWNLOAD the newest ITdumpsfree DP-700 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1G1XqlqdvGb3oIgABGjkt1SBqbX9l9cQF>