

## Oracle 1Z0-083試験解説問題、1Z0-083試験時間



さらに、Xhs1991 1Z0-083ダンプの一部が現在無料で提供されています: <https://drive.google.com/open?id=1nzpIQ6wPDYxg7A3giXec2S8v-mYf1jN>

Xhs1991は、理論と実践の最新の開発に基づいた深い経験を持つ専門家によってコンパイルされた1Z0-083試験材料の高い合格率を提供するため、非常に価値があります。1Z0-083トレーニングブレイクダンプを試してから、1Z0-083スタディガイドを購入する前に、ウェブ上で無料のデモをご覧ください。Oracle Database Administration II試験の合格に役立つだけでなく、時間とエネルギーを節約できるため、1Z0-083試験の準備を購入する価値があります。

あまりにも多くのIT認定試験と試験に関連する参考書を見ると、頭が痛いと感じていますか。一体どうしたらでしょうか。どのように選択すべきなのかを知らないなら、私は教えてあげます。最近非常に人気があるOracleの1Z0-083認定試験を選択できます。この認定試験の資格を取得すれば、あなたは大きなメリットを得ることができます。それに、より効率的に試験の準備をするために、Xhs1991の1Z0-083試験問題集を選択したほうがいいです。それはあなたが試験に合格する最善の方法です。

>> Oracle 1Z0-083試験解説問題 <<

### 1Z0-083試験時間 & 1Z0-083合格率書籍

初心者でも経験豊富な人でも、Xhs1991学習教材は、長年にわたる試験概要の変化と業界の傾向に基づいて編集された専門家にとって最適な選択です。1Z0-083テストトレンドは、学習の効率を向上させるのに役立つだけでなく、レビュー時間を最大数か月から1か月、さらには2週間または3週間に短縮するのにも役立ちます。最大の改善を得る。そして、1Z0-083試験問題により、Oracle、あなたのOracle Database Administration II成功が保証されます。

Oracle 1Z1-083試験に合格すると、候補者はOracle Certified Professional Database Administrator認定を受け取ります。この認定は、Oracleデータベース管理における卓越性の標準として、グローバルに認められています。この認定によって、候補者のスキルと知識がOracleデータベースの管理と保守において証明され、分野の新しいキャリア機会が広がります。

### Oracle Database Administration II 認定 1Z0-083 試験問題 (Q239-Q244):

#### 質問 # 239

choose three Which three are true about unified auditing in full mode?

- A. Audit records are created for COMMIT, ROLLBACK, and SAVEPOINT statements.
- B. The unified audit trail is written to a read-only external file.
- C. Audit records are created for SYS.
- D. Audit records are created for non-sys users.
- E. The unified audit trail is written to a read-only table.

正解: C、D、E

#### 質問 # 240

Which three are true about corrupted data blocks and their recovery in an Oracle Database?

- A. DB\_LOST\_WRITE\_PROTECT=TYPICAL causes extra logging overhead on the standby database.
- B. If a row lock is held by a nonexistent transaction, the block containing the row is media corrupt.
- C. The ANALYZE TABLE VALIDATE STRUCTURE CASCADE command verifies that each table row has an index entry pointing to it.
- D. DB\_BLOCK\_CHECKING=TRUE causes a check sum to be added to each data block to help detect physical or media corruption.
- E. A media corrupt block is one where the block is not formatted correctly.
- F. If a row lock is held by a nonexistent transaction, the block containing the row is logically corrupt.

正解: A、C、F

#### 質問 # 241

Examine this configuration: 1. CDB1 is a container database. 2. COMMON\_USER\_PREFIX is C##. 3. PDB1 is a pluggable database contained in CDB1. 4. APP1\_ROOT is an application container contained in CDB1. 5. APP1\_PDB1 is an application PDB contained in APP1\_ROOT. You execute these commands successfully: Which two are true? (Choose two.)

- A. P1\_USER1 can be created in CDB1.
- B. APP1\_USER1 can be created in CDB1.
- C. APP1\_USER1 can have different privileges in each Application PDB contained in APP1\_ROOT.
- D. C##\_APP\_USER1 can be created in CDB1.
- E. C##\_USER1 will have the same privileges and roles granted in all PDBs in CDB1.
- F. APP1\_USER1 can be created in PDB1.

正解: C、D

#### 質問 # 242

You plan to install Oracle Grid Infrastructure for a Standalone Server and Oracle Database for the first time on a server.

Examine this command and its outcome:

Which two are true? (Choose two.)

- A. oracle must be the owner of every Oracle Database installation.
- B. oracle will be granted the SYSASM privilege when installing the Oracle Database software.
- C. oracle can own an Oracle Database installation but not an Oracle Grid Infrastructure installation.
- D. oracle will be an owner of the Oracle Inventory.
- E. The user account, oracle, and group, oinstall, can be used for all Oracle software installations.

正解: B、C

