

2026 New 300-430 Exam Experience Free PDF | Latest 300-430 Hot Questions: Implementing Cisco Enterprise Wireless Networks



2026 Latest VCEngine 300-430 PDF Dumps and 300-430 Exam Engine Free Share: <https://drive.google.com/open?id=1ERaxT5dPI-H75jsKAMPPkc2KSIXGJ5B0>

If you are going to purchase 300-430 Study Materials online, you may pay attention to your money safety. With applying the international recognition third party for the payment, your money and account safety can be guaranteed if you choose us. And the third party will protect your interests. In addition, 300-430 training materials are high-quality, for we have a professional team to research the latest information, and you can use them at ease. Besides if you have little time to prepare for your exam, you can also choose us, you just need to spend 48 to 72 hours on studying, you can pass the exam. Choose us, and you will never regret!

Our 300-430 exam guide has high quality of service. We provide 24-hour online service on the 300-430 training engine. If you have any questions in the course of using the bank, you can contact us by email. We will provide you with excellent after-sales service with the utmost patience and attitude. And we will give you detailed solutions to any problems that arise during the course of using the 300-430 learning braindumps. And our 300-430 study materials welcome your supervision and criticism.

>> New 300-430 Exam Experience <<

300-430 Hot Questions, Free 300-430 Study Material

No study materials can boost so high efficiency and passing rate like our 300-430 exam reference when preparing the test 300-430 certification. Our 300-430 exam practice questions provide the most reliable exam information resources and the most authorized expert verification. Our test bank includes all the possible questions and answers which may appear in the Real 300-430 Exam and the quintessence and summary of the exam papers in the past. You can pass the 300-430 exam with our 300-430 exam questions.

Cisco Implementing Cisco Enterprise Wireless Networks Sample Questions (Q154-Q159):

NEW QUESTION # 154

An engineer is defining a new Cisco AVC profile with different rules for HR and VIP users. Both user types connect to a single SSID and authenticate by using their Active Directory credentials via a Cisco ISE. The engineer wants to apply the AVC profile dynamically to the user types.

Which Cisco AV pair attribute must be applied to the Cisco ISE?

- A. avc-profile-name
- B. policy-role-avc
- C. policy-avc-role
- D. role-name-avc

Answer: A

Explanation:

To apply an AVC profile dynamically based on user identity from Cisco ISE, the correct Cisco AV pair attribute is `avc-profile-name`. This attribute instructs the WLC to assign the specified AVC profile to the authenticated client session, enabling differentiated policies for HR and VIP users while they connect through the same SSID.

NEW QUESTION # 155

An engineer deploys APs in autonomous mode to provide corporate and guest access in several retail locations. Remote authentication with IEEE 802.1X is configured to ensure a secure wireless connection for corporate users. Which component must be configured as the authenticator?

- A. RADIUS server
- B. supplicant
- C. APs
- D. authentication server

Answer: C

NEW QUESTION # 156

An engineer has implemented 802.1x authentication on the wireless network utilizing the internal database of a RADIUS server. Some clients reported that they are unable to connect. After troubleshooting, it is found that PEAP authentication is failing. A debug showed the server is sending an Access-Reject message. Which action must be taken to resolve authentication?

- A. Update the client certificate to match the user account.
- B. Use the user password that is configured on the server.
- C. Replace the client certificates from the CA with the server certificate.
- D. Disable the server certificate to be validated on the client.

Answer: D

Explanation:

https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_troubleshooting.html

NEW QUESTION # 157

An engineer set up a local authenticated Cisco FlexConnect AP with a guest LAN. Guests report not being able to authenticate. Which configuration must be changed on the WLAN for guests to be able to authenticate?

- A. backup RADIUS server
- B. central authentication
- C. AAA override
- D. RADIUS NAC

Answer: B

NEW QUESTION # 158

When configuring a Cisco WLC, which CLI command adds a VLAN with VLAN ID of 30 to a FlexConnect group named BranchA-FCG?

- A. `config flexconnect BranchA-FCG vlan add 30`
- B. `config flexconnect group BranchA-FCG vlan 30 add`
- C. `config flexconnect group BranchA-FCG vlan add 30`
- D. `config flexconnect BranchA-FCG vlan 30 add`

Answer: C

Explanation:

<https://www.cisco.com/c/en/us/td/docs/wireless/controller/8-5/config->

id=1ERaxT5dPI-H75jsKAMPPkc2KSbxGJ5B0