

# Test EX380 Question | EX380 Pass Rate

Su is the project manager for a Bengaluru based video storage company. The allowable deviation for video compression time is  $\pm 150$  milliseconds. They use a third party service which offers an API for video compression. The third party service delivers documentation with the latest version of the API which states that the requirements are being met as per specification. Su's team conducts multiple quality tests on the API. The aggregate deviation found by her team is 155 milliseconds, but the team says this variation from the permissible deviation is negligible. What should Su do?

A: Allow the API since the third party vendor provided the product on time  
B: Allow the API for now, but ask the third party vendor for an explanation  
C: Document the low level of quality, allow the API to be used and work with the third party vendor to find a solution  
D: Reject the API and ask the third party vendor to provide the product within the allowable deviation  
E: Use the API for now, and start developing their own video compression API to use in the future  
F: Halt the project and start developing their own video compression API

A

B

C

D

E

F

Our EX380 learning quiz can be downloaded for free trial before purchase, which allows you to understand our sample questions and software usage. It will also enable you to make a decision based on your own needs. And we have organized a group of professionals to revise our EX380 Preparation materials, according to the examination status and trend changes. The simple and easy-to-understand language of EX380 exam questions frees any learner from studying difficulties.

Our EX380 exam braindumps are known for the quality as well as the high pass rate. The pass rate is above 98%. If you buy the EX380 learning materials, in our website, we will guarantee the safety of your electric instrument as well as a sound shopping environment, you can set it as a safety web, since our professionals will check it regularly for the safety. If you have the desire, contact us.

>> Test EX380 Question <<

## EX380 Pass Rate & EX380 Passguide

RealValidExam web-based practice exam is compatible with all browsers and operating systems. Whereas the EX380 PDF file is concerned this file is the collection of real, valid, and updated RedHat EX380 exam questions. You can use the RedHat EX380 Pdf Format on your desktop computer, laptop, tabs, or even on your smartphone and start Red Hat Certified Specialist in OpenShift Automation and Integration (EX380) exam questions preparation anytime and anywhere.

## RedHat Red Hat Certified Specialist in OpenShift Automation and Integration Sample Questions (Q38-Q43):

### NEW QUESTION # 38

Spread replicas using podAntiAffinity

Task Information : Configure payments/api to prefer scheduling pods on different nodes.

### Answer:

Explanation:

See the solution below in Explanation:

Explanation:

```
* Patch deployment with preferred podAntiAffinity
* oc -n payments patch deploy api --type=merge -p '{
* "spec":{"template":{"spec":{"affinity":{"
* "podAntiAffinity":{"
* "preferredDuringSchedulingIgnoredDuringExecution":[{"
* "weight":100,
* "podAffinityTerm":{"
```

```

* "labelSelector":{"matchLabels":{"app":"api"}},
* "topologyKey":"kubernetes.io/hostname"
* }
* }]
* }
* }}}}
* }'
* Encourages spread across nodes to reduce single-node impact.
* Verify spread
* oc -n payments get pods -o wide

```

### NEW QUESTION # 39

Integrate OpenShift with LDAP (create LDAP identity provider)

Task Information : Configure cluster OAuth to add an LDAP identity provider using an existing bind secret and CA ConfigMap , then verify login works.

#### Answer:

Explanation:

See the solution below in Explanation:

Explanation:

```

* Verify prerequisites exist (Secret + ConfigMap)
* oc -n openshift-config get secret rhds-ldap-secret
* oc -n openshift-config get configmap rhds-ca-config-map
* OAuth LDAP configuration references these objects. If they don't exist, OAuth won't be able to bind to LDAP securely.
* Edit the cluster OAuth resource
* oc edit oauth cluster
* The oauth/cluster resource is where identity providers are defined.
* Add an LDAP identity provider entry (example structure) Add under spec.identityProviders:
* - name: corp-ldap
* mappingMethod: claim
* type: LDAP
* ldap:
* url: "ldaps://ldap.example.com:636/ou=People,dc=example,dc=com?uid"
* bindDN: "uid=openshift,ou=svc,dc=example,dc=com"
* bindPassword:
* name: rhds-ldap-secret
* ca:
* name: rhds-ca-config-map
* insecure: false
* attributes:
* id: ["dn"]
* name: ["cn"]
* preferredUsername: ["uid"]
* email: ["mail"]
* url: where to search for users and which attribute is used for login (here uid).
* bindDN + bindPassword: service account used for LDAP queries.
* ca: trusts the LDAP server CA for TLS.
* attributes: maps LDAP data into OpenShift user identity fields.
* Restart OAuth pods to load changes quickly
* oc -n openshift-authentication delete pod -l app=oauth-openshift
* This forces pods to restart and re-read the updated configuration.
* Verify the identity provider appears and users can log in
* In the web console login page, you should see the new provider (name may show as corp-ldap).
* After a successful login, confirm user objects appear:
* oc get users
* oc get identities
* OpenShift creates User and Identity objects upon first successful authentication.

```

### NEW QUESTION # 40

Create and use a service account token via kubeconfig

Task Information : Create SA ci-bot in ci namespace and generate a kubeconfig that authenticates using its token.

#### Answer:

Explanation:

See the solution below in Explanation:

Explanation:

- \* Create namespace and service account
- \* `oc new-project ci`
- \* `oc -n ci create sa ci-bot`
- \* The SA will represent automation access.
- \* Grant permissions (example: edit in namespace)
- \* `oc -n ci policy add-role-to-user edit system:serviceaccount:ci:ci-bot`
- \* Without permissions, token auth succeeds but API actions are denied.
- \* Generate token (TokenRequest)
- \* `TOKEN=$(oc -n ci create token ci-bot)`
- \* OCP issues a short-lived token by default (good practice).
- \* Create kubeconfig using the token
- \* `oc config set-cluster lab --server="$(oc whoami --show-server)" \`
- \* `--insecure-skip-tls-verify=true --kubeconfig=ci-bot.kubeconfig`
- \* `oc config set-credentials ci-bot --token="$TOKEN" --kubeconfig=ci-bot.kubeconfig`
- \* `oc config set-context ci --cluster=lab --user=ci-bot --namespace=ci \`
- \* `--kubeconfig=ci-bot.kubeconfig`
- \* `oc config use-context ci --kubeconfig=ci-bot.kubeconfig`
- \* This produces a self-contained kubeconfig for CI automation.
- \* Test access
- \* `oc --kubeconfig=ci-bot.kubeconfig get pods`

### NEW QUESTION # 41

Configure RBAC roles with users and groups

Task Information : Grant edit to group dev-team in namespace payments, and grant view to user auditor1.

#### Answer:

Explanation:

See the solution below in Explanation:

Explanation:

- \* Create (or switch to) the project
- \* `oc new-project payments`
- \* Namespace must exist before applying rolebindings.
- \* Grant edit to the group
- \* `oc -n payments policy add-role-to-group edit dev-team`
- \* Members of dev-team can modify most resources in payments.
- \* Grant view to a user
- \* `oc -n payments policy add-role-to-user view auditor1`
- \* auditor1 can read resources but not change them.
- \* Verify rolebindings
- \* `oc -n payments get rolebinding`

### NEW QUESTION # 42

Silence an alert in Alertmanager

Task Information : Create an Alertmanager silence for a noisy alert for 2 hours, then confirm it's silenced.

#### Answer:

Explanation:

See the solution below in Explanation:

Explanation:

- \* Find the alert name and labels
- \* Web console: Observe # Alerts # click the alert to view label set.
- \* Open Alertmanager silences
- \* Observe # Alerting # Alertmanager # Silences # Create silence
- \* Explanation: Silences mute alerts matching label filters.
- \* Create the silence
- \* Add matcher: alertname = < ALERT\_NAME >
- \* Duration: 2 hours
- \* Save.
- \* Verify the alert shows as silenced
- \* The alert should indicate it is silenced in the UI.

## NEW QUESTION # 43

.....

Studying for attending EX380 exam pays attention to the method. The good method often can bring the result with half the effort, therefore we in the examination time, and also should know some test-taking skill. The EX380 quiz guide on the basis of summarizing the past years, the answers have certain rules can be found, either subjective or objective questions, we can find in the corresponding module of similar things in common. To this end, the EX380 Exam Dumps have summarized some types of questions in the qualification examination to help you pass the EX380 exam.

**EX380 Pass Rate:** <https://www.realvalidexam.com/EX380-real-exam-dumps.html>

Are you tired of the ponderous paper learning in the preparation for the EX380 test, RedHat Test EX380 Question What is more, the free demo only includes part of the contents, RedHat Test EX380 Question And as long as you click on the website, you will get quick information about what you want to know, And you can find the comments and feedbacks on our website to see that how popular and excellent our EX380 study materials are.

Semicolons are used when the second clause develops the first, Each EX380 Passguide virtual machine is just that: a virtual server that can share processor, memory, and storage of several physical machines.

## Top Test EX380 Question 100% Pass | Efficient EX380 Pass Rate: Red Hat Certified Specialist in OpenShift Automation and Integration

Are you tired of the ponderous paper learning in the preparation for the EX380 test, What is more, the free demo only includes part of the contents, And as long as you EX380 click on the website, you will get quick information about what you want to know.

And you can find the comments and feedbacks on our website to see that how popular and excellent our EX380 study materials are, Buy Red Hat Certified Specialist in OpenShift Automation and Integration (EX380) preparation material from a trusted company such as RealValidExam.

- 2026 Test EX380 Question | High Pass-Rate EX380 Pass Rate: Red Hat Certified Specialist in OpenShift Automation and Integration  Search for  EX380  and download exam materials for free through  [www.examcollectionpass.com](http://www.examcollectionpass.com)   Valid EX380 Test Answers
- 2026 Newest RedHat Test EX380 Question  Open  [www.pdfvce.com](http://www.pdfvce.com)   enter   EX380  and obtain a free download  EX380 Practice Test Pdf
- High-quality Test EX380 Question Offers Candidates Free-download Actual RedHat Red Hat Certified Specialist in OpenShift Automation and Integration Exam Products  Search for  EX380  and download exam materials for free through  [www.exam4labs.com](http://www.exam4labs.com)    Valid EX380 Test Answers
- 2026 Newest RedHat Test EX380 Question  Search for  EX380  and download it for free immediately on { [www.pdfvce.com](http://www.pdfvce.com) }  EX380 Practice Test Pdf
- Exam EX380 Questions  Latest EX380 Exam Materials  Latest EX380 Exam Materials  Simply search for “ EX380 ” for free download on  [www.easy4engine.com](http://www.easy4engine.com)   Latest EX380 Exam Materials
- Latest EX380 Material  Exam EX380 Questions  EX380 Valid Exam Pattern  Search for { EX380 } and obtain a free download on  [www.pdfvce.com](http://www.pdfvce.com)    Latest EX380 Exam Materials
- Pass Guaranteed Quiz High Hit-Rate RedHat - EX380 - Test Red Hat Certified Specialist in OpenShift Automation and Integration Question  Search for  **EX380**  and obtain a free download on { [www.dumpsmaterials.com](http://www.dumpsmaterials.com) }   Simulation EX380 Questions
- 2026 Newest RedHat Test EX380 Question   [www.pdfvce.com](http://www.pdfvce.com)  is best website to obtain  EX380  for free

