

NCP-BC-7.5 Valid Test Questions | NCP-BC-7.5 Test Dump

Task 4: 1.toothache; 2.headache; 3.earache; 4.stomach ache; 5.gough; 6.pain
Vocabulary Test: Full Blast 7, Module 7e- I need some advice
Task 1: 1.e; 2.f; 3.b; 4.a; 5.d; 6.c
Task 2: 1.my age; 2.community center; 3.similar; 4.lose weight; 5.studio; 6.local
Task 3: 1.neighbourhood; 2.lose weight; 3.dietician; 4.care; 5.studio; 6.local
Task 4: 1.lose weight; 2.community center; 3.neighbourhood
Final Test: Full Blast 7, Module 7- Feeling good
Variant 1
Task 1: 1. nightmare, 2. blind, 3. catch up, 4. stomach ache, 5. my age, 6. the flu.
Task 2: 1. awake, 2. neighbourhood, 3. temperature, 4. hairdryer, 5. dietician, 6. lead to.
Task 3: 1. touch, 2. lose weight, 3. studio, 4. tie, 5. consider, 6. dream.
Task 4:
1. I have a toothache, so I am going to the doctor.
2. You should take care of your health.
3. Please go away! I want to be alone.
Variant 2
Task 1: 1. smell, 2. drown, 3. pain, 4. community centre, 5. similar, 6. toothache.
Task 2: 1. sleepy, 2. local, 3. cooked, 4. studio, 5. go away, 6. consider.
Task 3: 1. smell, 2. lose weight, 3. sound, 4. blind, 5. neighbourhood, 6. dietician.
Task 4:
1. I have a high temperature and the flu.
2. My best friend is my age.
3. Don't touch the oven! It is very hot.

Maybe you have set a series of to-do list, but it's hard to put into practice for there are always unexpected changes during the NCP-BC-7.5 exam. Here we recommend our NCP-BC-7.5 test prep to you. With innovative science and technology, our study materials have grown into a powerful and favorable product that brings great benefits to all customers. We are committed to designing a kind of scientific study material to balance your business and study schedule. With our NCP-BC-7.5 Exam Guide, all your learning process includes 20-30 hours.

Our NCP-BC-7.5 preparation materials are willing to give you some help if you want to be better in your daily job and get a promotion on matter on the salary or on the position. Those who have used NCP-BC-7.5 training engine have already obtained an international certificate and have performed even more prominently in their daily work. As it should be, they won the competition. So as they wrote to us that our NCP-BC-7.5 Exam Questions had changed their life.

>> NCP-BC-7.5 Valid Test Questions <<

NCP-BC-7.5 Test Dump - NCP-BC-7.5 Valid Exam Format

I know that you are already determined to make a change, and our NCP-BC-7.5 exam materials will spare no effort to help you. After you purchase our NCP-BC-7.5 practice engine, I hope you can stick with it. We can promise that you really don't need to spend a long time and you can definitely pass the NCP-BC-7.5 Exam. As we have so many customers passed the NCP-BC-7.5 study questions, the pass rate is high as 98% to 100%. And this data is tested. With our NCP-BC-7.5 learning guide, you won't

regret!

Nutanix Certified Professional - Business Continuity (NCP-BC) 7.5 Sample Questions (Q98-Q103):

NEW QUESTION # 98

Recently, several new VMs were deployed as part of an application expansion. Within 24 hours, the administrator notices no recovery points are being created for the new VMs.

During investigation, the administrator observes:

- * Existing VMs in the Protection Policy continue to replicate successfully.
- * No replication task failures are reported.
- * Network connectivity between clusters is healthy.
- * Storage capacity at the remote site is sufficient.
- * The Protection Policy uses category-based entity selection.
- * The newly deployed VMs were provisioned by a separate team.

What is the most likely root cause of the issue?

- A. The recovery plan must be recreated.
- **B. The new VMs were not added to the required category.**
- C. Snapshot retention settings are too low.
- D. The replication schedule must be changed to Nearsync.

Answer: B

Explanation:

Nutanix Disaster Recovery (formerly Leap) utilizes a "policy-driven" approach where virtual machines are protected based on assigned "Categories" rather than individual VM names. This allows for automated protection: any VM tagged with a specific category (e.g., App:Web) is automatically picked up by the associated Protection Policy. When existing VMs are replicating fine but new ones are not, and there are no network or storage errors, the root cause is almost always an administrative oversight during provisioning.

If the separate team that deployed the VMs followed a checklist that didn't include category assignment, those VMs exist as "unprotected entities" in the eyes of Prism Central. The Protection Policy will ignore them because they do not match the entity selection criteria defined in the policy's configuration. To resolve this, the administrator must simply apply the correct category to the new VMs. Once tagged, the Cerebro service will identify the new members during its next scan and initiate the initial full seed replication to the recovery site. This scenario highlights the critical need for cross-team coordination and the use of automated deployment tools (like Nutanix Self-Service or Calm) to ensure that security and BCDR requirements are applied consistently during the VM lifecycle.

NEW QUESTION # 99

A Protection Domain exists with a VM, but no new snapshots are being created and replication never starts.

Which is the most likely DR setup issue?

- **A. The Protection Domain has no schedule configured**
- B. The Protection Domain has no entities that are protected
- C. The remote site has no vStore mapping
- D. Bandwidth throttling is set too low

Answer: A

Explanation:

In a Nutanix legacy Protection Domain (PD) configuration, three primary elements must be in place for data protection to occur: the entities (VMs), the remote site (destination), and the schedule. Even if a VM has been added to a Protection Domain (negating Option A), the cluster will not take any action unless it is explicitly told "when" and "how often" to do so.

If no new snapshots are being created locally and replication is not starting, the most likely issue is that no "Schedule" has been configured for that Protection Domain. The schedule defines the RPO (e.g., hourly, daily) and the retention period for the snapshots. Without an active schedule, the Cerebro service simply has no instruction to initiate the snapshot process. While a missing vStore mapping (Option C) would cause the "replication" to fail, the "local snapshots" would still be created in the PD. Similarly, low bandwidth throttling (Option D) would cause the replication to move slowly or time out, but it would not prevent the initial creation of the local recovery points. Therefore, verifying the presence of a valid, active replication schedule is the mandatory first step for an administrator when a Protection Domain appears to be "idle" despite having VMs assigned to it.

NEW QUESTION # 100

An administrator is validating a newly created Recovery Plan and receives the following warning:

IP addresses xxx.xxx.xxx.xxx cannot be preserved/mapped for VM REPORTVM01.

IP addresses cannot be preserved/mapped for entities

IP might be already in use or will be used by some other VM for recovery. IP cannot be mapped.

Only one IP address can be preserved for a vNIC in an IP address management enabled network.

What can the administrator do to resolve this warning without changing the existing IP address assigned to the VM?

- A. Add an additional vNIC to the VM and assign the IP address to the new vNIC to bypass the IPAM conflict.
- B. Remove and re-add the VM to the Recovery Plan to trigger a fresh IP address mapping validation.
- **C. Configure Custom VM IP Mapping in the Recovery Plan to define explicit IP address mapping for the VM.**
- D. Disable IPAM on the recovery site subnet to allow Nutanix DR to preserve static IP addresses during failover.

Answer: C

Explanation:

IP address management (IPAM) in Nutanix networks ensures that IP assignments are tracked to prevent conflicts. When a Recovery Plan is validated, the orchestrator checks if it can successfully assign the required IPs at the recovery site. The warning occurs when the system detects a potential conflict or cannot automatically "guarantee" the preservation of a static IP, often due to overlapping pools or the way IPAM is configured on the destination subnet.

To resolve this without changing the VM's assigned IP, the administrator should use "Custom VM IP Mapping". This feature allows the administrator to override the default automatic assignment and explicitly state which IP the VM must receive at the recovery site. By manually defining this mapping, the administrator

"claims" the IP within the Recovery Plan's logic, satisfying the validation check and ensuring that the VM boots with its correct identity during a failover. Disabling IPAM (Option A) is often not feasible in production environments, and adding a vNIC (Option B) complicates the VM's OS configuration. Custom IP mapping is the purpose-built administrative tool for resolving IP assignment ambiguity and ensuring predictable recovery in complex, IPAM-enabled networking environments.

NEW QUESTION # 101

Which port needs to be opened between two Prism Centrals to ensure a successful AZ pairing?

- A. 0
- B. 1
- C. 2
- **D. 3**

Answer: D

Explanation:

Disaster recovery orchestration in the Nutanix environment often involves the pairing of two separate Availability Zones (AZs), each managed by its own Prism Central instance. For these two management planes to communicate, exchange metadata, and synchronize Protection Policies and Recovery Plans, specific firewall ports must be open between them.

Port 9440 is the standard port used for all Prism Central and Prism Element web interface and API traffic.

During the AZ pairing process, the primary Prism Central must reach the recovery Prism Central's API to establish the trust relationship and pair the sites. Other ports mentioned, such as 2009 (Option A) and 2020 (Option B), are used for data replication between Controller VMs (CVMs) but are not used for the initial management-plane pairing between Prism Central instances. Port 2074 (Option C) is typically used for Nutanix Guest Tools (NGT) communication with the cluster. Therefore, ensuring port 9440 is open between the two Prism Central instances is a mandatory prerequisite for successful disaster recovery site pairing.

NEW QUESTION # 102

An administrator managing critical VMs has been tasked with designing a Disaster Recovery solution where the VMs are brought up on the target cluster if the source cluster experience any issues. The failover needs to be triggered without any user intervention and with minimal downtime. What automatic failure execution solution is best suited?

- **A. Synchronous Protection policy with witness VM**
- B. Nearsync Protection policy and no witness VM
- C. Synchronous Protection policy and no witness VM

- D. Asynchronous Protection policy with witness VM

Answer: A

Explanation:

To achieve the goal of "minimal downtime" and "no user intervention," a zero-RPO solution with automated failover capabilities is required. In the Nutanix ecosystem, this is accomplished through Synchronous Replication. Unlike Asynchronous or NearSync replication, which rely on snapshot intervals and manual failover triggers, Synchronous replication ensures that data is written to both the local and remote clusters simultaneously. This architecture provides the foundation for zero data loss during a site failure.

However, the "automatic" part of the requirement is fulfilled by the addition of a Witness VM. Without a Witness, a secondary cluster cannot independently determine if the primary cluster has actually failed or if there is merely a network partition. In a "no witness" scenario (Option C), the secondary cluster stays in a passive state to prevent "split-brain" data corruption, requiring an administrator to manually promote the storage. By deploying a Witness VM at a third, independent site, the secondary cluster can communicate with the Witness to "acquire the lock" on the protection domain. Once the Witness confirms the primary site is unreachable, the orchestrator automatically promotes the secondary container and powers on the VMs. This combined solution of a Synchronous Protection Policy and a Witness VM provides the highest level of availability and the fastest possible recovery without requiring human action during the disaster event.

NEW QUESTION # 103

.....

We have professional technicians to examine the website at times, so that we can offer you a clean and safe shopping environment for you if you choose the NCP-BC-7.5 study materials of us. Besides, NCP-BC-7.5 exam dumps contain both questions and answers, and you can have a quickly check after practicing, and so that you can have a better understanding of your training mastery. We have free update for one year, so that you can know the latest information about the NCP-BC-7.5 Study Materials, and you can change your learning strategies in accordance with the new changes.

NCP-BC-7.5 Test Dump: <https://www.suretorrent.com/NCP-BC-7.5-exam-guide-torrent.html>

Nutanix NCP-BC-7.5 Valid Test Questions It just needs one or two days to prepare and if you do these seriously, the test will be easy for you, Generally we are one step ahead in offering the latest premium VCE file for Nutanix NCP-BC-7.5 exams, Usually we sell the accurate and valid practice NCP-BC-7.5 exam dumps pdf and practice exam online, if it is not the latest version we will notice customers to wait the updates, And we can claim that if you study with our NCP-BC-7.5 exam braindumps for 20 to 30 hours, you will pass the exam for sure.

Will these allocations be satisfied by committing more segment NCP-BC-7.5 memory or from the free lists, Auto white balance will destroy the subtle colors of a scene like this.

It just needs one or two days to prepare and if you do these seriously, the test will be easy for you, Generally we are one step ahead in offering the latest premium VCE file for Nutanix NCP-BC-7.5 Exams.

Pass NCP-BC-7.5 Exam with Perfect NCP-BC-7.5 Valid Test Questions by SureTorrent

Usually we sell the accurate and valid practice NCP-BC-7.5 exam dumps pdf and practice exam online, if it is not the latest version we will notice customers to wait the updates.

And we can claim that if you study with our NCP-BC-7.5 exam braindumps for 20 to 30 hours, you will pass the exam for sure, SureTorrent brings the perfect NCP-BC-7.5 PDF Questions that ensure your NCP-BC-7.5 Nutanix Certified Professional - Business Continuity (NCP-BC) 7.5 exam success on the first attempt.

- NCP-BC-7.5 Valid Test Objectives NCP-BC-7.5 Study Material Latest NCP-BC-7.5 Exam Discount Enter « www.validtorrent.com » and search for NCP-BC-7.5 to download for free NCP-BC-7.5 Book Pdf
- 100% Pass Quiz 2026 Nutanix Professional NCP-BC-7.5 Valid Test Questions Immediately open www.pdfvce.com and search for NCP-BC-7.5 to obtain a free download Updated NCP-BC-7.5 Test Cram
- Exam NCP-BC-7.5 Simulator NCP-BC-7.5 Practice Test Online NCP-BC-7.5 PdfFiles Search for NCP-BC-7.5 and easily obtain a free download on www.practicevce.com NCP-BC-7.5 Valid Test Objectives
- NCP-BC-7.5 Valid Test Objectives Updated NCP-BC-7.5 Test Cram New NCP-BC-7.5 Test Questions [www.pdfvce.com] is best website to obtain NCP-BC-7.5 for free download Reliable NCP-BC-7.5 Test Price
- NCP-BC-7.5 Exam Flashcards NCP-BC-7.5 Practice Test Online Updated NCP-BC-7.5 Test Cram Copy

