

PL-400인증시험덤프공부100%유효한최신시험자료



BONUS!!! Fast2test PL-400 시험 문제집 전체 버전을 무료로 다운로드하세요: https://drive.google.com/open?id=1yKkqrjPK5XXgWHFQ55D83o60DT_XRES1

Fast2test사이트에서 제공해드리는 Microsoft PL-400덤프는 실러버스의 갱신에 따라 업데이트되기에 고객님의서 구매Microsoft PL-400덤프가 시중에서 가장 최신버전임을 장담해드립니다. Microsoft PL-400덤프의 문제와 답을 모두 기억하시면Microsoft PL-400시험에서 한방에 패스할수 있습니다.시험에서 불합격 받으시면 결제를 취소해드립니다.

Microsoft PL-400 시험자료를 찾고 계신가요? Fast2test의Microsoft PL-400덤프가 고객님의서 가장 찾고싶은 자료인 것을 믿어의심치 않습니다. Microsoft PL-400덤프에 있는 문제와 답만 기억하시면 시험을 쉽게 패스하여 자격증을 취득할수 있습니다. 시험불합격시 덤프비용 환불가능하기에 시험준비 고민없이 덤프를 빌려쓰는것이라고 생각하시면 됩니다.

>> PL-400인증시험 덤프공부 <<

PL-400인기자격증 시험 덤프자료, PL-400덤프공부

우리 Fast2test에서는 여러분을 위하여 정확하고 우수한 서비스를 제공하였습니다. 여러분의 고민도 덜어드릴 수 있습니다. 빨리 성공하고 빨리Microsoft PL-400인증시험을 패스하고 싶으시다면 우리 Fast2test를 장바구니에 넣으시죠. Fast2test는 여러분의 아주 좋은 합습가이드가 될것입니다. Fast2test로 여러분은 같고 싶은 인증서를 빠른시일내에 얻게될것입니다.

최신 Microsoft Certified: Power Platform Developer Associate PL-400 무료 샘플문제 (Q99-Q104):

질문 # 99

You need to address the user interface issues.

What should you do? To answer, drag the appropriate actions to the correct issues. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Actions	Requirement	Action
Add <code>&ribbondebug=true</code> to the end of the application URL.	Resolve rendering issue for New and Save buttons.	
Export the XML file.	Add email button for registration form.	
Modify the RibbonWSS.xsd file.		
Use Ribbon Workbench.		

정답:

설명:

Actions	Requirement	Action
Add <code>&ribbondebug=true</code> to the end of the application URL.	Resolve rendering issue for New and Save buttons.	Add <code>&ribbondebug=true</code> to the end of the application URL.
Export the XML file.	Add email button for registration form.	
Modify the RibbonWSS.xsd file.		
Use Ribbon Workbench.		Use Ribbon Workbench.

Reference:

<https://support.microsoft.com/en-us/help/4552163/ribbon-troubleshooting-guide>

<https://neilparkhurst.com/2015/10/19/adding-buttons-to-ribbons/>

질문 # 100

You are creating a Web API.

The API must be able to perform the following actions:

- * Create a column in a Microsoft Dataverse table.
- * Update a column for an existing row.

Which HTTP methods should you use? To answer, drag the appropriate HTTP method to the correct requirements. Each HTTP method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

HTTP methods

GET

POST

PATCH

ACCEPT

Answer Area



Requirement

Create a column.
Update a column for an existing row.

HTTP method

정답:

설명:

HTTP methods

GET

POST

PATCH

ACCEPT

Answer Area



Requirement

Create a column.
Update a column for an existing row.

HTTP method

POST

PATCH

Explanation:

HTTP methods

GET

POST

PATCH

ACCEPT

Answer Area

Requirement

Create a column.
Update a column for an existing row.

HTTP method

POST

PATCH

질문 # 101

You need to configure security for the Azure Function and custom connector.

Which security tool should you configure for each item? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Item

Azure Function

Custom connector

Security

Function key

Anonymous

Function key

Azure Active Directory

OAuth 2.0


API Key

OAuth 2.0

Basic authentication

정답:

설명:




질문 # 102

A company uses SharePoint for its intranet and other functions. The company has also implemented model-driven apps. SharePoint users must be able to create contact records in the Common Data Service (CDS), without having to navigate to the model-driven apps.

You need to create a link in SharePoint to open the CDS contact from displaying data from SharePoint.


How should you complete the URL? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



정답:

설명:



Explanation

https://contoso.crm.dynamics.com/main.aspx?etn=contact&extraqs=param_1%3D&pagetype=entityrecord Box 1: main.aspx Example, to open the Active Contacts view.

<https://myorg.crm.dynamics.com/main.aspx?etn=contact&pagetype=entitylist&viewid={00000000-0000-0000-0000-000000000000}> Box 2: etn Etn: The logical name of the entity. Important: Do not use the etc (entity type code) parameter that contains an integer code for the entity. This integer code varies for custom entities in different organizations.

Box 3: Extraqs

Extraqs: Optional for forms. This parameter contains encoded parameters within this parameter.

When you open a new form by using the URL address, you can include arguments in the extraqs parameter to set field values Note: You must encode the parameters passed in the extraqs parameter. To encode the parameters, use encodeURIComponent. To use special characters like "=" or "&" in the parameter values, you must double encode (e.g. to set name to A=B&C, it would be extraqs=name%3DA%253DB%2526C).

Box 4: entityrecord

Reference:

https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/open-forms-views-dialogs-reports-url
 https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/set-field-values-using-parameters-pas

질문 # 103

You are developing a Power Platform solution that uses a plug-in. The plug-in includes the following code (line numbers are included for reference).

```

01 public class updateACCOLmt: IPlugin
02 {
03     public void Execute(IServiceProvider serviceProvider) {
04         var context = (IPluginExecutionContext)serviceProvider.GetService(typeof(IPluginExecutionContext));
05         if (context.Stage != 20)
06             return;
07         var account = (Entity)context.InputParameters["Target"];
08         if (!account.TryGetValue("name", out string _))
09             throw new InvalidPluginExecutionException("Account name is missing");
10         account["accountnumber"] = GenerateAccountNumber();
11     }
12     public string GenerateAccountNumber() {
13         ...
14         return accountNumber;
15     }
16 }
  
```

The plug-in includes a step that is registered in the execution pipeline within the PreOperation stage for the Create message. For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The GenerateAccountNumber method runs if the plug-in step registration is changed to the PostOperation stage.	<input type="radio"/>	<input type="radio"/>
Creating an account in a model-driven app while excluding a name generates the error message "Account name is missing".	<input type="radio"/>	<input type="radio"/>
The Organization service's Update method must run to update the database after setting the accountnumber value.	<input type="radio"/>	<input type="radio"/>

정답:

설명:

Statements	Yes	No
The GenerateAccountNumber method runs if the plug-in step registration is changed to the PostOperation stage.	<input type="radio"/>	<input checked="" type="radio"/>
Creating an account in a model-driven app while excluding a name generates the error message "Account name is missing".	<input checked="" type="radio"/>	<input type="radio"/>
The Organization service's Update method must run to update the database after setting the accountnumber value.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Statements	Yes	No
The GenerateAccountNumber method runs if the plug-in step registration is changed to the PostOperation stage.	<input type="radio"/>	<input checked="" type="radio"/>
Creating an account in a model-driven app while excluding a name generates the error message "Account name is missing".	<input checked="" type="radio"/>	<input type="radio"/>
The Organization service's Update method must run to update the database after setting the accountnumber value.	<input type="radio"/>	<input checked="" type="radio"/>

질문 # 104

.....

Fast2test PL-400 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요: https://drive.google.com/open?id=1yKkqrjPK5XXgWHFQ55D83o60DT_XRESI