


High Hit Rate UiPath Automation Developer Associate v1 Exam Test Torrent Has a High Probability to Pass the Exam



BTW, DOWNLOAD part of DumpsActual UiPath-ADAv1 dumps from Cloud Storage: https://drive.google.com/open?id=18Btsyo3NYei5W9r_PNsbo0o7KZmXTwY6

To gain all these benefits you need to enroll in the UiPath Automation Developer Associate v1 Exam Certification EXAM and put all your efforts to pass the challenging UiPath Automation Developer Associate v1 Exam (UiPath-ADAv1) exam easily. Do you want to gain all these UiPath UiPath-ADAv1 Certification personal and professional advantages? Looking for the quick, proven, and easiest way to pass the final UiPath-ADAv1 exam?

In today's highly developed and toughly competitive society, professional certificates are playing crucial importance for individuals like UiPath-ADAv1. The choices of useful UiPath-ADAv1 study materials have become increasingly various which serve to convey information about the UiPath-ADAv1 Exam. And we have become a famous brand for we have engaged in this career. If you choose our UiPath-ADAv1 practice engine, you will find the shortcut to the success.

>> Latest UiPath-ADAv1 Exam Experience <<

UiPath Latest UiPath-ADAv1 Exam Experience With Interactive Test Engine & High Pass-rate Q&A

We have always been known as the superior after sale service provider, since we all tend to take lead of the whole process after you choose our UiPath-ADAv1 exam questions. So you have no need to trouble about our UiPath-ADAv1 study materials, if you have any questions, we will instantly response to you. Our UiPath-ADAv1 Training Materials will continue to pursue our passion for better performance and comprehensive service of UiPath-ADAv1 exam.

UiPath UiPath-ADAv1 Exam Syllabus Topics:


Topic	Details
Topic 1	<ul style="list-style-type: none">UI Automation: Here, the topic explains how UI Automation works and offer guidance on using the Modern Recorder and associated activities. It also covers UI synchronization and the configuration of static and dynamic descriptors.
Topic 2	<ul style="list-style-type: none">Libraries and Templates: This topic covers the creation, publication, and consumption of process libraries, along with the sharing and access of templates, promoting efficient project development and standardization.

Topic 3	<ul style="list-style-type: none"> • Business Knowledge: This topic covers the fundamental concepts of business process automation, highlighting its value proposition. It also explores key ideas related to business processes, offering a comprehensive understanding of this domain.
Topic 4	<ul style="list-style-type: none"> • Excel Automation: The section delves into Excel Automation, showcasing the use of modern Excel activities and workbook-level operations.
Topic 5	<ul style="list-style-type: none"> • Studio Interface: Here, the topic guides users through installing Studio Community Edition and connecting to Orchestrator. It covers profile differences, backstage view options, compatibility modes, and package management. Additionally, it offers an in-depth exploration of the Studio interface and its various elements.
Topic 6	<ul style="list-style-type: none"> • Object Repository: This topic covers the creation, publication, and consumption of UI Libraries, including the use of static and dynamic descriptors, offering a structured approach to UI element management.
Topic 7	<ul style="list-style-type: none"> • Working with Files and Folders: Here, you explore creating, managing, and navigating local files and folders, providing a foundation for file system automation.
Topic 8	<ul style="list-style-type: none"> • Platform Knowledge: The section provides an overview of UiPath's product suite, including Studio and Robot variants, Orchestrator, and Integration Service, showcasing their unique contributions. It also emphasizes the benefits of Academy, Forum, and Marketplace in the UiPath ecosystem.
Topic 9	<ul style="list-style-type: none"> • Logging: The section provides insights into interpreting robot execution logs and adhering to logging best practices, ensuring effective issue identification and resolution.
Topic 10	<ul style="list-style-type: none"> • Control Flow: The section explains the functionality of control flow activities and their impact on workflow types. It covers the use of sequence and flowchart layouts. Lastly, it focuses on implementing IF, For Each, and While activities, among others.
Topic 11	<ul style="list-style-type: none"> • Workflow Analyzer: Here, the topic introduces the Workflow Analyzer tool, explaining its use for project analysis and validation, and providing guidance on configuring its settings.
Topic 12	<ul style="list-style-type: none"> • Implementation Methodology: The section offers an overview of project implementation stages, interpretation of PDDs and SDDs, and the conduct of automation project peer reviews, ensuring a structured approach to development.
Topic 13	<ul style="list-style-type: none"> • PDF Automation: The section focuses on data extraction from native and scanned PDFs, including single and multiple document scenarios.
Topic 14	<ul style="list-style-type: none"> • Variables and Arguments: This topic introduces data types and delves into creating, managing, and utilizing variables, arguments, and global constants • variables. It also clarifies the distinctions between these concepts, ensuring a comprehensive understanding of data handling in automation projects.

UiPath Automation Developer Associate v1 Exam Sample Questions (Q99-Q104):

NEW QUESTION # 99

A developer has created the following workflow:



Based on the exhibit, which output is produced in the Output panel?

- A. Hello
- B. World Hello
- C. World
- D. Hello World

Answer: D

Explanation:

The output panel will display "Hello World" because the workflow is designed to first display "Hello" and then "World" in the output panel. The workflow starts with an Assign activity that initializes the Boolean flag to True. Then, the While activity checks if the flag is True. If it is, the workflow enters the Body section of the While activity. Inside the Body section, the workflow checks if the flag is True. If it is, the workflow enters the Then section of the If activity and displays "Hello" in the output panel. Then, the Assign activity sets the flag to False. Since the flag is now False, the workflow enters the Else section of the If activity and displays "World" in the output panel. Finally, the workflow exits the While activity since the flag is now False.

NEW QUESTION # 100

The provided exhibit displays the representation of the "Deadline" field using the yyyy-mm-dd format.

Queue Item Name	Deadline	Priority
EmployeeID1		Normal
EmployeeID2	2050-01-01	High
EmployeeID3	2050-01-02	High
EmployeeID4	2050-01-01	Normal
EmployeeID5	2050-01-02	Low
EmployeeID6		High
EmployeeID7	2050-01-01	Low
EmployeeID8	2050-01-01	Normal
EmployeeID9		Low

In what order should the Queue Items be processed by a single robot executing a Performer workflow?

Queue Item

EmployeeID1

EmployeeID2

EmployeeID3

EmployeeID4

EmployeeID5

EmployeeID6

EmployeeID7

EmployeeID8

EmployeeID9

Order to be Processed

1st

2nd

3rd

4th

5th

6th


7th

8th

9th

Answer:

Explanation:



Explanation

The Queue Items should be processed by a single robot executing a Performer workflow in the following order:

EmployeeID1
EmployeeID4
EmployeeID8
EmployeeID3
EmployeeID6
EmployeeID9
EmployeeID5
EmployeeID2
EmployeeID7

A queue is a container that holds an unlimited number of items that can be processed by a robot¹. A queue item can have a deadline and a priority, which affect the order in which the robot retrieves the items from the queue². The Performer workflow is a part of the REFramework template that processes the queue items using the Get Transaction Item activity³. The order of queue execution is determined by the following rules⁴:

Items that have a deadline are processed first, in order of priority and according to the set deadline for items with the same priority. Items that have no deadline are processed next, in order of priority and according to the rule First In, First Out for items with the same priority.

Based on these rules and the exhibit, the order of queue execution is as follows:

EmployeeID1 has the earliest deadline (2050-01-01) and high priority, so it is processed first.

EmployeeID4 has the same deadline as EmployeeID1, but normal priority, so it is processed second.

EmployeeID8 has the same deadline and priority as EmployeeID4, but it was added later to the queue, so it is processed third.

EmployeeID3 has the next earliest deadline (2050-01-02) and high priority, so it is processed fourth.

EmployeeID6 has the same deadline as EmployeeID3, but normal priority, so it is processed fifth.

EmployeeID9 has the same deadline and priority as EmployeeID6, but it was added later to the queue, so it is processed sixth.

EmployeeID5 has no deadline, but high priority, so it is processed seventh.

EmployeeID2 has no deadline and normal priority, so it is processed eighth.

EmployeeID7 has no deadline and low priority, so it is processed ninth.

References:

About Queues and Transactions documentation from UiPath

Processing Order documentation from UiPath

Performer documentation from UiPath


Order processing queue forum post from UiPath Community

NEW QUESTION # 101

The following table is stored in a variable called "dt".

	A	UiPath	C
1	No.	Item	Quantity
2		1 apple	10
3		2 orange	20
4		3 mango	5
5		4 kiwi	80
6		5 pear	1

What will the value of the qty variable be after executing the Assign activity?



- A. 0
- B. null
- C. 1
- D. 2

Answer: A

Explanation:

Explanation


The Assign activity is used to assign a value to a variable. In this case, the variable is "qty". The value of the variable will be 80 after executing the Assign activity because the expression in the Assign activity is

"dt.AsEnumerable().Where(Function(x) x("Item").ToString.Equals("mango")).Select(Function(y) y("Quantity")).ToString". This expression is filtering the data table "dt" for rows where the "Item" column is equal to "mango" and then selecting the "Quantity" column from those rows. Since there is only one row in the data table where "Item" is equal to "mango", the value of the "Quantity" column in that row is 80. (UiPath Studio documentation) References:

[Assign - UiPath Activities].


NEW QUESTION # 102

A developer is using the REFramework template to automate a process. In "SetTransactionStatus" file, there is the following sequence of activities, where the last Log Message activity was added by the developer:



The configuration for Add Log Fields and Remove Log Fields activities are shown below:

Add transaction log fields (Success)



The developer runs the process and notices the argument values for the first transaction are:

in_TransactionID = "07/18/2023 10:27:29"

io_TransactionNumber = 1

in_TransactionField1 = "UI235-80"

in_TransactionField2 = "Update Request"

Which of the following Log Message Details will be displayed when executing the activity Log Message Completed for the first transaction, considering it is successful?

- A. "message": "Transaction Completed",
"level": "Information",
"logType": "User",
"timeStamp": "10:30:19",
"fileName": "SetTransactionStatus",
"processVersion": "1.0.0",
"jobId": "f8a36a46-8ebc-40df-8f71-26b39087ebee",

- ```

"robotName": "test.robot",
"machineId": 0,
"logF_BusinessProcessName": "Framework"
}

```
- B. "message": "Transaction Completed",  
"level": "Information",  
"logType": "User",  
"timeStamp": "10:30:19",  
"fileName": "SetTransactionStatus",  
"processVersion": "1.0.0",  
"jobId": "59325301-680a-4d55-a81b-56ca1f369c12",  
"robotName": "test.robot",  
"machineId": 0,  
"logF\_TransactionField2": ""  
"logF\_TransactionStatus":  
"logF\_TransactionID": "",  
"logF\_BusinessProcessName": "Framework",  
"logF\_TransactionNumber": ""  
"logF\_TransactionField1":  
}
  - C. "message": "Transaction Completed",  
"level": "Information",  
"logType": "User",  
"timeStamp": "10:30:19",  
"fileName": "SetTransactionStatus",  
"processVersion": "1.0.0",  
"jobId": "59325301-680a-4d55-a81b-56ca1f369c12",  
"robotName": "test.robot",  
"machineId": 0,  
"logF\_TransactionField2": empty,  
"logF\_TransactionStatus": empty,  
"logF\_TransactionID": empty,  
"logF\_BusinessProcessName": "Framework",  
"logF\_TransactionNumber": empty,  
"logF\_TransactionField1": empty  
}
  - D. "message": "Transaction Completed",  
"level": "Information",  
"logType": "User",  
"timeStamp": "10:30:19",  
"fileName": "SetTransactionStatus",  
"processVersion": "1.0.0",  
"jobId": "cb865477-35f8-4c0a-93e9-e4f4246223f2",  
"robotName": "test.robot",  
"machineId": 0,  
"logF\_TransactionField2": "Update Request",  
"logF\_TransactionID": "07/18/2023 10:27:29",  
"logF\_BusinessProcessName": "Framework",  
"logF\_TransactionNumber": "1",  
"logF\_TransactionField1": "UI235-80",  
"logF\_TransactionStatus": "Success"

**Answer: D**

Explanation:

The Log Message activity is used to write a diagnostic message at a specified level to the output panel, the log file, and Orchestrator1. The message can include custom log fields that are added by the Add Log Fields activity and removed by the Remove Log Fields activity2. In this case, the developer has added six log fields in the Add transaction log fields (Success) sequence and removed three of them in the Remove transaction log fields sequence. Therefore, the remaining three log fields (logF\_TransactionField2, logF\_TransactionID, and logF\_TransactionStatus) will be displayed along with the default log fields (message, level, logType, timeStamp, fileName, processVersion, jobId, robotName, and machineId) when executing the Log

Message Completed activity. The values of the log fields will be taken from the corresponding arguments of the Set Transaction Status activity.

References:

Add Log Fields activity documentation from UiPath

Remove Log Fields activity documentation from UiPath

Log Message activity documentation from UiPath

### NEW QUESTION # 103

What status needs to be selected in the Set Transaction Status activity in UiPath Studio so that the respective Queue Item will be retried?

- A. Retried
- B. Abandoned
- **C. Failed**
- D. Postponed

**Answer: C**

Explanation:

The Set Transaction Status activity is used to mark the result of a queue item processing<sup>1</sup>. If the queue item fails with an application exception, it can be retried by setting its status to Failed<sup>2</sup>. The Retried status is automatically assigned by Orchestrator when a retry is triggered<sup>3</sup>. The Abandoned status is applied when a queue item remains in progress for too long without being processed<sup>4</sup>. The Postponed status is used to delay the processing of a queue item until a specific date and time.

References:

Managing Queues in Studio documentation, Step 9: Set Transaction Status section Queue Item Statuses documentation, Retried section Automation Best Practices documentation, Queue Item Status section Queue Item Statuses documentation, Abandoned section Queue Item Statuses documentation, Postponed section

### NEW QUESTION # 104

.....

Get the Most Recent UiPath UiPath-ADAv1 Exam Questions for Guaranteed Success: It would be really helpful to purchase UiPath Automation Developer Associate v1 Exam (UiPath-ADAv1) exam dumps right away. If you buy this UiPath Certification Exams product right now, we'll provide you with up to 365 days of free updates for UiPath Automation Developer Associate v1 Exam (UiPath-ADAv1) authentic questions. You can prepare using these no-cost updates in accordance with the most recent test content changes provided by the UiPath UiPath-ADAv1 exam dumps.

**Reliable UiPath-ADAv1 Test Preparation:** <https://www.dumpsactual.com/UiPath-ADAv1-actualtests-dumps.html>

- Latest UiPath-ADAv1 Test Sample □ UiPath-ADAv1 Test Voucher □ Exam UiPath-ADAv1 Introduction □ Search for **【 UiPath-ADAv1 】** and download it for free on ⇒ [www.vce4dumps.com](http://www.vce4dumps.com) ⇐ website ♥ New UiPath-ADAv1 Test Syllabus
- UiPath-ADAv1 Latest Braindumps Ppt □ UiPath-ADAv1 Latest Mock Test □ UiPath-ADAv1 Exam Study Solutions □ □ Search for 「 UiPath-ADAv1 」 and obtain a free download on ▷ [www.pdfvce.com](http://www.pdfvce.com) ◁ □ Latest UiPath-ADAv1 Test Sample
- 2026 Perfect UiPath-ADAv1 – 100% Free Latest Exam Experience | Reliable UiPath-ADAv1 Test Preparation □ Search for ➡ UiPath-ADAv1 □ and download it for free on ➡ [www.practicevce.com](http://www.practicevce.com) □ website □ Exam UiPath-ADAv1 Vce
- Pass Guaranteed Quiz 2026 UiPath Fantastic Latest UiPath-ADAv1 Exam Experience □ Easily obtain free download of { UiPath-ADAv1 } by searching on ➡ [www.pdfvce.com](http://www.pdfvce.com) □ □ UiPath-ADAv1 Latest Braindumps Ppt
- The Benefits of Using Desktop UiPath UiPath-ADAv1 Practice Test Software □ Search for 《 UiPath-ADAv1 》 and download it for free immediately on □ [www.vceengine.com](http://www.vceengine.com) □ □ Latest UiPath-ADAv1 Guide Files
- Latest UiPath-ADAv1 Test Sample □ UiPath-ADAv1 Test Voucher □ Exam UiPath-ADAv1 Cost □ Open ☼ [www.pdfvce.com](http://www.pdfvce.com) □ ☼ □ and search for □ UiPath-ADAv1 □ to download exam materials for free □ Latest UiPath-ADAv1 Guide Files
- Prepare for Your UiPath UiPath-ADAv1 Exam with Confidence Using □ Search for ➡ UiPath-ADAv1 □ and download exam materials for free through ▶ [www.vceengine.com](http://www.vceengine.com) ◀ □ UiPath-ADAv1 Authorized Pdf
- PDF UiPath-ADAv1 Download □ PDF UiPath-ADAv1 Download □ New UiPath-ADAv1 Test Blueprint □ Easily obtain free download of ➡ UiPath-ADAv1 □ by searching on 《 [www.pdfvce.com](http://www.pdfvce.com) 》 □ UiPath-ADAv1 Test Answers

- BTW, DOWNLOAD part of DumpsActual UiPath-ADAv1 dumps from Cloud Storage: [https://drive.google.com/open?id=18Btsyo3NYei5W9r\\_PNsbo0o7KZmXTwY6](https://drive.google.com/open?id=18Btsyo3NYei5W9r_PNsbo0o7KZmXTwY6)

BTW, DOWNLOAD part of DumpsActual UiPath-ADAv1 dumps from Cloud Storage: [https://drive.google.com/open?id=18Btsyo3NYei5W9r\\_PNsbo0o7KZmXTwY6](https://drive.google.com/open?id=18Btsyo3NYei5W9r_PNsbo0o7KZmXTwY6)