

FCP_FMG_AD-7.6최신버전덤프자료 & FCP_FMG_AD-7.6유효한최신버전덤프



참고: Fast2test에서 Google Drive로 공유하는 무료, 최신 FCP_FMG_AD-7.6 시험 문제집이 있습니다:
<https://drive.google.com/open?id=11NzVWYlXCVhBS2q4kH-Gc6zEk9GtCcNx>

Fortinet 인증 FCP_FMG_AD-7.6 시험에 도전해보려고 하는데 공부할 내용이 너무 많아 스트레스를 받는 분들은 지금 보고계시는 공부자료는 책장에 다시 넣으시고 Fast2test의 Fortinet 인증 FCP_FMG_AD-7.6 덤프 자료에 주목하세요. Fast2test의 Fortinet 인증 FCP_FMG_AD-7.6 덤프는 오로지 Fortinet 인증 FCP_FMG_AD-7.6 시험에 대비하여 제작된 시험 공부 가이드로서 시험 패스율이 100%입니다. 시험에서 떨어지면 덤프 비용 전액 환불해드립니다.

Fortinet FCP_FMG_AD-7.6 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none"> Advanced Configuration: This section of the exam measures the skills of Network Security Engineers and includes knowledge of high availability (HA), FortiGuard service configuration, and global database ADOM settings. These advanced functions help strengthen system reliability and streamline management at a larger scale.
주제 2	<ul style="list-style-type: none"> Administration: This section of the exam measures the skills of System Administrators and covers the essential features of FortiManager. It includes the initial configuration process and the setup of administrative domains (ADOMs), ensuring smooth system management.
주제 4	<ul style="list-style-type: none"> Troubleshooting
주제 5	<ul style="list-style-type: none"> Policy and Objects: This section of the exam measures the skills of System Administrators and evaluates their ability to manage policies and objects within FortiManager. It involves ADOM revisions, workspace mode, and policy imports and installations, emphasizing consistent policy control across networks.

>> FCP_FMG_AD-7.6 최신버전 덤프자료 <<

FCP_FMG_AD-7.6 최신버전 덤프자료 완벽한 시험덤프 샘플문제 다운로드

Fortinet 인증 FCP_FMG_AD-7.6 시험을 패스하기 위하여 잠을 설쳐가며 시험준비 공부를 하고 계신 분들은 이 글을 보는 즉시 공부방법이 틀렸구나 하는 생각이 들것입니다. Fast2test의 Fortinet 인증 FCP_FMG_AD-7.6 덤프는 실제 시험을 대비하여 제작한 최신버전 공부자료로서 문항수도 적합하여 불필요한 공부는 하지 않으셔도 되게끔 만들어져 있습니다. 가격도 착하고 시험패스율 높은 Fast2test의 Fortinet 인증 FCP_FMG_AD-7.6 덤프를 애용해보세요. 놀라운 기적을 안겨드릴것입니다.

최신 Fortinet Network Security Expert FCP_FMG_AD-7.6 무료샘플문제 (Q24-Q29):

질문 # 24

What allows FortiManager to run CLI scripts on FortiGate devices without prompting for SSH authentication each time?

- A. The script using the Remote FortiGate Directly via CLI option.
- B. FortiGate devices using the legacy login method.
- C. The secure management tunnel between FortiManager and FortiGate devices.
- D. The script on the FortiManager device database.

정답: C

설명:

The correct answer is B . The FortiManager 7.6 Administrator Study Guide explicitly states: "CLI scripts use the FGFM tunnel and the FGFM tunnel is authenticated using the FortiManager and FortiGate serial numbers." It also states: "Tcl scripts do not run through the FGFM tunnel like CLI scripts do. Tcl scripts use SSH to tunnel through FGFM and they require SSH authentication to do so." This is the exact reason CLI scripts can run without prompting for SSH authentication every time: they use the existing secure FGFM management tunnel , not a separate interactive SSH login. The FGFM section of the study guide also confirms that this is a secure communication tunnel established between FortiManager and managed FortiGate devices.

So the enabler is not legacy login, script location, or the "Remote FortiGate Directly" option by itself. It is the FGFM secure management tunnel .

질문 # 25

Refer to the exhibit. Which statement about the environment shown in the exhibit is true?

Cluster status

Cluster Status ↑

SN	Mode	IP	Sync Status	Enable	Module Data Synchronized	Pending Module Data
FMG-VMTM24012570	Primary	192.168.2.100	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.0 KB	0.0 KB
FMG-VMTM24012572	Secondary	192.168.2.101	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0.0 KB	0.0 KB

Cluster Settings

Failover Mode: Manual VRRP

Operation Mode: Standalone Primary Secondary

Peer IP and Peer SN

IP Type	Peer IP	Peer SN	Action
IPv4	192.168.2.101	FMG-VMTM24012572	<input type="button" value="x"/> <input type="button" value="+"/>

Cluster ID: 1 (1-64)

Group Password:

File Quota: 4096 MB (2048-20480)

Heart Beat Interval: 10 Seconds

Failover Threshold: 30 (1-255)

VIP: _____

VRRP Interface:

Priority: 1 (1-253)

Unicast:

Monitored IP

IP	Interface	Action
_____	<input type="button" value="Click to select"/>	<input type="button" value="-"/> <input type="button" value="x"/> <input type="button" value="+"/>

Download Debug Log:

- A. No FortiGuard packages have been synchronized between the cluster member.
- B. A failover will take place after five minutes without receiving heartbeat packets.
- C. FortiAnalyzer features are not enabled on this FortiManager device.
- D. You must restart the secondary device if you promote it to primary.

정답: C

설명:

HA is not supported if you have the FortiAnalyzer features enabled on FortiManager.

질문 # 26

The administrator uses FortiManager to push a CLI script using the Remote FortiGate Directly (via CLI) option to configure an IPsec VPN. However, when running the script, the administrator receives the following error: config vpn ipsec phase2-interface [parameter(s) invalid. detail: object mismatch] What must the administrator do to resolve the script error and successfully apply the IPsec configuration?

- A. Use IPsec templates to deploy provisioning templates.
- B. Add a second config vpn ipsec phase2-interface block without linking it to phase1.
- C. Add the end command after finishing the IPsec phase 1-interface configuration block.
- D. Run the script using the policy package or ADOM database method.

정답: D

설명:

Running the script through the policy package or ADOM database method allows FortiManager to properly interpret object relationships and dependencies in the IPsec configuration, preventing object mismatch errors when pushing complex VPN settings directly via CLI.

When a script is run using Remote FortiGate Directly via CLI, FortiManager sends the commands straight to the FortiGate and does not preview or validate dependent objects first. The study guide also explains that scripts containing ADOM-level objects or dynamic mappings must be executed on the Policy Package or ADOM Database, then installed through the installation workflow. That matches this IPsec error scenario, where phase2-interface is referencing an object relationship that FortiManager cannot properly validate in direct CLI mode. Therefore, the administrator should run the script on the policy package or ADOM database method, then install it.

Option A addresses only one possible syntax issue. B is a valid deployment approach in general, but it is not what the question asks as the direct fix for this script execution error. C is incorrect and would not resolve the object dependency mismatch.

질문 # 27

Which output is displayed right after moving the ISFW device from one ADOM to another?

- A.

```
FortiManager # diagnose dvm device list ISFW
--- There are currently 4 devices/vdoms managed ---
--- There are currently 4 devices/vdoms count for license ---

TYPE      OID      SN      HA      IP      NAME      ADOM      IPS      FIRMWARE
fmgfaz-managed 325    FGVMO10000077646 -    10.0.1.200    ISFW      ADOM74    6.00741 (regular) 7.0 MR4 (2463)
|- STATUS: dev-db: not modified; conf: in sync; cond: OK; dm: installed; conn: up
|- vdom:[3]root flags:0 adom:ADOM74 pkg:[imported]ISFW
```

- B.
- C.

```
FortiManager # diagnose dvm device list ISFW
--- There are currently 4 devices/vdoms managed ---
--- There are currently 4 devices/vdoms count for license ---

TYPE      OID      SN      HA      IP      NAME      ADOM      IPS      FIRMWARE
fmgfaz-managed 325    FGVMO10000077646 -    10.0.1.200    ISFW      ADOM74    6.00741 (regular) 7.0 MR4 (2463)
|- STATUS: dev-db: not modified; conf: in sync; cond: OK; dm: autoupdated; conn: up
|- vdom:[3]root flags:1 adom:ADOM74 pkg:[out-of-sync]ISFW
```

```
FortiManager # FortiManager # diagnose dvm device list ISFW
--- There are currently 4 devices/vdoms managed ---
--- There are currently 4 devices/vdoms count for license ---

TYPE      OID      SN      HA      IP      NAME      ADOM      IPS      FIRMWARE
fmgfaz-managed 325    FGVMO10000077646 -    10.0.1.200    ISFW      ADOM74    6.00741 (regular) 7.0 MR4 (2463)
|- STATUS: dev-db: not modified; conf: in sync; cond: OK; dm: installed; conn: up
|- vdom:[3]root flags:0 adom:ADOM74 pkg:[never-installed]
```

- D.

```
FortiManager # diagnose dvm device list ISFW
--- There are currently 4 devices/vdoms managed ---
--- There are currently 4 devices/vdoms count for license ---

TYPE      OID      SN      HA      IP      NAME      ADOM      IPS      FIRMWARE
fmgfaz-managed 325    FGVMO10000077646 -    10.0.1.200    ISFW      ADOM74    6.00741 (regular) 7.0 MR4 (2463)
|- STATUS: dev-db: not modified; conf: in sync; cond: OK; dm: retrieved; conn: up
|- vdom:[3]root flags:0 adom:ADOM74 pkg:[unknown]ISFW
```

정답: C

설명:

Never Installed - The assigned policy package is not the result of an import for this device, and the package has not been installed since it has been assigned to this device.

질문 # 28

Refer to the exhibit. Which two statements about the output are true? (Choose two.)

```
FortiManager # diagnose dvm device list
--- There are currently 6 devices/vdoms managed ---
--- There are currently 6 devices/vdoms count for license ---

TYPE      OID      SN      HA      IP      NAME      ADOM      IPS      FIRMWARE      Hw_GenX
fmgfaz-managed 188    FGVMO2TM24013504 -    100.65.1.111    BR1-FGT-1    My_ADOM    7.0 MR6 (3401) N/A
|- STATUS: dev-db: not modified; conf: in sync; cond: pending; dm: installed; conn: up; template:[modified]default
|- vdom:[3]root flags:0 adom:My_ADOM pkg:[imported]BR1-FGT-1
```

- A. Configuration changes have been installed on FortiGate, updating policy and device-level database.
- B. The system template default will override device-level database configurations.
- C. The latest revision history for the managed FortiGate does match the FortiManager policy database.
- D. The latest revision history for the managed FortiGate does not match the device-level database.

정답: C,D

설명:

- conf: in sync - This is the sync status which shows that the latest revision history is in sync with Fortigate's configuration. There is a new modification on FortiManager device level DB (dev-db: modified) which wasn't installed to FortiGate (cond: pending).

질문 # 29

.....

IT전문가들이 자신만의 경험과 끊임없는 노력으로 작성한 Fortinet FCP_FMG_AD-7.6덤프에 관심이 있는데 선뜻 구매결정을 내릴수없는 분은Fortinet FCP_FMG_AD-7.6덤프 구매 사이트에서 메일주소를 입력한후 DEMO를 다운받아 문제를 풀어보고 구매할 수 있습니다. 자격증을 많이 취득하면 좋은 취업문도 넓어집니다. Fortinet FCP_FMG_AD-7.6 덤프로Fortinet FCP_FMG_AD-7.6시험을 패스하여 자격증을 쉽게 취득해보지 않으실래요?

FCP_FMG_AD-7.6유효한 최신버전 덤프 : https://kr.fast2test.com/FCP_FMG_AD-7.6-premium-file.html

- FCP_FMG_AD-7.6 100%시험패스 공부자료 □ FCP_FMG_AD-7.6인기자격증 최신시험 덤프자료 □ FCP_FMG_AD-7.6덤프공부 □ ➡ www.passtip.net □□□에서➡ FCP_FMG_AD-7.6 ◀를 검색하고 무료 다운로드 받기FCP_FMG_AD-7.6시험패스 가능한 공부자료
- FCP_FMG_AD-7.6최신버전 덤프자료 인증시험 □☀️□에서 검색만 하면▶ FCP_FMG_AD-7.6 □를 무료로 다운로드할 수 있습니다FCP_FMG_AD-7.6적중을 높은 인증덤프
- FCP_FMG_AD-7.6인증덤프문제 ☺ FCP_FMG_AD-7.6시험패스 가능한 공부자료 □ FCP_FMG_AD-7.6유효한 인증공부자료 □ 검색만 하면□ www.koreadumps.com □에서➡ FCP_FMG_AD-7.6 □□□무료 다운로드 FCP_FMG_AD-7.6높은 통과율 시험덤프문제
- 100% 유효한 FCP_FMG_AD-7.6최신버전 덤프자료 시험대비자료 □ 지금□ www.itdumpskr.com □에서▶ FCP_FMG_AD-7.6 □를 검색하고 무료로 다운로드하세요FCP_FMG_AD-7.6인증덤프문제
- FCP_FMG_AD-7.6최신버전 덤프자료 최신버전 덤프자료 □ □ www.dumptop.com □에서 검색만 하면 「 FCP_FMG_AD-7.6 」 를 무료로 다운로드할 수 있습니다FCP_FMG_AD-7.6시험패스 가능한 공부자료
- FCP_FMG_AD-7.6최신버전 덤프자료 덤프샘플문제 □ 시험 자료를 무료로 다운로드하려면 (www.itdumpskr.com) 을 통해“FCP_FMG_AD-7.6 ”를 검색하십시오FCP_FMG_AD-7.6덤프공부
- Fortinet FCP_FMG_AD-7.6 인증시험 □ 무료로 다운로드하려면 《 www.pass4test.net 》 로 이동하여▶ FCP_FMG_AD-7.6 ◀를 검색하십시오FCP_FMG_AD-7.6덤프공부
- Fortinet FCP_FMG_AD-7.6 인증시험 □ □ www.itdumpskr.com □에서 검색만 하면▶ FCP_FMG_AD-7.6 □를 무료로 다운로드할 수 있습니다FCP_FMG_AD-7.6최신덤프
- 완벽한 FCP_FMG_AD-7.6최신버전 덤프자료 덤프샘플문제 다운로드 □ “ www.koreadumps.com ”에서 검색만 하면▶ FCP_FMG_AD-7.6 □를 무료로 다운로드할 수 있습니다FCP_FMG_AD-7.6유효한 인증공부자료
- FCP_FMG_AD-7.6덤프공부 □ FCP_FMG_AD-7.6최고기출문제 □ FCP_FMG_AD-7.6높은 통과율 시험덤프문제 □ 지금□ www.itdumpskr.com □을(를) 열고 무료 다운로드를 위해 □ FCP_FMG_AD-7.6 □를 검색하십시오FCP_FMG_AD-7.6인증덤프문제
- FCP_FMG_AD-7.6최신 업데이트버전 시험자료 □ FCP_FMG_AD-7.6시험패스 가능한 인증공부 □ FCP_FMG_AD-7.6퍼펙트 덤프문제 □ 무료 다운로드를 위해 지금 ➡ kr.fast2test.com □□□에서□ FCP_FMG_AD-7.6 □검색FCP_FMG_AD-7.6퍼펙트 덤프데모 다운로드
- lilliskiq231003.blogdeazar.com, laytnihqe078474.ambien-blog.com, training.emecbd.com, deamatxzi912108.blogcudinti.com, fanniesbj836402.dreamyblogs.com, atozbookmark.com, zubairlled975486.blogofchange.com, www.stes.tyc.edu.tw, socialeivity.com, blanchebwuf811352.iyublog.com, Disposable vapes

Fast2test FCP_FMG_AD-7.6 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요:
<https://drive.google.com/open?id=11NzVWyLXCvHBS2q4kH-Gc6zEk9GtCcNx>