

Kostenlos JN0-664 dumps torrent & Juniper JN0-664 Prüfung prep & JN0-664 examcollection braindumps



2026 Die neuesten Pass4Test JN0-664 PDF-Versionen Prüfungsfragen und JN0-664 Fragen und Antworten sind kostenlos verfügbar: <https://drive.google.com/open?id=1s7JWmYCFAIP1LDNURchfF8dkore4Iad9>

Das Zertifikat von Juniper JN0-664 kann Ihnen sehr viel helfen. Mit dem Zertifikat können Sie befördert werden. Und Ihr Lebensniveau wird sich sicher verbessern. Das Juniper JN0-664 Zertifikat bedeutet für Sie einen großen Reichtum. Die Juniper JN0-664 (Service Provider, Professional (JNCIP-SP)) Zertifizierungsprüfung ist ein Test für die IT-Fachleute. Die Prüfungsmaterialien zur Juniper JN0-664 Zertifizierungsprüfung sind die besten und umfassendsten. Nun stellt Pass4Test Ihnen die besten und optimalen Prüfungsmaterialien zur JN0-664 Zertifizierungsprüfung zur Verfügung, die Prüfungsfragen und Antworten enthalten.

Seit Jahren gilt Pass4Test als der beste Partner für die IT-Prüfungsteilnehmer. Sie bietet reichliche Ressourcen der Prüfungsunterlagen. Die Bestehensquote der Kunden, die Juniper JN0-664 Prüfungssoftware benutzt haben, erreicht eine Höhe von fast 100%. Diese befriedigte Feedbacks geben wir mehr Motivation, die zuverlässige Qualität von Juniper JN0-664 weiter zu versichern. Wir wünschen Ihnen, durch das Bestehen der Juniper JN0-664 das Gefühl des Erfolgs empfinden, weil es uns auch das Gefühl des Erfolges mitbringt.

>> JN0-664 PDF Testsoftware <<

JN0-664 Online Praxisprüfung & JN0-664 Deutsch Prüfungsfragen

Wissen Sie Juniper JN0-664 Dumps von Pass4Test? Warum sind diese Dumps von den Benutzern gut bewertet? Wollen Sie diese Dumps probieren? Klicken Sie bitte Pass4Test Website und die Demo herunterladen. Und jedr Fragenkatalog hat eine kostenlose Demo. Wenn Sie es gut finden, können Sie diese Dumps sofort kaufen. Nach dem Kauf können Sie auch einen einjährigen kostenlosen Aktualisierungsservice bekommen. Innerhalb eines Jahres können Sie die neuesten Juniper JN0-664 Prüfungsunterlagen besitzen. Damit können Sie Juniper JN0-664 Zertifizierungsprüfung sehr leicht bestehen und dieses Zertifikat bekommen.

Die JN0-664-Zertifizierungsprüfung ist eine professionelle Prüfung auf der Ebene, was bedeutet, dass sie für Personen mit viel Erfahrung in der Dienstleisterbranche bestimmt ist. Die Prüfung besteht aus 65 Multiple-Choice-Fragen, und Einzelpersonen werden 120 Minuten für die Abschluss der Prüfung zugeteilt. Die Bestehenszahl für die JN0-664-Prüfung beträgt 65%, und Personen, die die Prüfung bestehen, erhalten die JNCIP-SP-Zertifizierung.

Juniper Service Provider, Professional (JNCIP-SP) JN0-664 Prüfungsfragen mit Lösungen (Q24-Q29):

24. Frage

Refer to the exhibit.

Click the Exhibit button.

Referring to the exhibit, the PE-to-CE protocol being used is OSPF for the L3VPN. Also, there is an OSPF neighborship between CE-1 and CE-2.

Which statement is correct in this situation?

- A. You must set a high metric on the CE-1 to CE-2 link for hosts at Site-1 to use the L3VPN to reach hosts at Site-2.
- B. Hosts at Site-1 will reach hosts at Site-2 through the L3VPN by default.
- **C. Hosts at Site-1 will reach hosts at Site-2 through the CE-1 and CE-2 link by default.**
- D. You must set a high metric on the CE-1 to PE-1 link for hosts at Site-1 to use the CE-1 to CE-2 link to reach hosts at Site-2.

Antwort: C

Begründung:

In the exhibit, the PE-to-CE protocol used is OSPF, and there is an OSPF neighborhood between CE-1 and CE-2 within the same Area 0. Let's analyze the default OSPF routing behavior in this setup to determine the correct statement.

1. ****OSPF Neighborhood****:

- CE-1 and CE-2 have an OSPF neighborhood directly within Area 0.
- OSPF prefers intra-area routes over inter-area and external routes.

2. ****Default Routing Behavior****:

- Since CE-1 and CE-2 are directly connected through an OSPF link within the same area, OSPF will prefer this direct intra-area path over any other paths learned via the PE routers and the L3VPN.
- This is because intra-area routes have a lower metric compared to inter-area or external routes.

3. ****Metric Considerations****:

- By default, OSPF will route traffic between Site-1 and Site-2 through the direct link between CE-1 and CE-2, unless the link's metric is artificially increased to make it less preferable.
- There is no need to adjust metrics for the CE-1 to PE-1 link to prefer the CE-1 to CE-2 path, as OSPF already prefers direct intra-area paths.

****Conclusion****:

Given the default behavior of OSPF and the topology shown in the exhibit, the correct statement is:

****B. Hosts at Site-1 will reach hosts at Site-2 through the CE-1 and CE-2 link by default.****

****Reference****:

- OSPF Design Guide: [Juniper Networks OSPF Design Guide]

(https://www.juniper.net/documentation/en_US/junos/topics/concept/ospf-design-overview.html)

- Juniper Networks Technical Documentation on OSPF: [Junos OS OSPF Configuration Guide]

(https://www.juniper.net/documentation/en_US/junos/topics/concept/ospf-routing-overview.html)

25. Frage

The environment is using BGP. All devices are in the same AS with reachability redundancy.

Referring to the exhibit, which statement is correct?

□

- A. RR2 is in an OpenConfirm State until RR1 becomes unreachable.
- **B. RR1 is peered to Client2 and RR2.**
- C. Client1 is peered to Client2 and Client3.
- D. Peering is dynamically discovered between all devices.

Antwort: B

26. Frage

Exhibit

□

You want Site 1 to access three VLANs that are located in Site 2 and Site 3. The customer-facing interface on the PE-1 router is configured for Ethernet-VLAN encapsulation.

What is the minimum number of L2VPN routing instances to be configured to accomplish this task?

- A. 0
- B. 1
- C. 2
- **D. 3**

Antwort: D

Begründung:

To allow Site 1 to access three VLANs that are located in Site 2 and Site 3, you need to configure three L2VPN routing instances on PE-1, one for each VLAN. Each L2VPN routing instance will have a different VLAN ID and a different VNI for VXLAN.

encapsulation. Each L2VPN routing instance will also have a different vrf-target export value to identify which VPN routes belong to which VLAN. This way, PE-1 can forward traffic from Site 1 to Site 2 and Site 3 based on the VLAN tags and VNIs.

27. Frage

Exhibit

Referring to the exhibit, you must provide Internet access for VPN-A using CE-1 as the hub CE. Which two statements are correct in this situation? (Choose two.)

- A. You must use RIB groups to leak routes between the inet. 0 and vpn-a. inet. 0 tables.
- B. Internet traffic from Site 2 takes the path of PE-2 -> PE-1 -> GW-1.
- C. Internet traffic from Site 2 takes the path of PE-2 -> PE-1 -> CE-1 -> PE-1 -> GW-1.
- D. RIB groups are not needed to leak routes between the inet. 0 and VPN-A. inet. 0 tables,

Antwort: A,C

Begründung:

To provide Internet access for VPN-A using CE-1 as the hub CE, you need to do the following:

You must use RIB groups to leak routes between the inet.0 and vpn-a.inet.0 tables on PE-1 and CE-1.

RIB groups are routing options that allow you to import routes from one routing table into another routing table based on certain criteria. In this scenario, you need to configure RIB groups on PE-1 and CE-1 to import Internet routes from inet.0 into vpn-a.inet.0 and vice versa.

Internet traffic from Site 2 takes the path of PE-2 -> PE-1 -> CE-1 -> PE-1 -> GW-1. This is because Site 2 does not have direct Internet access and needs to use CE-1 as its default gateway for Internet traffic. Site 2 sends its Internet traffic to PE-2, which forwards it to PE-1 based on VPN-A routes. PE-1 then sends it to CE-1 based on RIB group import policy. CE-1 then sends it back to PE-1 based on its default route pointing to GW-1. PE-1 then forwards it to GW-1 based on RIB group import policy again.

28. Frage

Exhibit

R1 and R8 are not receiving each other's routes

Referring to the exhibit, what are three configuration commands that would solve this problem? (Choose three.)

- A. Configure remove-private on advertisements from AS 64500 toward AS 64499.
- B. Configure loops on routers in AS 65412 and advertise-peer-as on routers in AS 64498.
- C. Configure remove-private on advertisements from AS 64497 toward AS 64498.
- D. Configure loops and advertise-peer-as on routers in AS 64497 and AS 64450.
- E. Configure as-override on advertisement from AS 64500 toward AS 64512.

Antwort: A,C,E

29. Frage

.....

Viele meiner Freunde im IT-Bereich haben viel Zeit und Energie für die Juniper JN0-664 Zertifizierungsprüfung verwendet. Aber sie haben sich nicht am Kurs oder Training im Internet beteiligt. Für sie ist es schwer, die Juniper JN0-664 Prüfung zu bestehen. Und die Erfolgsquote ist auch sehr niedrig. Glücklicherweise bietet Pass4Test die zuverlässigen Juniper JN0-664 Prüfungsmaterialien. Die Schulungsunterlagen von Pass4Test beinhalten die Simulationssoftware und die Prüfungsfragen-und antworten. Wir würden die besten Prüfungsfragen und Antworten zur JN0-664 Zertifizierungsprüfung bieten, um Ihre Bedürfnisse abzudecken.

JN0-664 Online Praxisprüfung: <https://www.pass4test.de/JN0-664.html>

- JN0-664 Prüfungsfragen Prüfungsvorbereitungen 2026: Service Provider, Professional (JNCIP-SP) - Zertifizierungsprüfung Juniper JN0-664 in Deutsch Englisch pdf downloaden ☐ Suchen Sie jetzt auf " www.echtfraage.top " nach { JN0-664 } um den kostenlosen Download zu erhalten ☐ JN0-664 Pruefungssimulationen
- JN0-664 Ausbildungsressourcen ☐ JN0-664 Fragenpool ☐ JN0-664 Schulungsangebot ☐ Suchen Sie einfach auf ☒ www.itzert.com ☒ ☐ nach kostenloser Download von ☒ JN0-664 ☒ ☐ JN0-664 Online Prüfungen
- JN0-664 Schulungsangebot ☐ JN0-664 Prüfungsinformationen ☐ JN0-664 Prüfungsmaterialien ☐ Öffnen Sie ☒ www.pruefungfrage.de ☐ ☐ ☐ geben Sie " JN0-664 " ein und erhalten Sie den kostenlosen Download ☐ JN0-664

Prüfungsmaterialien

- [illegible]

Übrigens, Sie können die vollständige Version der Pass4Test JN0-664 Prüfungsfragen aus dem Cloud-Speicher herunterladen:
<https://drive.google.com/open?id=1s7JWmYCFAIP1LDNURchfF8dkore4Iad9>