

Snowflake ADA-C01日本語版と英語版、ADA-C01模試エンジン



ちなみに、Topexam ADA-C01の一部をクラウドストレージからダウンロードできます：https://drive.google.com/open?id=1WaLDXdz4_IMCaYO12pJPeRqKp7UDVSuh

ADA-C01試験の質問に協力して、ADA-C01試験に合格し、ADA-C01証明書を正常に取得することをお約束します。以前のお客様に対する最近の調査によると、99%のSnowflakeお客様が目標を達成できるため、最終的な目標の達成を支援するお手伝いができると考えています。ベッドサイドには、新しい知識の開発を管理するための高品質のADA-C01テストガイドがあるため、すべてのSnowPro Advanced Administrator学習ポイントをバランスよく把握できます。

Snowflake ADA-C01 認定試験の出題範囲：

トピック	出題範囲
トピック 1	<ul style="list-style-type: none">Account Management and Data Governance: This section of the exam measures the skills of Data Governance Managers and Database Administrators and covers account organization, access control, and regulatory data protection. Candidates will learn how to manage organizational accounts, encryption keys, and Tri-Secret Secure implementations. It focuses on applying best practices in ORGADMIN and ACCOUNTADMIN roles, implementing masking and row access policies, and performing data classification and tagging. The domain also emphasizes data auditing, account identifiers, and effective management of tables, views, and query operations to support enterprise-wide governance standards.
トピック 2	<ul style="list-style-type: none">Data Sharing, Data Exchange, and Snowflake Marketplace: This section of the exam measures the skills of Data Integration Specialists and Data Platform Administrators and covers managing and implementing data-sharing solutions within Snowflake. It evaluates understanding of data sharing models across regions and clouds, secure data sharing methods, and managing provider-consumer relationships. The domain also includes the use of Snowflake Data Exchange and Marketplace to publish, consume, and manage data listings, ensuring secure collaboration and efficient data monetization.
トピック 3	<ul style="list-style-type: none">Snowflake Security, Role-Based Access Control (RBAC), and User Administration: This section of the exam measures the skills of Snowflake Administrators and Cloud Security Engineers and covers authentication, access control, and network management in Snowflake. Candidates must understand how to configure authentication methods such as SSO, MFA, OAuth, and key-pair authentication, and how to manage network policies and private connectivity. The domain also tests knowledge of user and role management using SCIM, designing access control architecture, and applying the RBAC framework to ensure secure user authorization and data protection within Snowflake environments.

トピック 4	<ul style="list-style-type: none"> Disaster Recovery, Backup, and Data Replication: This section of the exam measures the skills of Disaster Recovery Engineers and Cloud Operations Managers and covers Snowflake methods for ensuring business continuity. Candidates must understand how to replicate databases and account-level objects, implement failover strategies, and perform backup and restoration through Time Travel and Fail-safe features. The domain emphasizes replication across accounts, handling data consistency during failover, and applying cost-efficient disaster recovery strategies to maintain availability during outages or regional failures.
トピック 5	<ul style="list-style-type: none"> Performance Monitoring and Tuning: This section of the exam measures the skills of Cloud Infrastructure Engineers and Performance Analysts and focuses on optimizing Snowflake compute and storage resources. Candidates will need to understand how to configure and manage virtual warehouses, evaluate query profiles, and apply caching and clustering strategies for performance tuning. It also includes monitoring concurrency, resource utilization, and implementing cost optimization strategies. The ability to interpret, explain plans, apply search optimization, and manage cost controls is key for maintaining efficient Snowflake environments.

>> Snowflake ADA-C01日本語版と英語版 <<

ADA-C01模試エンジン、ADA-C01試験対策

多くのIT者がSnowflakeのADA-C01認定試験を通してIT業界の中で良い就職機会を得たくて、生活水準も向上させたいです。でも多くの人が合格するために大量の時間とエネルギーをかかって、無駄になります。同等の効果は、Topexamは君の貴重な時間とお金を節約するだけでなく100%の合格率を保証いたします。もし弊社の商品が君にとっては何も役割にならなくて全額で返金いたします。

Snowflake SnowPro Advanced Administrator 認定 ADA-C01 試験問題 (Q51-Q56):

質問 #51

When adding secure views to a share in Snowflake, which function is needed to authorize users from another account to access rows in a base table?

- A. CURRENT_CLIENT
- B. CURRENT_ROLE
- C. CURRENT_USER
- D. CURRENT_ACCOUNT

正解: C

解説:

According to the Working with Secure Views documentation, secure views are designed to limit access to sensitive data that should not be exposed to all users of the underlying table(s). When sharing secure views with another account, the view definition must include a function that returns the identity of the user who is querying the view, such as CURRENT_USER, CURRENT_ROLE, or CURRENT_ACCOUNT. These functions can be used to filter the rows in the base table based on the user's identity. For example, a secure view can use the CURRENT_USER function to compare the user name with a column in the base table that contains the authorized user names. Only the rows that match the user name will be returned by the view. The CURRENT_CLIENT function is not suitable for this purpose, because it returns the IP address of the client that is connected to Snowflake, which is not related to the user's identity.

質問 #52

What SCIM integration types are supported in Snowflake? (Select THREE).

- A. Amazon Web Services (AWS)
- B. Azure Active Directory (Azure AD)
- C. Custom
- D. Okta

- E. Duo Security Provisioning Connector
- F. Google Cloud Platform (GCP)

正解: B、C、D

解説:

Explanation

According to the Snowflake documentation¹, Snowflake supports SCIM 2.0 to integrate Snowflake with Okta and Microsoft Azure AD, which both function as identity providers. Snowflake also supports identity providers that are neither Okta nor Microsoft Azure (i.e. Custom). Therefore, the SCIM integration types that are supported in Snowflake are Okta, Custom, and Azure AD. Option A is incorrect because Amazon Web Services (AWS) is not a SCIM identity provider. Option B is incorrect because Google Cloud Platform (GCP) is not a SCIM identity provider. Option F is incorrect because Duo Security Provisioning Connector is not a SCIM identity provider.

質問 #53

The following SQL command was executed:

Use role SECURITYADMIN;

Grant ownership

On future tables

In schema PROD.WORKING

To role PROD_WORKING_OWNER;

Grant role PROD_WORKING_OWNER to role SYSADMIN;

Use role ACCOUNTADMIN;

Create table PROD.WORKING.XYZ (value number);

Which role(s) can alter or drop table XYZ?

- A. Only the PROD_WORKING_OWNER role can alter or drop table XYZ.
- B. SECURITYADMIN, SYSADMIN, and ACCOUNTADMIN can alter or drop table XYZ.
- C. PROD_WORKING_OWNER, ACCOUNTADMIN, and SYSADMIN can alter or drop table XYZ.
- D. Because ACCOUNTADMIN created the table, only the ACCOUNTADMIN role can alter or drop table XYZ.

正解: C

解説:

Explanation

According to the GRANT OWNERSHIP documentation, the ownership privilege grants full control over the table and can only be held by one role at a time. However, the current owner can also grant the ownership privilege to another role, which transfers the ownership to the new role. In this case, the SECURITYADMIN role granted the ownership privilege on future tables in the PROD.WORKING schema to the PROD_WORKING_OWNER role. This means that any table created in that schema after the grant statement will be owned by the PROD_WORKING_OWNER role. Therefore, the PROD_WORKING_OWNER role can alter or drop table XYZ, which was created by the ACCOUNTADMIN role in the PROD.WORKING schema. Additionally, the ACCOUNTADMIN role can also alter or drop table XYZ, because it is the top-level role that has all privileges on all objects in the account. Furthermore, the SYSADMIN role can also alter or drop table XYZ, because it was granted the PROD_WORKING_OWNER role by the SECURITYADMIN role. The SYSADMIN role can activate the PROD_WORKING_OWNER role and inherit its privileges, including the ownership privilege on table XYZ. The SECURITYADMIN role cannot alter or drop table XYZ, because it does not have the ownership privilege on the table, nor does it have the PROD_WORKING_OWNER role.

質問 #54

A team is provisioning new lower environments from the production database using cloning. All production objects and references reside in the database, and do not have external references.

What set of object references needs to be re-pointed before granting access for usage?

- A. Sequences, storage integrations, views, secure views, and materialized views
- B. Sequences, views, secure views, and materialized views
- C. There are no object references that need to be re-pointed
- D. Sequences, views, and secure views

正解: A

解説:

Explanation

According to the Snowflake documentation¹, when an object in a schema is cloned, any future grants defined for this object type in the schema are applied to the cloned object unless the COPY GRANTS option is specified in the CREATE statement for the clone operation. However, some objects may still reference the source object or external objects after cloning, which may cause issues with access or functionality. These objects include:

*Sequences: If a table column references a sequence that generates default values, the cloned table may reference the source or cloned sequence, depending on where the sequence is defined. To avoid conflicts, the sequence reference should be re-pointed to the desired sequence using the ALTER TABLE command².

*Storage integrations: If a stage or a table references a storage integration, the cloned object may still reference the source storage integration, which may not be accessible or valid in the new environment. To avoid errors, the storage integration reference should be re-pointed to the desired storage integration using the ALTER STAGE or ALTER TABLE command³⁴.

*Views, secure views, and materialized views: If a view references another view or table, the cloned view may still reference the source object, which may not be accessible or valid in the new environment. To avoid errors, the view reference should be re-pointed to the desired object using the CREATE OR REPLACE VIEW command⁵.

1: Cloning Considerations | Snowflake Documentation 2: [ALTER TABLE | Snowflake Documentation] 3:

[ALTER STAGE | Snowflake Documentation] 4: [ALTER TABLE | Snowflake Documentation] 5: [CREATE VIEW | Snowflake Documentation]

質問 # 55

Which tasks can be performed by the ORGADMIN role? (Select THREE).

- A. Create a reader account to share data with another organization.
- B. **View a list of all regions enabled for the organization.**
- C. Perform zero-copy cloning on account data.
- D. **View usage information for all accounts in the organization.**
- E. Create secure views on application tables within the organization.
- F. **Create one or more accounts in the organization.**

正解: B、D、F

解説:

Explanation

A user with the ORGADMIN role can perform the following tasks¹:

*Create one or more accounts in the organization.

*View a list of all regions enabled for the organization.

*View usage information for all accounts in the organization.

Option C is incorrect because creating secure views on application tables is not a function of the ORGADMIN role, but rather a function of the roles that have access to the tables and schemas within the accounts. Option E is incorrect because performing zero-copy cloning on account data is not a function of the ORGADMIN role, but rather a function of the roles that have the CLONE privilege on the objects within the accounts. Option F is incorrect because creating a reader account to share data with another organization is not a function of the ORGADMIN role, but rather a function of the roles that have the CREATE SHARE privilege on the objects within the accounts.

質問 # 56

.....

製品がどれほど優れても、ユーザーは使用過程でいくつかの難しい問題に遭遇します。ADA-C01の実際の試験資料も例外ではありません。最高の製品体験を楽しむために、ユーザーが使用中のプロセスで問題が見つかった場合は、ADA-C01を初めてチェックして、試験問題のパフォーマンス、ユーザーが問題を解決するのに役立つ専門のメンテナンススタッフ。ADA-C01ラーニングリファレンスファイルには、効率の良い製品メンテナンスチームがあり、数分でADA-C01試験の質問を送信できます。

ADA-C01模試 エンジン: https://www.topexam.jp/ADA-C01_shiken.html

- ADA-C01試験問題 □ ADA-C01受験資料更新版 □ ADA-C01試験問題 □ 「www.shikenpass.com」で▶ ADA-C01 □を検索し、無料でダウンロードしてくださいADA-C01難易度
- 有効的なADA-C01日本語版と英語版 - 合格スムーズADA-C01模試エンジン | ユニークなADA-C01試験対策 □ ▶ www.goshiken.com □□□から □ ADA-C01 □を検索して、試験資料を無料でダウンロードしてください

ADA-C01クラムメディア

- ADA-C01クラムメディア ⇒ ADA-C01過去問無料 □ ADA-C01的中合格問題集 □ 今すぐ ⇒ www.passtest.jp □ ⇒ □を開き、 □ ADA-C01 □を検索して無料でダウンロードしてくださいADA-C01対応資料
- ADA-C01難易度 □ ADA-C01復習対策書 □ ADA-C01試験問題 □ ⇒ www.goshiken.com □の無料ダウンロード ⇒ ADA-C01 □ページが開きますADA-C01受験資料更新版
- ADA-C01認定資格 □ ADA-C01最新受験攻略 □ ADA-C01学習教材 □ □ ADA-C01 □を無料でダウンロード ⇒ www.japancert.com □ウェブサイトを入力するだけADA-C01最新受験攻略
- ADA-C01最新受験攻略 □ ADA-C01日本語対策 □ ADA-C01クラムメディア □ [ADA-C01]を無料でダウンロード“www.goshiken.com”で検索するだけADA-C01クラムメディア
- Snowflake ADA-C01日本語版と英語版: SnowPro Advanced Administrator - www.passtest.jp パスリーディングプロバイダー □ ⇒ www.passtest.jp □□□に移動し、 (ADA-C01) を検索して無料でダウンロードしてくださいADA-C01最新対策問題
- ユニークなADA-C01 | 権威のあるADA-C01日本語版と英語版試験 | 試験の準備方法SnowPro Advanced Administrator模試エンジン □ ✓ www.goshiken.com □✓□を入力して ⇒ ADA-C01 □を検索し、無料でダウンロードしてくださいADA-C01受験資料更新版
- 無料ダウンロードADA-C01日本語版と英語版 - 資格試験におけるリーダーオファー - 信頼できるADA-C01模試エンジン □ 最新{ADA-C01}問題集ファイルは ⇒ www.topexam.jp □ ⇒ □にて検索ADA-C01対応資料
- ADA-C01問題サンプル □ ADA-C01クラムメディア □ ADA-C01クラムメディア □ 【 www.goshiken.com 】で ⇒ ADA-C01 □ ⇒ □を検索して、無料で簡単にダウンロードできますADA-C01試験問題
- ADA-C01難易度 □ ADA-C01受験資料更新版 □ ADA-C01最新対策問題 □ ⇒ www.jpexam.com □□□を開いて ⇒ ADA-C01 □を検索し、試験資料を無料でダウンロードしてくださいADA-C01ウェブトレーニング
- coursewingsportal.com, www.stes.tyc.edu.tw, evivid.org, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, ncon.edu.sa, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.divephotoguide.com, Disposable vapes

ちなみに、Topexam ADA-C01の一部をクラウドストレージからダウンロードできます: https://drive.google.com/open?id=1WaLDXdz4_IMCaYO12pJPeRqKp7UDVSuh