


LEED AP Homes (Residential) Exam Practice Vce - LEED-AP-Homes Training Material & LEED AP Homes (Residential) Exam Study Guide



BONUS!!! Download part of Dumpexams LEED-AP-Homes dumps for free: <https://drive.google.com/open?id=18jv8HO3uJLuVJJPo3NIaHyGNUSnpy26>

The operating system of LEED-AP-Homes exam practice has won the appreciation of many users around the world. Within five to ten minutes after your payment is successful, our operating system will send a link to LEED-AP-Homes Training Materials to your email address. After our LEED-AP-Homes study guide update, our operating system will also send you a timely message to ensure that you will not miss a single message.

USGBC LEED-AP-Homes Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">Indoor Environmental Quality: This section of the exam measures the skills of an Architectural Designer. It addresses indoor air health, natural light, and ventilation requirements to ensure occupant comfort and durability, reflecting a home's capacity to provide a healthy and lasting living environment.
Topic 2	<ul style="list-style-type: none">Location & Transportation: This section of the exam measures the skills of an Environmental Planner. It focuses on how homes integrate with their surroundings and connect to transportation networks, emphasizing sustainable siting strategies aligned with urban planning practices.
Topic 3	<ul style="list-style-type: none">Materials & Resources: This section of the exam measures the skills of a Sustainability Specialist. It emphasizes the selection and management of eco-friendly materials, efficient usage of resources, and implementation of waste reduction strategies to support green residential construction.

>> Exam Dumps LEED-AP-Homes Free <<

Latest LEED-AP-Homes Exam Dumps provide you the most accurate Learning Materials - Dumpexams

Several advantages we now offer for your reference. On the one hand, our LEED-AP-Homes learning questions engage our working staff in understanding customers' diverse and evolving expectations and incorporate that understanding into our strategies, thus you can 100% trust our LEED-AP-Homes Exam Engine. On the other hand, the professional LEED-AP-Homes study materials determine the high pass rate. According to the research statistics, we can confidently tell that 99% candidates after using our products have passed the LEED-AP-Homes exam.

USGBC LEED AP Homes (Residential) Exam Sample Questions (Q51-Q56):

NEW QUESTION # 51

A benefit of lower window U-factor is:

- A. Increased visibility
- **B. Reduced energy use**
- C. Reduced maintenance
- D. Increased daylighting

Answer: B

Explanation:

The LEED for Homes Rating System (v4) addresses window performance in the Energy and Atmosphere (EA) Credit: Windows, where a lower U-factor (thermal transmittance) improves energy efficiency by reducing heat loss or gain.

According to the LEED Reference Guide for Homes Design and Construction (v4):

EA Credit: Windows (1-3 points)

Use windows with a lower U-factor to reduce energy use by minimizing heat transfer through the glazing, improving the home's thermal performance and reducing heating and cooling loads.

Source: LEED Reference Guide for Homes Design and Construction, v4, Energy and Atmosphere Credit: Windows, p. 122.

The LEED v4.1 Residential BD+Crating system confirms:

EA Credit: Windows

A lower window U-factor reduces energy use by decreasing heat loss in winter and heat gain in summer, contributing to overall energy efficiency.

Source: LEED v4.1 Residential BD+C, Credit Library, accessed via USGBC LEED Online.

The correct answer is reduced energy use (Option B), as a lower U-factor directly improves the home's energy performance by reducing thermal transfer.

Why not the other options?

Reference: LEED Reference Guide for Homes Design and Construction, v4, EA Credit: Windows, p. 122.

C). Increased daylighting: Daylighting is influenced by visible light transmission, not U-factor. Reference: LEED Reference Guide for Homes Design and Construction, v4, EA Credit: Windows, p. 122.

D). Reduced maintenance: U-factor does not impact maintenance requirements. Reference: LEED Reference Guide for Homes Design and Construction, v4, EA Credit: Windows, p. 122.

The LEED AP Homes Candidate Handbook emphasizes EA credits, including window performance, and references the LEED Reference Guide for Homes Design and Construction as a key resource. The exam is based on LEED v4, ensuring the relevance of U-factor benefits.

References:

LEED Reference Guide for Homes Design and Construction, v4, USGBC, Energy and Atmosphere Credit: Windows, p. 122. LEED v4.1 Residential BD+C, USGBC LEED Credit Library, accessed via LEED Online (<https://www.usgbc.org/credits>).

LEED AP Homes Candidate Handbook, GBCI, October 2024, p. 12 (references study resources and exam scope based on LEED v4).

USGBC LEED for Homes Rating System (v4), available via USGBC website (<https://www.usgbc.org/resources/leed-homes-design-and-construction-v4>).

LEED v4.1 for Homes, USGBC, accessed via LEED Online, confirming U-factor benefits.

NEW QUESTION # 52

To comply with Materials and Resources Prerequisite: Certified Tropical Wood, all wood in the building must be:

- A. Only from the tropical region
- B. Tropical wood that is more than 10 years old
- C. From within 200 miles of the building site
- **D. Non-tropical, reused, reclaimed, or certified**

Answer: D

Explanation:

The LEED for Homes Rating System (v4) includes the Materials and Resources (MR) Prerequisite: Certified Tropical Wood, which ensures that wood used in LEED projects is sourced sustainably to protect tropical ecosystems.

According to the LEED Reference Guide for Homes Design and Construction (v4):

MR Prerequisite: Certified Tropical Wood

All new wood in the project must be nontropical, reused, reclaimed, or certified by the Forest Stewardship Council (FSC). Tropical wood, if used, must be FSC-certified. This prerequisite ensures that wood sourcing does not contribute to deforestation in ecologically sensitive regions.

Source: LEED Reference Guide for Homes Design and Construction, v4, Materials and Resources Prerequisite: Certified Tropical Wood, p. 156.

The LEED v4.1 Residential BD+Crating system confirms:

MR Prerequisite: Certified Tropical Wood

All wood must be nontropical, reused, reclaimed, or FSC-certified. Tropical wood is only permitted if it is FSC-certified.

Source: LEED v4.1 Residential BD+C, Credit Library, accessed via USGBC LEED Online.

To comply, all wood must be non-tropical, reused, reclaimed, or certified (Option A), ensuring sustainable sourcing across all wood types used in the project.

Why not the other options?

Reference: LEED Reference Guide for Homes Design and Construction, v4, MR Prerequisite: Certified Tropical Wood, p. 156.

C). Only from the tropical region: This contradicts the prerequisite, as tropical wood must be FSC-certified, and non-tropical wood is preferred. Reference: LEED Reference Guide for Homes Design and Construction, v4, MR Prerequisite: Certified Tropical Wood, p. 156.

D). From within 200 miles of the building site: Local sourcing is relevant for MR Credit: Environmentally Preferable Products, Option 1, not this prerequisite. Reference: LEED Reference Guide for Homes Design and Construction, v4, MR Credit: Environmentally Preferable Products, p. 160.

The LEED AP Homes Candidate Handbook emphasizes MR prerequisites, including Certified Tropical Wood, and references the LEED Reference Guide for Homes Design and Construction as a key resource.

The exam is based on LEED v4, ensuring the relevance of the compliance criteria.

References:

LEED Reference Guide for Homes Design and Construction, v4, USGBC, Materials and Resources Prerequisite: Certified Tropical Wood, p. 156.

LEED v4.1 Residential BD+C, USGBC LEED Credit Library, accessed via LEED Online (<https://www.usgbc.org/credits>).

LEED AP Homes Candidate Handbook, GBCI, October 2024, p. 12 (references study resources and exam scope based on LEED v4).

USGBC LEED for Homes Rating System (v4), available via USGBC website (<https://www.usgbc.org/resources/leed-homes-design-and-construction-v4>).

LEED v4.1 for Homes, USGBC, accessed via LEED Online, confirming wood sourcing requirements.

NEW QUESTION # 53

Which of the following products could earn one point for being reclaimed under the Materials and Resources Credit, Environmentally Preferable Products?

- A. Stained glass window
- B. Brick for the home's exterior cladding
- C. Downspouts and gutters
- D. Steel garage doors with opener

Answer: A

Explanation:

The LEED for Homes Rating System (v4) awards points for the Materials and Resources (MR) Credit:

Environmentally Preferable Products when products are reclaimed (reused or salvaged from another project), contributing to the required percentage of material cost (e.g., 25% for 1 point).

According to the LEED Reference Guide for Homes Design and Construction (v4):

MR Credit: Environmentally Preferable Products (1-4 points)

Use products that are reused or salvaged from the same or another project for at least 25% (by cost) of the total materials to earn 1 point. Reclaimed products include salvaged architectural elements like stained glass windows, which are reused in their original form.

Source: LEED Reference Guide for Homes Design and Construction, v4, Materials and Resources Credit:

Environmentally Preferable Products, p. 160.

The LEED v4.1 Residential BD+Crating system confirms:

MR Credit: Environmentally Preferable Products

Reclaimed materials, such as salvaged stained glass windows, qualify for points if they contribute to the required material cost percentage (e.g., 25% for 1 point).

Source: LEED v4.1 Residential BD+C, Credit Library, accessed via USGBC LEED Online.

The correct answer is stained glass window (Option A), as it is a salvaged architectural element commonly reused in its original form, qualifying as a reclaimed material under the credit.

Why not the other options?

Reference: LEED Reference Guide for Homes Design and Construction, v4, MR Credit: Environmentally Preferable Products, p. 160.

C). Steel garage doors with opener: Garage doors are usually new or refurbished, not reclaimed, and the opener is a mechanical component, not typically salvaged. Reference: LEED Reference Guide for Homes Design and Construction, v4, MR Credit: Environmentally Preferable Products, p. 160.

D). Brick for the home's exterior cladding: While brick can be reclaimed (as in Question 42), it is not specified as salvaged here, unlike the stained glass window, which is a classic reclaimed item. Reference:

LEED Reference Guide for Homes Design and Construction, v4, MR Credit: Environmentally Preferable Products, p. 160.

The LEED AP Homes Candidate Handbook emphasizes MR credits, including reclaimed materials, and references the LEED Reference Guide for Homes Design and Construction as a key resource. The exam is based on LEED v4, ensuring the relevance of reclaimed architectural elements.

References:

LEED Reference Guide for Homes Design and Construction, v4, USGBC, Materials and Resources Credit: Environmentally Preferable Products, p. 160.

LEED v4.1 Residential BD+C, USGBC LEED Credit Library, accessed via LEED Online (<https://www.usgbc.org/credits>).

LEED AP Homes Candidate Handbook, GBCI, October 2024, p. 12 (references study resources and exam scope based on LEED v4).

USGBC LEED for Homes Rating System (v4), available via USGBC website (<https://www.usgbc.org/resources/leed-homes-design-and-construction-v4>).

LEED v4.1 for Homes, USGBC, accessed via LEED Online, confirming reclaimed material criteria.

NEW QUESTION # 54

A home has a large shower compartment of 3,750 in² (2.4 m²) with dual 1.5 gpm (5.6 lpm) shower heads.

How should the flow rate be calculated?

- A. The flow rates are added to total 3.0 gpm (11.2 lpm)
- B. Shower compartment size does not affect shower head flow rates for LEED compliance
- **C. Multiple shower heads are not allowed**
- D. The flow rate is calculated as two separate compartments of 1.5 gpm (5.6 lpm)

Answer: C

Explanation:

The LEED for Homes Rating System (v4) addresses shower compartments in the Water Efficiency (WE) Credit: Indoor Water Use, where the size and number of showerheads impact water use calculations.

According to the LEED Reference Guide for Homes Design and Construction (v4):

WE Credit: Indoor Water Use (1-6 points)

A shower compartment is defined as an enclosed area with a floor area of no more than 2,500 in² (1.6 m²), where all fixtures (e.g., multiple showerheads) count as a single fixture for water use calculations.

Compartments larger than 2,500 in² are considered multiple compartments, and multiple showerheads in such cases are not allowed for LEED compliance to ensure water efficiency.

Source: LEED Reference Guide for Homes Design and Construction, v4, Water Efficiency Credit: Indoor Water Use, p. 96.

The LEED v4.1 Residential BD+C rating system confirms:

WE Credit: Indoor Water Use

For shower compartments exceeding 2,500 in² (1.6 m²), multiple showerheads are not permitted to maintain water efficiency goals. Each compartment must be treated separately if applicable, but large compartments cannot have multiple heads.

Source: LEED v4.1 Residential BD+C, Credit Library, accessed via USGBC LEED Online.

The shower compartment is 3,750 in² (2.4 m²), exceeding the 2,500 in² limit. Therefore, multiple showerheads are not allowed (Option C), as LEED restricts multiple heads in oversized compartments to ensure water efficiency.

Why not the other options?

Reference: LEED Reference Guide for Homes Design and Construction, v4, WE Credit: Indoor Water Use, p. 96.

B). The flow rate is calculated as two separate compartments of 1.5 gpm (5.6 lpm): The compartment is one unit, and multiple heads are not allowed, not treated as separate compartments. Reference: LEED Reference Guide for Homes Design and Construction, v4, WE Credit: Indoor Water Use, p. 96.

D). Shower compartment size does not affect shower head flow rates for LEED compliance:

Compartment size directly affects whether multiple heads are allowed. Reference: LEED Reference Guide for Homes Design and Construction, v4, WE Credit: Indoor Water Use, p. 96.

The LEED AP Homes Candidate Handbook emphasizes WE credits, including showerhead calculations, and references the LEED Reference Guide for Homes Design and Construction as a key resource. The exam is based on LEED v4, ensuring the relevance of compartment size restrictions.

References:

LEED Reference Guide for Homes Design and Construction, v4, USGBC, Water Efficiency Credit: Indoor Water Use, p. 96.

LEED v4.1 Residential BD+C, USGBC LEED Credit Library, accessed via LEED Online (<https://www.usgbc.org/credits>).

LEED AP Homes Candidate Handbook, GBCI, October 2024, p. 12 (references study resources and exam scope based on LEED v4).

USGBC LEED for Homes Rating System (v4), available via USGBC website (<https://www.usgbc.org/resources/leed-homes-design-and-construction-v4>).

LEED v4.1 for Homes, USGBC, accessed via LEED Online, confirming showerhead restrictions.

NEW QUESTION # 55

For a project to earn one point for Materials and Resources Credit, Environmentally Preferable Products, what must occur?

- A. Achieve more than 95% of the component by weight or volume that meets Option 2: Environmentally Preferable Products
- B. Meet both Option 1: Local Production and Option 2: Environmentally Preferable Products
- **C. Meet more than two or more of the criteria under Option 2: Environmentally Preferable Products**
- D. Achieve more than 95% of the component by weight or volume that meets Option 1: Local Production

Answer: C

Explanation:

The LEED for Homes Rating System (v4) outlines the requirements for the Materials and Resources (MR) Credit: Environmentally Preferable Products, which encourages the use of sustainable materials. The credit has two options: Option 1: Local Production (materials sourced within 100 miles) and Option 2:

Environmentally Preferable Products (materials with attributes like recycled content, FSC-certified wood, or low emissions).

According to the LEED Reference Guide for Homes Design and Construction (v4):

MR Credit: Environmentally Preferable Products (1-4 points)

Earn points by meeting the following:

* Option 2: Environmentally Preferable Products: Use products that meet one or more of the following criteria for at least 25% (1 point), 50% (2 points), or 90% (3-4 points) by cost of the total materials:

* Recycled content

* FSC-certified wood

* Bio-based materials

* Low-emission products (e.g., low-VOC paints) To earn 1 point, at least 25% of the materials (by cost) must meet two or more of these criteria. Source: LEED Reference Guide for Homes Design and Construction, v4, Materials and Resources Credit:

Environmentally Preferable Products, p.

160-161.

The LEED v4.1 Residential BD+C rating system confirms:

MR Credit: Environmentally Preferable Products

For 1 point, use products that meet two or more environmentally preferable criteria (e.g., recycled content, FSC-certified) for at least 25% of the total material cost.

Source: LEED v4.1 Residential BD+C, Credit Library, accessed via USGBC LEED Online.

To earn one point under Option 2, the project must use materials that collectively meet two or more of the environmentally preferable criteria (e.g., a product with both recycled content and low emissions) for at least 25% of the total material cost. This makes Option B the correct answer.

Why not the other options?

Reference: LEED Reference Guide for Homes Design and Construction, v4, MR Credit: Environmentally Preferable Products, p. 161.

C). Achieve more than 95% of the component by weight or volume that meets Option 1: Local Production: Option 1 focuses on local production (within 100 miles), not environmentally preferable attributes, and uses cost, not weight or volume. It is a separate compliance path. Reference: LEED Reference Guide for Homes Design and Construction, v4, MR Credit: Environmentally Preferable Products, p. 160.

D). Meet both Option 1: Local Production and Option 2: Environmentally Preferable Products: The credit allows projects to pursue

either Option 1 or Option 2 independently. Meeting both is not required for one point. Reference: LEED Reference Guide for Homes Design and Construction, v4, MR Credit:

Environmentally Preferable Products, p. 160.

The LEED AP Homes Candidate Handbook emphasizes MR credits, including Environmentally Preferable Products, and references the LEED Reference Guide for Homes Design and Construction as a key resource.

The exam is based on LEED v4, ensuring the relevance of Option 2's criteria.

References:

LEED Reference Guide for Homes Design and Construction, v4, USGBC, Materials and Resources Credit: Environmentally Preferable Products, p. 160-161.

LEED v4.1 Residential BD+C, USGBC LEED Credit Library, accessed via LEED Online (<https://www.usgbc.org/credits>).

LEED AP Homes Candidate Handbook, GBCI, October 2024, p. 12 (references study resources and exam scope based on LEED v4).

USGBC LEED for Homes Rating System (v4), available via USGBC website (<https://www.usgbc.org/resources/leed-homes-design-and-construction-v4>).

LEED v4.1 for Homes, USGBC, accessed via LEED Online, confirming criteria for one point.

NEW QUESTION # 56

• • • • •

The objective of the Dumpexams is to give you quick access to LEED AP Homes (Residential) Exam (LEED-AP-Homes) actual questions. Offering LEED AP Homes (Residential) Exam (LEED-AP-Homes) updated dumps is the only factor behind the dominance of Dumpexams in the market. Our customers will see our LEED AP Homes (Residential) Exam (LEED-AP-Homes) questions in the final certification test. We have a devoted team who puts in a lot of effort to keep the LEED-AP-Homes dumps updated. Dumpexams informs you that the LEED AP Homes (Residential) Exam (LEED-AP-Homes) questions regularly change the content of the real exam.

New LEED-AP-Homes Test Cost: <https://www.dumpexams.com/LEED-AP-Homes-real-answers.html>

- LEED-AP-Homes Training Tools □ LEED-AP-Homes Latest Exam Guide □ LEED-AP-Homes Reliable Exam Simulator □ Copy URL 《 www.exam4labs.com 》 open and search for ➤ LEED-AP-Homes □ to download for free □ □New LEED-AP-Homes Exam Simulator
- Free PDF 2026 LEED-AP-Homes: The Best Exam Dumps LEED AP Homes (Residential) Exam Free □ Enter ▶ www.pdfvce.com ▲ and search for ➡ LEED-AP-Homes □ to download for free □LEED-AP-Homes New Braindumps Sheet
- Free PDF Quiz USGBC LEED-AP-Homes LEED AP Homes (Residential) Exam First-grade Exam Dumps Free □ Search for ➡ LEED-AP-Homes □ and easily obtain a free download on { www.prep4away.com } □LEED-AP-Homes Exam Sample
- Maximize Your Chances of Getting USGBC LEED-AP-Homes Exam Questions □ Search for ▶ LEED-AP-Homes ▲ and download it for free on ➡ www.pdfvce.com □ website □New LEED-AP-Homes Exam Simulator
- LEED-AP-Homes New Braindumps Sheet □ New LEED-AP-Homes Exam Price □ New LEED-AP-Homes Exam Price □ Search for 「 LEED-AP-Homes 」 and easily obtain a free download on { www.dumpsquestion.com } □ □LEED-AP-Homes Latest Test Questions
- Quiz 2026 USGBC Unparalleled Exam Dumps LEED-AP-Homes Free □ Download 《 LEED-AP-Homes 》 for free by simply entering 《 www.pdfvce.com 》 website □Answers LEED-AP-Homes Real Questions
- 2026 Useful USGBC Exam Dumps LEED-AP-Homes Free □ Search for [LEED-AP-Homes] and obtain a free download on ➡ www.prep4sures.top □ □LEED-AP-Homes Reliable Exam Simulator
- Place Your Order and Download USGBC LEED-AP-Homes Actual Questions Instantly □ Open website ➤ www.pdfvce.com □ and search for ➡ LEED-AP-Homes ⇄ for free download □LEED-AP-Homes Reliable Exam Simulator
- LEED-AP-Homes Valid Test Duration □ LEED-AP-Homes Reliable Exam Simulator □ LEED-AP-Homes New Braindumps Sheet !! Easily obtain 《 LEED-AP-Homes 》 for free download through 「 www.prep4sures.top 」 □ □LEED-AP-Homes Latest Test Questions
- Trustable USGBC Exam Dumps LEED-AP-Homes Free Are Leading Materials - Updated New LEED-AP-Homes Test Cost □ Copy URL □ www.pdfvce.com □ open and search for □ LEED-AP-Homes □ to download for free □Exam LEED-AP-Homes Questions Fee
- Practice LEED-AP-Homes Test □ LEED-AP-Homes Latest Test Questions □ New LEED-AP-Homes Test Camp □ Search for ➡ LEED-AP-Homes □ and download it for free immediately on ➡ www.testkingpass.com □□□ ✓ Valid LEED-AP-Homes Exam Camp Pdf
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, bbs.t-firefly.com, Disposable vapes

BTW, DOWNLOAD part of Dumpexams LEED-AP-Homes dumps from Cloud Storage: <https://drive.google.com/open?id=18jv8HO3uJLuVJPoBNlaHyGNUSnpfy26>