

# Valid Study Fortinet FCP\_FMG\_AD-7.4 Questions | Testking FCP\_FMG\_AD-7.4 Exam Questions

**HA configuration**

```
HQ-NGFW-1 # config system ha
HQ-NGFW-1 (ha) # show
config system ha
set group-id 5
set group-name "Training"
set mode a-p
set password ENC a4fbyqV45PevfAwZgsDV
set hbdev "port7" #
set session pickup enable
set override disable
set priority 200
set monitor "port1"
set memory-based-failover enable
set memory-failover-threshold 50
set memory-failover-monitor-period 50
set memory-failover-sample-rate 10
set memory-failover-flip-timeout 60
end
```

**Fortinet Vouchers & Dumps are Available  
on Website: [Brave-Dumps.com](http://Brave-Dumps.com)**

**HQ-NGFW-1 System Performance output**

```
HQ-NGFW-1 # get system performance status
CPU states: 0% user 0% system 0% nice 100% idle 0% lowait 0% irq 0% softirq
CPU0 states: 0% user 0% system 0% nice 100% idle 0% lowait 0% irq 0% softirq
CPU1 states: 0% user 0% system 0% nice 100% idle 0% lowait 0% irq 0% softirq
Memory: 2042074k total, 1037668k used (50%), 104144k free (5.1%), 100062k freeable (4.9%)
Average network usage: 19/2 kbps in 1 minute, 19/4 kbps in 10 minutes, 19/3 kbps in 30 minutes
Maximal network usage: 36/18 kbps in 1 minute, 59/86 kbps in 10 minutes, 59/87 kbps in 30 minutes
Average sessions: 21 sessions in 1 minute, 22 sessions in 10 minutes, 21 sessions in 30 minutes
Maximal sessions: 22 sessions in 1 minute, 28 sessions in 10 minutes, 28 sessions in 30 minutes
Average session setup rate: 0 sessions per second in last 1 minute, 0 sessions per second in last 10 mi
Maximal session setup rate: 0 sessions per second in last 1 minute, 1 sessions per second in last 10 mi
Average NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30
Maximal NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30
Virus caught: 0 total in 1 minute
IPS attacks blocked: 0 total in 1 minute
Uptime: 10 days, 22 hours, 56 minutes
```

**HQ-NGFW-2 System Performance output**

```
HQ-NGFW-2 # get system performance status
CPU states: 0% user 0% system 0% nice 100% idle 0% lowait 0% irq 0% softirq
CPU0 states: 0% user 0% system 0% nice 100% idle 0% lowait 0% irq 0% softirq
CPU1 states: 0% user 0% system 0% nice 100% idle 0% lowait 0% irq 0% softirq
Memory: 2042074k total, 993814k used (48.7%), 690352k free (33.8%), 35788k freeable (1.75%)
Average network usage: 26/18 kbps in 1 minute, 25/18 kbps in 10 minutes, 24/18 kbps in 30 minutes
Maximal network usage: 91/27 kbps in 1 minute, 92/27 kbps in 10 minutes, 92/32 kbps in 30 minutes
Average sessions: 9 sessions in 1 minute, 9 sessions in 10 minutes, 9 sessions in 30 minutes
Maximal sessions: 11 sessions in 1 minute, 11 sessions in 10 minutes, 13 sessions in 30 minutes
Average session setup rate: 0 sessions per second in last 1 minute, 0 sessions per second in last 10 minutes
Maximal session setup rate: 0 sessions per second in last 1 minute, 1 sessions per second in last 10 minutes
Average NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30 minutes
Maximal NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30 minutes
Virus caught: 0 total in 1 minute
IPS attacks blocked: 0 total in 1 minute
Uptime: 10 days, 10 hours, 50 minutes
```

P.S. Free 2025 Fortinet FCP\_FMG\_AD-7.4 dumps are available on Google Drive shared by DumpsTests: [https://drive.google.com/open?id=1k2Ehk3tcC\\_VIROGcIBY4Ky3izXe55lwX](https://drive.google.com/open?id=1k2Ehk3tcC_VIROGcIBY4Ky3izXe55lwX)

Similarly, DumpsTests provides you 1 year free updates after your purchase of Fortinet FCP\_FMG\_AD-7.4 practice tests. These updates will help you prepare well if the content of the exam changes. The FCP - FortiManager 7.4 Administrator (FCP\_FMG\_AD-7.4) demo of the practice exams is totally free and it helps you in examining the FCP\_FMG\_AD-7.4 study materials.

For quick and complete FCP - FortiManager 7.4 Administrator (FCP\_FMG\_AD-7.4) exam preparation you can trust DumpsTests Fortinet FCP\_FMG\_AD-7.4 Exam Questions. With the Fortinet FCP\_FMG\_AD-7.4 practice test questions you can ace your FCP - FortiManager 7.4 Administrator (FCP\_FMG\_AD-7.4) exam preparation and be ready to perform well in the final Fortinet FCP\_FMG\_AD-7.4 certification exam.

>> Valid Study Fortinet FCP\_FMG\_AD-7.4 Questions <<

## Testking FCP\_FMG\_AD-7.4 Exam Questions | Hottest FCP\_FMG\_AD-7.4 Certification

It's worth mentioning that our working staff considered as the world-class workforce, have been persisting in researching FCP\_FMG\_AD-7.4 test prep for many years. Our FCP\_FMG\_AD-7.4 exam guide engage our working staff in understanding customers' diverse and evolving expectations and incorporate that understanding into our strategies. Our laTest FCP\_FMG\_AD-7.4 Quiz prep aim at assisting you to pass the FCP\_FMG\_AD-7.4 exam and making you ahead of others. Under the support of our study materials, passing the exam won't be an unreachable mission. More detailed information is under below.

### Fortinet FCP\_FMG\_AD-7.4 Exam Syllabus Topics:

| Topic | Details |
|-------|---------|
|       |         |

|         |  |
|---------|--|
| Topic 1 | <ul style="list-style-type: none"> <li>Policy and Objects: This section deals with how to manage policies and objects, oversee ADOM revisions, configure workspace mode, and conduct policy imports and installations.</li> </ul>                                |
| Topic 2 | <ul style="list-style-type: none"> <li>Advanced Configuration: This domain explains FortiManager's high availability (HA), configures FortiGuard services and works with the global database ADOM.</li> </ul>  |
| Topic 3 | <ul style="list-style-type: none"> <li>Administration: This section covers how to understand FortiManager capabilities, perform initial configurations, and set up administrative domains (ADOMs).</li> </ul>  |
| Topic 4 | <ul style="list-style-type: none"> <li>Device Manager: In this domain, the focus is on how to register devices within ADOMs, implement configuration changes using scripts, and troubleshoot using the revision history.</li> </ul>                              |
| Topic 5 | <ul style="list-style-type: none"> <li>Troubleshooting: This section covers how to familiarize with FortiManager deployment scenarios and troubleshoot issues related to imports, installations, device-level, ADOM-level, and system-level concerns.</li> </ul> |

## Fortinet FCP - FortiManager 7.4 Administrator Sample Questions (Q22-Q27):

### NEW QUESTION # 22

Refer to the exhibit.

| Device Name      | Config Status     | IP Address | Policy Package Status | Platform    |
|------------------|-------------------|------------|-----------------------|-------------|
| Remote-FortiGate | Modified (recent) | 10.200.3.1 | Remote-FortiGate      | FortiGate-V |
| ISFW             | Auto-update       | 10.200.1.1 | Never Installed       | FortiGate-V |
| Local-FortiGate  | Auto-update       | 10.200.1.1 | Local-FortiGate_root  | FortiGate-V |

You are using the Quick Install option to install configuration changes on the managed FortiGate.

Which two statements correctly describe the result? (Choose two.)

- A. It installs all the changes in the device database first and the administrator must reinstall the changes on the FortiGate device.
- B. It installs device-level changes on the FortiGate device without launching the Install Wizard
- C. It installs provisioning template changes on the FortiGate device.
- D. It provides the option to preview only the policy package changes before installing them.

Answer: B,C

### NEW QUESTION # 23

Which API method is used to create objects or overwrite existing ones?

- A. Exec
- B. Set
- C. Add
- D. Update

Answer: B

Explanation:

In the context of the FortiManager JSON API, the `set` method is used to create new objects or overwrite existing ones. The API allows administrators to manage FortiManager and its associated devices by automating tasks like configuration changes, policy updates, and object creation.

Explanation of Options:

\* A. Set:

\* This is true. The `set` method is used to create a new object if it does not exist or overwrite an existing object if it already exists. This method is frequently used in API requests to configure settings and apply changes on FortiManager.

\* B. Add:

\* This is false. The `add` method is used to add new objects without overwriting any existing ones. It is used when you want to create a new entry and ensure it doesn't conflict with or replace an existing object.

\* C. Exec:

\* This is false. The `exec` method is used to execute specific actions or commands, rather than creating or modifying objects. This is typically used for actions like running scripts or executing operational commands on FortiManager or FortiGate.

\* D. Update:

\* This is false. While "update" might seem relevant, FortiManager's API does not specifically use an "update" method for modifying or creating objects. The `set` method serves that function by both creating new objects and overwriting existing ones.

### NEW QUESTION # 24

Refer to the exhibit. Given the configuration shown in the exhibit, which two conclusions can you draw from the installation targets in the Install On column? (Choose two.)

#### Managed FortiGate devices

| <input type="checkbox"/> | Device Name             |
|--------------------------|-------------------------|
| <input type="checkbox"/> | Training                |
| <input type="checkbox"/> | ISFW                    |
| <input type="checkbox"/> | root [NAT] (Management) |
| <input type="checkbox"/> | Student [NAT]           |
| <input type="checkbox"/> | Trainer [NAT]           |
| <input type="checkbox"/> | Local-FortiGate         |

#### FortiManager policy package

| <input type="checkbox"/> | Installation Target  |
|--------------------------|----------------------|
| <input type="checkbox"/> | Local-FortiGate_root |

|                          |                         |
|--------------------------|-------------------------|
| <input type="checkbox"/> | Local-FortiGate         |
| <input type="checkbox"/> | ISFW                    |
| <input type="checkbox"/> | root [NAT] (Management) |
| <input type="checkbox"/> | Trainer [NAT]           |
| <input type="checkbox"/> | Student [NAT]           |

### FortiManager policy package

| #                      | Name          | Install On                               | From  | To    |
|------------------------|---------------|--|-------|-------|
| 1                      | Ping_Access   | ISFW (root)<br>ISFW (Student)            | port3 | port1 |
| 2                      | Web           | Local-FortiGate (root)<br>ISFW (Student) | port3 | port1 |
| 3                      | Source_Device | Installation Targets                     | port3 | port1 |
| Implicit (4/4 Total:1) |               |  |       |       |
| 4                      | Implicit Deny | Installation Targets                     | any   | any   |

- A. Policy seq.# 1 will be installed on the ISFW device root[NAT] and Student[NAT] VDOMs only.
- B. Policy seq.# 3 will be skipped because no installation targets are specified.
- C. Policy seq.# 2 will not be installed on the Local-FortiGate root VDOM because there is no root VDOM in the Installation Target
- D. Policy seq.# 4 will be installed on all managed devices and VDOMs that are listed under Installation Targets

Answer: A,D

### NEW QUESTION # 25

Refer to the exhibit. Given the configuration shown in the exhibit, what are two results from this configuration? (Choose two.)

```
FortiManager # config system global
(global) # set workspace-mode normal
(global) # end
FortiManager #
```

- A. Two or more administrators can make configuration changes at the same time, in the same ADOM.
- B. Concurrent read-write access to an ADOM is disabled.
- C. The same administrator can lock more than one ADOM at the same time.
- D. You can validate administrator login attempts through external servers.

Answer: B,C

### NEW QUESTION # 26

Refer to the exhibit. What can you conclude from the failed installation log shown in the exhibit?

## FortiManager log

```
-----Executing time: [REDACTED]-----

Starting log (Run on device)

Local-FortiGate $ config user local
Local-FortiGate (local) $ edit student
Local-FortiGate (student) $ set type ldap
Local-FortiGate (student) $ set status enable
Local-FortiGate (student) $ next
Attribute 'ldap-server' MUST be set.
Command fail. Return code 1
Local-FortiGate (local) $ end
Local-FortiGate $ config firewall policy
Local-FortiGate (policy) $ edit 2
Local-FortiGate (2) $ set srcintf port3
Local-FortiGate (2) $ set dstintf port1
Local-FortiGate (2) $ set srcaddr all
Local-FortiGate (2) $ set dstaddr all
Local-FortiGate (2) $ set action accept
Local-FortiGate (2) $ set schedule always
Local-FortiGate (2) $ set service ALL
Local-FortiGate (2) $ set users student
entry not found in datasource

value parse error before 'student'
Command fail. Return code -3
Local-FortiGate (2) $ set nat enable
Local-FortiGate (2) $ next
Local-FortiGate (policy) $ end
Local-FortiGate $

-----End of Log-----
```

- A. Policy ID 2 is installed without the remote user student.
- B. Policy ID 2 is installed without a source address.
- C. Policy ID 2 is installed in the disabled state.
- D. Policy ID 2 will not be installed.

**Answer: A**

Explanation:

Since "users" is not mandatory, and all the other elements are set, the policy will be created.

Tested in lab:

```
Local-FG # config firewall policy
```

```
Local-FG (policy) # edit 2
```

```
new entry '2' added
```

```
Local-FG (2) # set srcintf a
```

```
Local-FG (2) # set dstintf b
```

```
Local-FG (2) # set srcaddr all
```

```
Local-FG (2) # set dstaddr all
```

```
Local-FG (2) # set action accept
```

```
Local-FG (2) # set schedule always
```

```
Local-FG (2) # set service ALL
```

```
Local-FG (2) # set users student
```

```
entry not found in datasource
```

```
value parse error before 'student'
```

```

Command fail. Return code -3
Local-FG (2) # set nat enable
Local-FG (2) # next
Local-FG (policy) # end
Local-FG # show firewall policy
config firewall policy
edit 2
set uuid 00879f84-bf81-51ee-3191-7623414c44a4
set srcintf "a"
set dstintf "b"
set srcaddr "all"
set dstaddr "all"
set action accept
set schedule "always"
set service "ALL"
set nat enable

```

## NEW QUESTION # 27

.....

If you haplessly fail the FCP\_FMG\_AD-7.4 exam, we treat it as our blame then give back full refund and get other version of practice material for free. In contrast we feel as happy as you are when you get the desirable outcome and treasure every breathtaking moment of your review. If you still feel bemused by our FCP\_FMG\_AD-7.4 Exam Questions, contact with our courteous staff who will solve your problems any time and they will give you the right advices on our FCP\_FMG\_AD-7.4 study materials.

**Testking FCP\_FMG\_AD-7.4 Exam Questions:** [https://www.dumpstests.com/FCP\\_FMG\\_AD-7.4-latest-test-dumps.html](https://www.dumpstests.com/FCP_FMG_AD-7.4-latest-test-dumps.html)

- FCP\_FMG\_AD-7.4 Practice Test  FCP\_FMG\_AD-7.4 New Questions  PDF FCP\_FMG\_AD-7.4 VCE  Download  FCP\_FMG\_AD-7.4  for free by simply searching on  [www.exam4labs.com](http://www.exam4labs.com)   Test FCP\_FMG\_AD-7.4 Study Guide
- New FCP\_FMG\_AD-7.4 Mock Test  FCP\_FMG\_AD-7.4 Training Solutions  FCP\_FMG\_AD-7.4 Valid Real Test   Open  [www.pdfvce.com](http://www.pdfvce.com)  and search for  FCP\_FMG\_AD-7.4    to download exam materials for free   Test FCP\_FMG\_AD-7.4 Simulator Free
- 100% Pass Quiz High Hit-Rate Fortinet - FCP\_FMG\_AD-7.4 - Valid Study FCP - FortiManager 7.4 Administrator Questions  The page for free download of  FCP\_FMG\_AD-7.4  on  [www.prep4away.com](http://www.prep4away.com)  will open immediately  Test FCP\_FMG\_AD-7.4 Simulator Free
- Valid FCP\_FMG\_AD-7.4 Exam Guide  FCP\_FMG\_AD-7.4 Dump Check  FCP\_FMG\_AD-7.4 Questions Pdf  Enter  [www.pdfvce.com](http://www.pdfvce.com)  and search for  FCP\_FMG\_AD-7.4  to download for free  FCP\_FMG\_AD-7.4 Exam Brain Dumps
- PDF FCP\_FMG\_AD-7.4 VCE  FCP\_FMG\_AD-7.4 Questions Pdf  New FCP\_FMG\_AD-7.4 Dumps Book  Easily obtain free download of “FCP\_FMG\_AD-7.4” by searching on  [www.vce4dumps.com](http://www.vce4dumps.com)   FCP\_FMG\_AD-7.4 Practice Test
- Get High Pass-Rate Valid Study FCP\_FMG\_AD-7.4 Questions and Pass Exam in First Attempt \* Search for  FCP\_FMG\_AD-7.4  and download it for free on  [www.pdfvce.com](http://www.pdfvce.com)  website  FCP\_FMG\_AD-7.4 Dump Check
- Get High Pass-Rate Valid Study FCP\_FMG\_AD-7.4 Questions and Pass Exam in First Attempt  Search for  [www.validtorrent.com](http://www.validtorrent.com)   immediately to obtain a free download  New FCP\_FMG\_AD-7.4 Mock Test
- FCP\_FMG\_AD-7.4 New Questions  New FCP\_FMG\_AD-7.4 Mock Test  FCP\_FMG\_AD-7.4 Exam Brain Dumps  Search for “FCP\_FMG\_AD-7.4” on  [www.pdfvce.com](http://www.pdfvce.com)  immediately to obtain a free download   FCP\_FMG\_AD-7.4 Exam Brain Dumps
- 2026 Trustable FCP\_FMG\_AD-7.4: Valid Study FCP - FortiManager 7.4 Administrator Questions  Easily obtain  [www.testkingpass.com](http://www.testkingpass.com)   FCP\_FMG\_AD-7.4 Exam Brain Dumps
- New FCP\_FMG\_AD-7.4 Dumps Book  New FCP\_FMG\_AD-7.4 Dumps Book  FCP\_FMG\_AD-7.4 Valid Exam Bootcamp  Immediately open  [www.pdfvce.com](http://www.pdfvce.com)  and search for  FCP\_FMG\_AD-7.4  to obtain a free download  Valid FCP\_FMG\_AD-7.4 Exam Topics
- 100% Pass Quiz High Hit-Rate Fortinet - FCP\_FMG\_AD-7.4 - Valid Study FCP - FortiManager 7.4 Administrator Questions  Download  FCP\_FMG\_AD-7.4  for free by simply entering  [www.pdfdumps.com](http://www.pdfdumps.com)  website

