


# Get Efficient Juniper Exam JN0-481 Bible and Perfect Reliable Test Forum



DOWNLOAD the newest PrepAwayExam.JN0-481 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1bDsRRpArybcOBldnlfSaIfq7XuLrLNmK>

Just choose the right PrepAwayExam.JN0-481 exam questions format demo and download it quickly. Download the PrepAwayExam.JN0-481 exam questions demo now and check the top features of JN0-481 Exam Questions. If you think the JN0-481 exam dumps can work for you then take your buying decision. Best of luck in exams and career!!!

## Juniper JN0-481 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"> <li>• Apstra Build and Deploy Phases: Covers fabric deployment tasks including agent installation, cable mapping, device states, deploy modes, and Blueprint UI usage, along with related monitoring and troubleshooting.</li> </ul>
Topic 2	<ul style="list-style-type: none"> <li>• Data Center Architectures (IP Fabrics, EVPN-VXLAN): Covers spine-leaf topology design, ECMP load balancing, and underlay</li> <li>• overlay routing, along with EVPN and VXLAN concepts including route types, bridge domains, VNI-to-VLAN mapping, and VTEP functions.</li> </ul>
Topic 3	<ul style="list-style-type: none"> <li>• Data Center Multitenancy: Covers multi-tenant network management through routing zones, VRFs, virtual networks, connectivity templates, security policies, VMware integration, and Data Center Interconnect.</li> </ul>

>> Exam JN0-481 Bible <<

## High Hit Rate Exam JN0-481 Bible - Win Your Juniper Certificate with Top Score

We have been developing our JN0-481 practice engine for many years. We have no doubt about our quality. Our experience is definitely what you need. To combine many factors, our JN0-481 real exam must be your best choice. And our JN0-481 Exam Questions have been tested by many of our loyal customers, as you can find that the 98% of them all passed their JN0-481 exam and a lot of them left their warm feedbacks on the website.

## Juniper Data Center, Specialist (JNCIS-DC) Sample Questions (Q50-Q55):

NEW QUESTION # 50

You are receiving cable, interface, and BGP anomalies from several devices within the data center fabric. In Juniper Apstra, how would you troubleshoot these types of errors?

- **A. In the UI, verify device connectivity by consulting the cable map.**
- B. In the UI, access the console to the devices and review the interface states.
- C. In the UI, go to Devices and confirm that agent connectivity is fine.
- D. In the UI, go to Time Voyager and revert to the last working version.

**Answer: A**

Explanation:

The cable map is a graphical representation of the physical connections between the devices in the data center fabric. It shows the status of the cables, interfaces, and BGP sessions for each device. You can use the cable map to identify and troubleshoot any cable, interface, or BGP anomalies that may occur in the fabric. You can also filter the cable map by device name, device type, device role, device state, cable state, interface state, or BGP state.

### NEW QUESTION # 51

In a three-stage Clos network, what are important key design aspects of a data center fabric?  
(Choose two.)

- **A. Servers are connected to leaf devices.**
- B. Servers are connected to spine devices.
- C. External traffic enters and exits the spine devices.
- **D. Fabric traffic enters and exits the border devices.**

**Answer: A,D**

Explanation:

Fabric traffic enters and exits the border devices: In a three-stage Clos fabric, border leaf devices serve as the gateway between the internal fabric and external networks, such as the internet or WAN.

Servers are connected to leaf devices: Leaf switches are responsible for connecting endpoints like servers, storage systems, or other access layer devices.

### NEW QUESTION # 52

You staged several changes to your Juniper Apstra blueprint but have not committed them. In this scenario, what is the effect of selecting Revert?

- A. A commit is required to complete the revert operation.
- **B. All the staged changes are cleared.**
- C. Only the last staged change will be cleared.
- D. The current active configuration will be replaced by the previous active configuration.

**Answer: B**

Explanation:

In Apstra 5.1, blueprint changes follow an intent workflow: you edit intent in Staged, then review the delta in Uncommitted, and finally Commit to activate those changes and create a new revision. If you have staged changes that are visible under Uncommitted but decide not to proceed, the Revert action is used to discard them. Selecting Revert clears the blueprint's uncommitted intent delta and returns the blueprint to the last committed state (the currently active intended design baseline). In practical terms, it removes all pending edits that were made since the last commit—whether those edits were physical (links/topology), virtual (routing zones, virtual networks), policies (security policies), or catalog-driven operations—so that none of those changes will be deployed.

Revert is not a "single-step undo" limited to only the most recent change; it is a discard of the staged/uncommitted change set. It also does not roll back device configurations on its own (that is handled by revision operations such as Time Voyager rollbacks and subsequent deployment actions). Finally, Revert does not require a commit to take effect; it is used specifically to avoid committing changes. This behavior helps maintain clean operational control in EVPN-VXLAN fabrics by ensuring only validated and intentional intent updates are promoted to the deployed network state.

Verified Juniper sources (URLs):

<https://www.juniper.net/documentation/us/en/software/apstra4.2/apstra-user-guide/topics/task/blueprint-commit-revert.html>

<https://www.juniper.net/documentation/us/en/software/apstra6.1/apstra-user-guide/topics/task/time-voyager-rollback-blueprint->

### NEW QUESTION # 53

Referring to the exhibit, what is the minimum information you must add to create a new routing zone?

- A. VRF Name only
- B. VRF Name, VLAN ID, And VNI
- C. VRF Name and Routing policies
- D. VRF Name, VLAN ID, VNI, Routing Policies

**Answer: B**

Explanation:

To create a new routing zone, you must specify the VRF Name, VLAN ID, and VNI for the routing zone. These are the mandatory fields in the user interface shown in the exhibit. The VRF Name is the name of the L3 domain that isolates the IP traffic of the routing zone from other routing zones.

The VLAN ID is the identifier for the VLAN tagged Layer 3 links on external connections. The VNI is the VxLAN Network Identifier associated with the routing zone. The Routing Policies are optional fields that allow you to configure import and export route targets for the routing zone.

These are only applicable for EVPN routing zones, which use MP-EBGP as the overlay control protocol.

### NEW QUESTION # 54

You are allowed to assign tags for which three objects? (Choose three.)

- A. Property sets
- B. Device profiles
- C. Interfaces
- D. Generic systems
- E. Virtual networks

**Answer: C,D,E**

Explanation:

In Apstra, tags are an intent-level metadata mechanism used to classify objects and drive automation and reuse. Within a data center blueprint, Apstra supports tagging multiple blueprint objects so operators can apply configuration or policy logic conditionally (for example, applying a connectivity template or a configlet based on a tag match). In this scenario, three valid taggable objects are virtual networks, interfaces, and generic systems.

Virtual network tagging is supported directly from the blueprint's virtual network table, enabling you to label virtual networks (such as "finance," "pci," or "dev") and then reference those tags elsewhere in blueprint operations and policy application. Interface tagging is also explicitly supported in the blueprint, allowing you to assign tags to switch interfaces and use those tags to control how templates, assignments, or other intent-driven operations apply to those ports. Finally, generic systems (which are modeled endpoint systems such as servers or external routers represented as "systems" in the blueprint) can be tagged so that downstream intent logic can distinguish system roles and apply the correct operations consistently across expansions and changes.

By contrast, property sets are structured data objects used for variable substitution and probe/configlet parameterization, not a primary target for operational tagging in the blueprint UI; and device profiles are catalog artifacts describing hardware/NOS compatibility rather than blueprint objects typically tagged for intent application.

Verified Juniper sources (URLs):

<https://www.juniper.net/documentation/us/en/software/apstra5.1/apstra-user-guide/topics/topic-map/tag-interface-add-remove-datacenter.html>

<https://www.juniper.net/documentation/us/en/software/apstra5.0/apstra-user-guide/topics/task/tag-virtual-network-update.html>

<https://www.juniper.net/documentation/us/en/software/apstra5.0/apstra-user-guide/topics/topic-map/tag-system-add-remove-freeform.html>

### NEW QUESTION # 55

.....

PrepAwayExam not only provide the products which have high quality to each candidate, but also provides a comprehensive after-

sales service. If you are using our JN0-481 products, we will let you enjoy one year of free updates. So that you can get the latest exam information in time. We will be use the greatest efficiency to service each candidate.

**Reliable JN0-481 Test Forum:** <https://www.prepawayexam.com/Juniper/braindumps.JN0-481.etc.file.html>

- Examcollection JN0-481 Dumps Torrent □ Reliable JN0-481 Dumps Book □ JN0-481 Actual Questions □ The page for free download of ▶ JN0-481 ◀ on ➡ [www.practicevce.com](http://www.practicevce.com) □□□ will open immediately ➡ □ JN0-481 Reliable Test Guide
- JN0-481 Reliable Test Guide ☞ JN0-481 Test Sample Questions □ Valid JN0-481 Test Objectives □ Open website ( [www.pdfvce.com](http://www.pdfvce.com) ) and search for ( JN0-481 ) for free download □ Test JN0-481 Online
- JN0-481 Latest Demo □ Prep JN0-481 Guide □ Prep JN0-481 Guide □ Immediately open { [www.pass4test.com](http://www.pass4test.com) } and search for ▷ JN0-481 ◁ to obtain a free download □ JN0-481 Reliable Test Guide
- JN0-481 Paper □ Reliable JN0-481 Dumps Book ↑ JN0-481 Reliable Test Guide □ Search for ☼ JN0-481 □☼□ and download exam materials for free through ➤ [www.pdfvce.com](http://www.pdfvce.com) □ □ JN0-481 Valid Test Blueprint
- Visual JN0-481 Cert Test □ JN0-481 Valid Test Blueprint □ Test JN0-481 Online □ 「 [www.troytecdumps.com](http://www.troytecdumps.com) 」 is best website to obtain ➡ JN0-481 □ for free download □ JN0-481 Test Sample Questions
- JN0-481 Latest Demo □ Prep JN0-481 Guide □ Reliable JN0-481 Dumps Book □ Search for □ JN0-481 □ and download exam materials for free through ▶ [www.pdfvce.com](http://www.pdfvce.com) ◀ □ Examcollection JN0-481 Dumps Torrent
- JN0-481 Paper □ JN0-481 Valid Exam Format □ JN0-481 Actual Questions □ The page for free download of ⇒ JN0-481 ⇐ on “ [www.easy4engine.com](http://www.easy4engine.com) ” will open immediately □ Test JN0-481 Online
- JN0-481 Test Study Guide □ JN0-481 Test Study Guide □ Valid JN0-481 Test Objectives □ Easily obtain free download of ➤ JN0-481 □ by searching on □ [www.pdfvce.com](http://www.pdfvce.com) □ □ Dump JN0-481 File
- Juniper Exam JN0-481 Bible: Data Center, Specialist (JNCIS-DC) - [www.testkingpass.com](http://www.testkingpass.com) Best Provider □ The page for free download of ✓ JN0-481 □ ✓ □ on ➡ [www.testkingpass.com](http://www.testkingpass.com) □ will open immediately □ Training JN0-481 Materials
- JN0-481 Test Study Guide □ Valid JN0-481 Test Cram □ Prep JN0-481 Guide □ Search on □ [www.pdfvce.com](http://www.pdfvce.com) □ for { JN0-481 } to obtain exam materials for free download □ JN0-481 Latest Demo
- Data Center, Specialist (JNCIS-DC) Learn Materials Can Definitely Exert Positive Effect on Your Exam □ Download { JN0-481 } for free by simply searching on ⇒ [www.prepawaypdf.com](http://www.prepawaypdf.com) ⇐ □ JN0-481 Related Content
- [zenwriting.net](http://zenwriting.net), [schoolido.lu](http://schoolido.lu), [schoolido.lu](http://schoolido.lu), [47.121.119.212](http://47.121.119.212), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [hhi.instructure.com](http://hhi.instructure.com), [bbs.chaken.net.cn](http://bbs.chaken.net.cn), [www.ted.com](http://www.ted.com), Disposable vapes

What's more, part of that PrepAwayExam JN0-481 dumps now are free: <https://drive.google.com/open?id=1bDsRRpArybcOBldntfSalFq7XuLrLNmK>