

Features of TrainingDump Fortinet FCSS_SASE_AD-25 Web-Based Practice Exam



P.S. Free & New FCSS_SASE_AD-25 dumps are available on Google Drive shared by TrainingDump: https://drive.google.com/open?id=1nMeeH_LR79bz_pAV4ROXeEXBW7oiH6t

Our FCSS_SASE_AD-25 exam dumps are compiled by our veteran professionals who have been doing research in this field for years. There is no question to doubt that no body can know better than them. The content and displays of the FCSS_SASE_AD-25 Pass Guide Which they have tailor-designed are absolutely more superior than the other providers.

You only need 20-30 hours to learn our FCSS_SASE_AD-25 test braindumps and then you can attend the exam and you have a very high possibility to pass the FCSS_SASE_AD-25 exam. For many people whether they are the in-service staff or the students they are busy in their job, family lives and other things. But you buy our FCSS_SASE_AD-25 prep torrent you can mainly spend your time energy and time on your job, the learning or family lives and spare little time every day to learn our FCSS - FortiSASE 25 Administrator exam torrent. And you will pass the FCSS_SASE_AD-25 exam as it is a piece of cake to you with our FCSS_SASE_AD-25 exam questions.

>> FCSS_SASE_AD-25 Reliable Test Tips <<

New FCSS_SASE_AD-25 Reliable Test Tips | Valid FCSS_SASE_AD-25 Latest Test Preparation: FCSS - FortiSASE 25 Administrator 100% Pass

TrainingDump offers highly designed Fortinet FCSS_SASE_AD-25 exam questions and online FCSS_SASE_AD-25 practice test engine to help you successfully clear the Fortinet exam. Their study materials cover all the basic to advanced required FCSS_SASE_AD-25 Exam Questions material that you need to know to pass the FCSS_SASE_AD-25 Exam. These two simple, easy, and accessible learning formats will boost your confidence.

Fortinet FCSS_SASE_AD-25 Exam Syllabus Topics:

| Topic | Details |
|---------|---|
| Topic 1 | <ul style="list-style-type: none"> Analytics and Monitoring: This section of the exam measures the skills of Security Analysts and emphasizes the monitoring and reporting aspects of FortiSASE. Candidates are expected to configure dashboards, logging settings, and analyze reports for user traffic and security issues. Additionally, they must use FortiSASE logs to identify potential threats and provide insights into incidents or abnormal behavior. The focus is on leveraging analytics for operational visibility and strengthening the organization's security posture. |

| | |
|---------|---|
| Topic 2 | <ul style="list-style-type: none"> • SASE Architecture and Components: This section of the exam measures the skills of Network Engineers and introduces the fundamentals of SASE within enterprise environments. Candidates are expected to understand the SASE architecture, identify FortiSASE components, and build deployment cases for real-world scenarios. The content emphasizes how SASE can be integrated into a hybrid network, showcasing secure design principles and the use of FortiSASE capabilities to support business and security objectives. |
| Topic 3 | <ul style="list-style-type: none"> • Advanced FortiSASE Solutions: This section of the exam measures the expertise of Solution Architects and validates the ability to work with advanced FortiSASE features. It covers deployment of SD-WAN using FortiSASE, implementation of Zero Trust Network Access (ZTNA), and the overall role of FortiSASE in optimizing enterprise connectivity. The section highlights how these advanced solutions improve flexibility, enforce zero-trust principles, and extend security controls across distributed networks and cloud systems. |
| Topic 4 | <ul style="list-style-type: none"> • SASE Deployment: This section of the exam measures the knowledge of Implementation Consultants and focuses on the practical aspects of deploying FortiSASE. Candidates will explore user onboarding methods, configuration of administration settings, and the application of security posture checks with compliance rules. The exam also includes key functions such as SIA, SSA, and SPA, alongside the design of security profiles that perform effective content inspection. By combining these tasks, learners demonstrate readiness to roll out secure and scalable deployments. |

Fortinet FCSS - FortiSASE 25 Administrator Sample Questions (Q51-Q56):

NEW QUESTION # 51

What are two benefits of deploying FortiSASE with FortiGate ZTNA access proxy? (Choose two.)

- A. It is ideal for latency-sensitive applications.
- B. It supports both agentless ZTNA and agent-based ZTNA.
- C. The on-premises FortiGate performs a device posture check.
- D. It offers data center redundancy.

Answer: A,B

Explanation:

Deploying FortiSASE with FortiGate ZTNA access proxy enables efficient access to private applications with reduced latency and supports both agentless and agent-based ZTNA methods for flexible access control.

NEW QUESTION # 52

A customer needs to implement device posture checks for their remote endpoints while accessing the protected server. They also want the TCP traffic between the remote endpoints and the protected servers to be processed by FortiGate.

In this scenario, which three setups will achieve the above requirements? (Choose three.)

- A. Sync ZTNA tags from FortiSASE to FortiGate.
- B. Configure private access policies on FortiSASE with ZTNA.
- C. Configure FortiGate as a zero trust network access (ZTNA) access proxy.
- D. Configure ZTNA tags on FortiGate.
- E. Configure ZTNA servers and ZTNA policies on FortiGate.

Answer: C,D,E

Explanation:

To meet the requirements of implementing device posture checks for remote endpoints and ensuring that TCP traffic between the endpoints and protected servers is processed by FortiGate, the following three setups are necessary:

Configure ZTNA tags on FortiGate (Option A):

ZTNA (Zero Trust Network Access) tags are used to define access control policies based on the security posture of devices. By configuring ZTNA tags on FortiGate, administrators can enforce granular access controls, ensuring that only compliant devices can access protected resources.

Configure FortiGate as a zero trust network access (ZTNA) access proxy (Option B):

FortiGate can act as a ZTNA access proxy, which allows it to mediate and secure connections between remote endpoints and

protected servers. This setup ensures that all TCP traffic passes through FortiGate, enabling inspection and enforcement of security policies.

Configure ZTNA servers and ZTNA policies on FortiGate (Option C):

To enable ZTNA functionality, administrators must define ZTNA servers (the protected resources) and create ZTNA policies on FortiGate. These policies determine how traffic is routed, inspected, and controlled based on device posture and user identity.

Here's why the other options are incorrect:


D . Configure private access policies on FortiSASE with ZTNA: While FortiSASE supports ZTNA, the requirement specifies that TCP traffic must be processed by FortiGate. Configuring private access policies on FortiSASE would route traffic through FortiSASE instead of FortiGate, which does not meet the stated requirements.

E . Sync ZTNA tags from FortiSASE to FortiGate: Synchronizing ZTNA tags is unnecessary in this scenario because the focus is on FortiGate processing the traffic. The tags can be directly configured on FortiGate without involving FortiSASE.

Fortinet FCSS FortiSASE Documentation - Zero Trust Network Access (ZTNA) Deployment FortiGate Administration Guide - ZTNA Configuration

NEW QUESTION # 53

Refer to the exhibits.



The screenshot displays the 'Web Filtering logs' interface. The main table lists traffic events with columns for User, Destination Port, Traffic Type, Security Events, and Security Action. A 'Log Details' window is open for the first entry, showing security-related information.

| User | Destination P... | Traffic Type | Security Events | Security Action |
|----------------------------|------------------|-----------------|-----------------|-----------------|
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |
| user2@fortinettraining.lab | 443 | Internet Access | Web Filter | Allowed |

| Details | Security |
|----------------------|--|
| Agent | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/109.0 |
| Category | 50 |
| Category Description | Information and Computer Security |
| Direction | outgoing |
| Event Type | ftgd_allow |
| Hostname | www.eicar.org |
| Message | URL belongs to an allowed category in policy |
| Profile Group | Internet Access |
| Referrer URI | https://www.eicar.org/download-anti-malware-testfile/ |
| Request Type | referral |
| Sub Type | webfilter |
| Type | utm |
| Timezone | -0800 |
| URL | https://www.eicar.org/download/eicar_com-zip/?vpmid=6847&refresh=65df3477aha001709126775 |

Security Home Group

Rename
 Delete

Antivirus

| Threats | Count | Inspected Protocols |
|---------|-------|---|
| | | HTTP ✔ |
| | | SMTP ✔ |
| | | POP3 ✔ |
| | | IMAP ✔ |
| | | FTP ✔ |
| | | CIFS ✔ |

View All
 View Logs
 Customize

Web Filter With Inline-CASB

| Threats | Count | Filters |
|----------------------------|-------|---|
| www.eicar.org | 10 | ✔ Allow 0 |
| 5f3c395.com19.de | 22 | ✘ Block 0 |
| www.eicar.com | 13 | ⊖ Exempt 0 |
| encrypted-tbn0.gstatic.com | 9 | 👁 Monitor 93 |
| ocaso.bicelct.com | 8 | ⚠ Warning 0 |
| | | ✘ Disable 0 |
| | | 👁 Inline-CASB Headers 1 |

View All
 View Logs
 Customize

Intrusion Prevention

| Threats | Count | Intrusion Prevention |
|---------|-------|---|
| | | <div style="border: 1px solid #ccc; padding: 5px; margin: 5px;"> <p>Recommended: ✘ Enable traffic for all known threats and applying the recommended settings.</p> <p style="text-align: center;">Disabled</p> </div> |

View All
 View Logs
 Customize

SSL Inspection

| Threats | Count | SSL Inspection |
|-------------|-------|---|
| ssl-anomaly | 734 | <p>Deep Inspection</p> <ul style="list-style-type: none"> 👁 SSL connections are decrypted to allow for inspection of the contents. ⊖ Exempt Hosts 1 ⊖ Exempt URL Categories 2 |

View All
 View Logs
 Customize

FERTINET®

Secure Internet Access policy

Name ⓘ Web Traffic

Source Scope All VPN Users Edge Device

Source All Traffic Specify

User All VPN Users Specify

VPN_Users ×

Destination All Internet Traffic Specify

Service ⓘ ×

Profile Group Default Specify

SIA ▾

Force Certificate Inspection ⓘ

Action Accept Deny

Status Enable Disable

Logging Options

Log Allowed Traffic Security Events All Sessions

A FortiSASE administrator has configured an antivirus profile in the security profile group and applied it to the internet access policy. Remote users are still able to download the eicar.com-zip file from <https://eicar.org>. Traffic logs show traffic is allowed by the policy. Which configuration on FortiSASE is allowing users to perform the download?

- A. IPS is disabled in the security profile group.
- B. Web filter is allowing the traffic.
- C. The HTTPS protocol is not enabled in the antivirus profile.
- **D. Force certificate inspection is enabled in the policy.**

Answer: D

Explanation:

<https://community.fortinet.com/t5/FortiSASE/Technical-Tip-Force-Certificate-Inspection-option-in-FortiSASE/ta-p/302617>

NEW QUESTION # 54

Refer to the exhibits.

Secure private access service connection

| | | |
|-----------------------|----------------|-------------|
| Name | To_FortiGate | X |
| Remote Gateway | 203.221.193.0 | X |
| Authentication Method | Pre-Shared Key | Certificate |
| BGP Peer IP | 10.11.11.1 | X |
| Network Overlay ID | 100 | X |

Secure private access network connection

Service Connections Network Configuration

SECURE PRIVATE ACCESS NETWORK CONFIGURATION

| | | |
|--------------------------------|-------------------------|-----------------|
| BGP Routing Design | BGP per overlay | BGP on loopback |
| BGP Router ID Subnet | 10.12.11.0/24 | X |
| Autonomous System Number (ASN) | 65001 | X |
| BGP Recursive Routing | <input type="radio"/> | |
| Hub Selection Method | Hub Health and Priority | BGP MED |
| Health Check IP | 10.1.0.254 | X |

Jitter, latency and packet loss measurements are periodically obtained for each service connection via the Health Check IP.

Within each PoP, the highest priority service connection that meets minimum SLA requirements is selected. Note that a service connection can be assigned a different priority level in different PoPs.

Firewall policy configuration

```
config firewall policy
  edit 5
    set name "Spoke-to-Spoke"
    set uuid 4d949462-216b-51ee-83c7-d0662fdf9451
    set srcintf "To_SASE"
    set dstintf "To_SASE"
    set action accept
    set srcaddr "all"
    set dstaddr "all"
    set schedule "always"
    set service "ALL"
    set comments "VPN: To_SASE (Created by VPN wizard)"
  next
  edit 6
    set name "Lo-BGP-HC"
    set uuid f5a12c92-216b-51ee-4892-80cd013d6acf
    set srcintf "To_SASE"
    set dstintf "SASE_Health"
    set action accept
    set srcaddr "all"
    set dstaddr "all"
    set schedule "always"
    set service "ALL"
  next
  edit 9
    set name "Spoke-to-Hub"
    set uuid 617b81ee-cc64-51ee-8da6-6cdf3ca2cca
    set srcintf "To_SASE"
    set dstintf "internal3"
    set action accept
    set srcaddr "all"
    set dstaddr "all"
    set schedule "always"
    set service "ALL"
  next
end
```

IPsec VPN configuration

```
# show vpn ipsec phase1-interface To_SASE
config vpn ipsec phase1-interface
  edit "To_SASE"
    set type dynamic
    set interface "wan1"
    set peertype any
    set net-device disable
    set mode-cfg enable
    set proposal aes128-sha256 aes256-sha256 aes128-sha1 aes256-sha1
    set add-route disable
    set dpd on-idle
    set comments "VPN: To_SASE (Created by VPN wizard)"
    set wizard-type hub-fortigate-auto-discovery
    set auto-discovery-sender enable
    set ipv4-start-ip 10.11.11.10
    set ipv4-end-ip 10.11.11.200
    set ipv4-netmask 255.255.255.0
    set unity-support disable
    set psksecret ENC Sb10igpvIFFYSpRZ/hyxQVUXv9NZm7uqltD9v+BViPd+7RWizmUA3ZINn0zbsxq70F
iYkPLkxanwIo7VLiipkye1xt84NAwEfm5jTqqf1dMj/phYvBI3hzU0yXq==
  next
end

# show vpn ipsec phase2-interface To_SASE
config vpn ipsec phase2-interface
  edit "To_SASE"
    set phase1name "To_SASE"
    set proposal aes128-sha1 aes256-sha1 aes128-sha256 aes256-sha256 aes128gcm aes256gcm
    set comments "VPN: To_SASE (Created by VPN wizard)"
  next
end
```

FORTINET

```

#config router bgp
  set as 65001
  set router-id 10.1.0.254
  config neighbor
    edit "10.10.1.3"
      set advertisement-interval 1
      set ebgp-enforce-multihop enable
      set link-down-failover enable
      set remote-as 55001
      set route-reflector-client enable
    next
  end
  config neighbor-group
    edit "To_SASE"
      set capability-graceful-restart enable
      set link-down-failover enable
      set next-hop-self enable
      set interface "To_SASE"
      set remote-as 55001
      set additional-path both
      set vty-additional-path 4
      set route-reflector-client enable
    next
  end
  config neighbor-range
    edit 1
      set prefix 10.11.11.0 255.255.255.0
      set neighbor-group "To_SASE"
    next
  end
  config network
    edit 1
      set prefix 10.190.190.0 255.255.255.0
    next
  end
end

```

A FortiSASE administrator is trying to configure FortiSASE as a spoke to a FortiGate hub. The VPN tunnel does not establish. Based on the provided configuration, what configuration needs to be modified to bring the tunnel up?

- A. NAT needs to be enabled in the Spoke-to-Hub firewall policy.
- B. FortiSASE spoke devices do not support mode config.
- C. The BGP router ID needs to match on the hub and FortiSASE.
- D. The hub needs IKEv2 enabled in the IPsec phase 1 settings.

Answer: D

NEW QUESTION # 55

When viewing the daily summary report generated by FortiSASE, the administrator notices that the report contains very little data. What is a possible explanation for this almost empty report?

- A. Log allowed traffic is set to Security Events for all policies.
- B. There are no security profile groups applied to all policies.
- C. The web filter security profile is not set to Monitor.
- D. Digital experience monitoring is not configured.

Answer: A

Explanation:

The issue of an almost empty daily summary report in FortiSASE can often be traced back to how logging is configured within the system. Specifically, if "Log Allowed Traffic" is set to "Security Events" for all policies, it means that only security-related events (such as threats or anomalies) are being logged, while normal, allowed traffic is not being recorded. Since most traffic in a typical network environment is allowed, this configuration would result in very little data being captured and subsequently reported in the daily summary.

Here's a breakdown of why the other options are less likely to be the cause:

- B . There are no security profile groups applied to all policies: While applying security profiles is important for comprehensive protection, their absence does not directly affect the volume of data in reports unless specific logging settings are also misconfigured.
- C . The web filter security profile is not set to Monitor: This option pertains specifically to web filtering activities. Even if web filtering is not set to monitor mode, other types of traffic and logs should still populate the report.
- D . Digital experience monitoring is not configured: Digital Experience Monitoring (DEM) focuses on user experience metrics rather than general traffic logging. Its absence would not lead to an almost empty report.

To resolve this issue, administrators should review the logging settings across all policies and ensure that "Log Allowed Traffic" is appropriately configured to capture the necessary data for reporting purposes.

Fortinet FCSS FortiSASE Documentation - Reporting and Logging Best Practices FortiSASE Administration Guide - Configuring Logging Settings

NEW QUESTION # 56

.....

We continually improve the versions of our FCSS_SASE_AD-25 study materials so as to make them suit all learners with different learning levels and conditions. The clients can use the APP/Online test engine of our FCSS_SASE_AD-25 study materials in any electronic equipment such as the cellphones, laptops and tablet computers. Our after-sale service is very considerate and the clients can consult our online customer service about the price and functions of our FCSS_SASE_AD-25 Study Materials and refund issues on the whole day and year.

FCSS_SASE_AD-25 Latest Test Preparation: https://www.trainingdump.com/Fortinet/FCSS_SASE_AD-25-practice-exam-dumps.html

- Brain FCSS_SASE_AD-25 Exam Exam Dumps FCSS_SASE_AD-25 Zip Exam FCSS_SASE_AD-25 Syllabus Open (www.prepawayexam.com) enter 《 FCSS_SASE_AD-25 》 and obtain a free download Valid FCSS_SASE_AD-25 Practice Questions
- Exam FCSS_SASE_AD-25 Syllabus FCSS_SASE_AD-25 Online Exam Valid FCSS_SASE_AD-25 Practice Questions Open ➔ www.pdfvce.com and search for { FCSS_SASE_AD-25 } to download exam materials for free Brain FCSS_SASE_AD-25 Exam
- FCSS_SASE_AD-25 Latest Study Materials Study Materials FCSS_SASE_AD-25 Review Valid FCSS_SASE_AD-25 Practice Questions Download ▶ FCSS_SASE_AD-25 ◀ for free by simply searching on { www.testkingpass.com } FCSS_SASE_AD-25 Latest Study Materials
- Study Materials FCSS_SASE_AD-25 Review Exam FCSS_SASE_AD-25 Outline Study Materials FCSS_SASE_AD-25 Review Simply search for ▶ FCSS_SASE_AD-25 for free download on ✨ www.pdfvce.com ✨ Reliable FCSS_SASE_AD-25 Dumps Free
- FCSS_SASE_AD-25 Valid Study Plan FCSS_SASE_AD-25 Online Exam Study Materials FCSS_SASE_AD-25 Review www.practicevce.com is best website to obtain ⇒ FCSS_SASE_AD-25 ⇐ for free download Reliable FCSS_SASE_AD-25 Test Pass4sure
- Pdfvce Is the Most Reliable Platform for Fortinet FCSS_SASE_AD-25 Exam Preparation Search for FCSS_SASE_AD-25 and obtain a free download on { www.pdfvce.com } Exam Dumps FCSS_SASE_AD-25 Zip
- New FCSS_SASE_AD-25 Reliable Test Tips Free PDF | Professional FCSS_SASE_AD-25 Latest Test Preparation: FCSS - FortiSASE 25 Administrator Search for “FCSS_SASE_AD-25 ” on 《 www.troytecdumps.com 》 immediately to obtain a free download FCSS_SASE_AD-25 Latest Study Materials
- Testking FCSS_SASE_AD-25 Exam Questions Valid FCSS_SASE_AD-25 Practice Questions Brain FCSS_SASE_AD-25 Exam Search for ➔ FCSS_SASE_AD-25 and download it for free immediately on ▶ www.pdfvce.com ◀ Testking FCSS_SASE_AD-25 Exam Questions
- FCSS_SASE_AD-25 Latest Study Materials FCSS_SASE_AD-25 Exam Training Study Materials FCSS_SASE_AD-25 Review Search for 「 FCSS_SASE_AD-25 」 and obtain a free download on (www.pdfdumps.com) Exam FCSS_SASE_AD-25 Cram
- FCSS_SASE_AD-25 Exam Simulator Online FCSS_SASE_AD-25 Exam Simulator Online FCSS_SASE_AD-25 Training Pdf Search for FCSS_SASE_AD-25 and download exam materials for free through ▶ www.pdfvce.com ◀ Exam FCSS_SASE_AD-25 Syllabus
- Exam FCSS_SASE_AD-25 Cram FCSS_SASE_AD-25 Latest Real Test FCSS_SASE_AD-25 Latest Study Materials The page for free download of 《 FCSS_SASE_AD-25 》 on ▶ www.prepawaypdf.com ◀ will open immediately FCSS_SASE_AD-25 Latest Real Test
- hannacnv281262.wikibyby.com, www.stes.tyc.edu.tw, bookmarkinglife.com, monicapbwj769323.creacionblog.com, bookmarkspring.com, lanceafoj934399.blogunteer.com, caoinheukrr293084.goabroadblog.com, caoinhemdov207143.gynoblog.com, www.stes.tyc.edu.tw, apollobookmarks.com, Disposable vapes

P.S. Free & New FCSS_SASE_AD-25 dumps are available on Google Drive shared by TrainingDump:
https://drive.google.com/open?id=1nMeeH_LR79bz_pAV4ROXeEXBW7oiiH6t