

H12-893_V1.0 Musterprüfungsfragen - H12-893_V1.0 Zertifizierung & H12-893_V1.0 Testfragen

Download the latest H12-893_V1.0-ENU exam dumps PDF for Preparation.

Exam : H12-893_V1.0-ENU

Title : HCIP-Data Center Network
V1.0

https://www.passcert.com/H12-893_V1.0-ENU.html

1 / 7

BONUS!!! Laden Sie die vollständige Version der EchteFrage H12-893_V1.0 Prüfungsfragen kostenlos herunter:
https://drive.google.com/open?id=1HPkUGbAbWARxjh-N9_3SHhKWC44EHiu

EchteFrage ist eine Schulungswebsite, die spezielle Fragen und Antworten zur Huawei H12-893_V1.0 Zertifizierungsprüfung IT-Zertifizierungsprüfung und Prüfungsthemen bieten. Gegen die populäre Huawei H12-893_V1.0 Zertifizierungsprüfung haben wir neuen Schulungskonzepte entwickelt, die die Bedürfnisse vieler Leute abdecken können. Viele berühmten IT-Firmen stellen ihre Angestellte laut dem Huawei H12-893_V1.0 Zertifikat ein. Deshalb ist die Huawei H12-893_V1.0 (HCIP-Data Center Network V1.0) Zertifizierungsprüfung zur Zeit sehr populär. EchteFrage wird von vielen akzeptiert und hat den Traum einer Mehrheit der Leute verwirklicht. Wenn Sie mit Hilfe von EchteFrage die Prüfung nicht bestehen, zahlen wir Ihnen die gesamte Summe zurück.

Mit der Entwicklung der Gesellschaft ist IT-Industrie von vielen Leuten beliebt. Und es gibt immer Leute, die Huawei H12-893_V1.0 IT-Zertifizierungen besitzen wollen und Fortschritte in ihrer Karriere machen. In diesem Fall sollen Sie an EchteFrage denken. Und das ist Ihr gute Helfer. Die starke Huawei H12-893_V1.0 Dumps von EchteFrage sind die Folgen und die Erfahrung von reichen IT-Eliten. Sie können leichter Erfolg machen, wenn Sie ihre Erfahrungen bekommen.

>> H12-893_V1.0 Prüfungs <<

H12-893_V1.0 Der beste Partner bei Ihrer Vorbereitung der HCIP-Data Center Network V1.0

Haben Sie keine gute Methode, Huawei H12-893_V1.0 Zertifizierungsprüfungen vorzubereiten? Huawei H12-893_V1.0 Zertifizierungsprüfung ist eine der bedeutendsten Zertifizierung bei IT-Zertifizierungen. Seit Jahren hat IT-Branchen die Aufmerksamkeit der ganzen Welt gewonnen. Und es wird auch ein unverzichtbarer Bestandteil des modernen Lebens. Und Huawei Zertifizierungen sind schon international anerkannt. Deshalb entwickeln viele IT-Fachleute ihre Kenntnisse und Fähigkeiten durch Huawei exam. Und H12-893_V1.0 Zertifizierungsprüfung ist eine der wichtigsten Prüfung. Diese Zertifizierung kann Leuten größere Interessen bringen.

Huawei HCIP-Data Center Network V1.0 H12-893_V1.0 Prüfungsfragen mit Lösungen (Q42-Q47):

42. Frage

After an M-LAG works properly, the two member devices synchronize information with each other in real time. Which of the following pieces of information are synchronized between devices? (Select All that Apply)

- A. Device name
- **B. LACP information**
- C. ACL information
- **D. STP status**

Antwort: B,D

Begründung:

In Huawei's M-LAG (Multi-Chassis Link Aggregation) on CE series switches, the two member devices synchronize critical information over the peer-link to ensure seamless operation and failover. Let's evaluate each option:

A . ACL information: Access Control List (ACL) configurations are typically not synchronized in M-LAG, as they are device-specific security policies. Synchronization of ACLs is not a standard feature in Huawei's M-LAG implementation. NOT SYNCHRONIZED.

B . STP status: Spanning Tree Protocol (STP) status (e.g., port roles, states) is synchronized to maintain a consistent loop-free topology across M-LAG peers, especially when V-STP or other STP variants are used. SYNCHRONIZED.

C . Device name: Device names are administrative identifiers and are not synchronized, as they do not impact traffic forwarding or M-LAG functionality. NOT SYNCHRONIZED.

D . LACP information: Link Aggregation Control Protocol (LACP) status (e.g., link states, aggregation details) is synchronized to ensure both M-LAG devices present a unified LAG to downstream devices, supporting load balancing and failover. SYNCHRONIZED.

Thus, B (STP status) and D (LACP information) are synchronized between M-LAG devices.

43. Frage

In EVPN Type 3 routes, the MPLS Label field carries a Layer 3 VNI.

- **A. FALSE**
- B. TRUE

Antwort: A

Begründung:

EVPN (Ethernet VPN) is a control plane technology used with VXLAN in Huawei's data center networks to provide Layer 2 and Layer 3 connectivity. EVPN routes are advertised using BGP, with different types serving specific purposes. Type 3 routes (Inclusive Multicast Ethernet Tag routes) are used for multicast or BUM (Broadcast, Unknown Unicast, Multicast) traffic handling in VXLAN networks.

MPLS Label Field: In MPLS (Multiprotocol Label Switching), the label field is used to identify the forwarding equivalence class (FEC) or virtual circuit. In EVPN with VXLAN, MPLS labels can be used in underlay networks, but VXLAN itself relies on a VNI (VXLAN Network Identifier) in the VXLAN header for overlay segmentation.

Layer 3 VNI: A Layer 3 VNI is associated with inter-subnet routing in EVPN, typically carried in Type 5 routes (IP Prefix routes) for Layer 3 forwarding. Type 3 routes, however, focus on multicast distribution and carry a Layer 2 VNI or multicast group information, not a Layer 3 VNI.

MPLS Label in Type 3 Routes: The MPLS label in Type 3 routes, if used, identifies the VXLAN tunnel or multicast group, not a Layer 3 VNI. The Layer 3 VNI is specific to Type 5 routes for routing between subnets, not Type 3's multicast focus.

Thus, the statement is FALSE (B) because the MPLS Label field in EVPN Type 3 routes does not carry a Layer 3 VNI; it relates to Layer 2 multicast or tunnel identification.

44. Frage

In the spine-leaf DCN architecture, the border leaf node and service leaf node can be deployed on the same device.

- A. TRUE
- B. FALSE

Antwort: A

Begründung:

In Huawei's spine-leaf data center network (DCN) architecture, the topology consists of spine nodes (core) and leaf nodes (access/aggregation). Leaf nodes can serve different roles:

Border Leaf Node: Connects the DCN to external networks or other domains, handling Layer 3 routing.

Service Leaf Node: Connects to internal services (e.g., servers, VMs), often handling Layer 2/Layer 3 traffic.

In practice, a single physical device can be configured to perform both roles (border and service) if it has the necessary interfaces and routing capabilities. Huawei's CloudFabric documentation supports this flexibility, allowing a leaf switch to act as both a border and service node based on configuration (e.g., using VRFs or VXLAN gateways). This reduces hardware costs and simplifies deployment in smaller DCNs.

The statement is TRUE (A) because the border leaf and service leaf roles can be deployed on the same device in a spine-leaf architecture.

45. Frage

"1-3-5" troubleshooting of the CloudFabric intelligent O&M solution can detect, locate, and rectify faults from multiple dimensions. Which of the following are not dimensions supported by this function? (Select All that Apply)

- A. Protocol
- B. Device
- C. Application
- D. Service
- E. Configuration

Antwort: C

Begründung:

Huawei's CloudFabric intelligent O&M solution, leveraging iMaster NCE-Fabric and FabricInsight, uses the "1-3-5" principle (detect within 1 minute, locate within 3 minutes, rectify within 5 minutes) to handle faults. This approach analyzes faults across multiple dimensions. Let's evaluate each option:

A. Device: This is supported. The solution monitors device-level metrics (e.g., CPU, memory) to detect and locate faults. SUPPORTED.

B. Protocol: This is supported. Protocol issues (e.g., OSPF conflicts, BGP errors) are analyzed for fault detection and resolution. SUPPORTED.

C. Service: This is supported. Service-level faults (e.g., tenant connectivity, VPC issues) are tracked and addressed. SUPPORTED.

D. Application: This is not supported. The "1-3-5" troubleshooting focuses on network infrastructure (devices, protocols, services, configurations), not application-layer issues, which are outside its scope. NOT SUPPORTED.

E. Configuration: This is supported. Configuration errors (e.g., mismatched VNIs) are detected and rectified as part of the process. SUPPORTED.

Thus, D (Application) is not a dimension supported by the "1-3-5" troubleshooting function.

46. Frage

Which of the following statements are true about the tenant service model? (Select All that Apply)

- A. An EPG can have only one subnet.
- B. A tenant can apply for independent compute, storage, and network resources.
- C. A subnet supports the access of only one VM.
- D. One logical router is mapped to one VRF.

Antwort: B,D

Begründung:

The tenant service model in Huawei's data center networks (e.g., CloudFabric with SDN) organizes resources for multi-tenancy.

Let's evaluate each statement:

A . A tenant can apply for independent compute, storage, and network resources: This is true. Tenants in a multi-tenant environment can request isolated compute (VMs), storage (volumes), and network (VLANs/VXLAN VNIs) resources, a core feature of Huawei's tenant isolation model. TRUE.

B . One logical router is mapped to one VRF: This is true. A Virtual Routing and Forwarding (VRF) instance is associated with a logical router to provide isolated Layer 3 routing for a tenant, a standard practice in Huawei's network virtualization. TRUE.

C . An EPG can have only one subnet: This is false. An Endpoint Group (EPG) in Huawei's ACI-like models can span multiple subnets, grouping endpoints (e.g., VMs) based on policies, not limited to a single subnet. FALSE.

D . A subnet supports the access of only one VM: This is false. A subnet can support multiple VMs, as it defines an IP address range for a network segment, not a one-to-one VM mapping. FALSE.

Thus, A and B are true statements about the tenant service model.

47. Frage

.....

Bitte glauben Sie, dass wir EchteFrage Team sehr nach dem Bestehen der Huawei H12-893_V1.0 Prüfung genauso wie Sie. Vielleicht sorgen Sie jetzt um die Prüfungsvorbereitung. Wir helfen Ihnen, die Konfidenz zu erwerben. Durch die kontinuierliche Verbesserung unseres Teams können wir mit Stolz Ihnen mitteilen, dass die Huawei H12-893_V1.0 Prüfungsunterlagen von uns Ihnen Überraschung mitbringen können. Sie können zuerst unsere Demo kostenfrei herunterladen und schauen, welche Version der Huawei H12-893_V1.0 Prüfungsunterlagen für Sie am passendsten ist. Danach können Sie Ihre verstärkte IT-Fähigkeit und die Freude der Erwerbung der Huawei H12-893_V1.0 Zertifizierung erlangen!

H12-893_V1.0 Online Tests: https://www.echtefrage.top/H12-893_V1.0-deutsch-pruefungen.html

Viele Kandidaten wissen, falls sie eine geeignete Zertifizierung erhalten können (hier Huawei H12-893_V1.0 Guide), erhalten sie eine bessere Position, EchteFrage H12-893_V1.0 Online Tests ist eine großartige Website, die gute Schulungsressourcen bietet, die Prüfungs- und Untersuchungs- und Technikenmaterialien und ausführliche Fragen und Antworten enthalten, Viele Kandidaten richten viel Aufmerksamkeit auf das Lernen der H12-893_V1.0 Online Tests - HCIP-Data Center Network V1.0 Prüfung.

Manchmal gibt es bei Kopfwunden Euer Name, Alles Körperliche kam mir so leicht vor, Viele Kandidaten wissen, falls sie eine geeignete Zertifizierung erhalten können (hier Huawei H12-893_V1.0 Guide), erhalten sie eine bessere Position.

H12-893_V1.0 neuester Studienführer & H12-893_V1.0 Training Torrent prep

EchteFrage ist eine großartige Website, die gute Schulungsressourcen H12-893_V1.0 Quizfragen Und Antworten bietet, die Prüfungs- und Untersuchungs- und Technikenmaterialien und ausführliche Fragen und Antworten enthalten.

Viele Kandidaten richten viel Aufmerksamkeit auf das Lernen der HCIP-Data Center Network V1.0 Prüfung, Unser professionelles Team hat H12-893_V1.0 Dumps Torrent vorbereitet, indem es das wachsame Auge auf die neuesten Prüfungsanforderungen hält.

Wählen Sie EchteFrage. Und wir versprechen, dass Sie H12-893_V1.0 den Erfolg erlangen und Ihren Traum verwirklichen, egal welches hohe Ziel Sie anstreben, können.

- H12-893_V1.0 Praxisprüfung ☐ H12-893_V1.0 Online Tests ☐ H12-893_V1.0 Fragen&Antworten ☐ Öffnen Sie die Webseite ➡ www.zertpruefung.ch ☐ und suchen Sie nach kostenloser Download von ☀ H12-893_V1.0 ☐ ☀ ☐ H12-893_V1.0 Fragen&Antworten
- H12-893_V1.0 Fragenpool ☐ H12-893_V1.0 Fragenpool ☐ H12-893_V1.0 Examengine ☐ URL kopieren { www.itzert.com } Öffnen und suchen Sie ➡ H12-893_V1.0 ☐ Kostenloser Download ☐ H12-893_V1.0 PDF Demo
- H12-893_V1.0 Aktuelle Prüfung - H12-893_V1.0 Prüfungsguide - H12-893_V1.0 Praxisprüfung ☐ 《 www.zertsoft.com 》 ist die beste Webseite um den kostenlosen Download von 《 H12-893_V1.0 》 zu erhalten ☐ H12-893_V1.0 Online Tests
- H12-893_V1.0 Fragen&Antworten ☐ H12-893_V1.0 Online Praxisprüfung ☘ H12-893_V1.0 PDF Demo ☐ Suchen Sie auf [www.itzert.com] nach 【 H12-893_V1.0 】 und erhalten Sie den kostenlosen Download mühelos ☐ H12-893_V1.0 Prüfungsfrage
- H12-893_V1.0 Prüfungsfragen ☐ H12-893_V1.0 Examengine ☐ H12-893_V1.0 Online Prüfungen ☐ URL kopieren ➡ www.zertpruefung.ch ☐ Öffnen und suchen Sie ➡ H12-893_V1.0 ☐ Kostenloser Download ☐ H12-893_V1.0 Online Praxisprüfung

- [illegible]

P.S. Kostenlose und neue H12-893_V1.0 Prüfungsfragen sind auf Google Drive freigegeben von EchteFrage verfügbar:
https://drive.google.com/open?id=1HPkUGbAbWARxjh-N9_3SHhKWC44EHiu