


Reliable C-ADBTP-2601 Dumps Free & 100% C-ADBTP-2601 Accuracy



If you have been very panic sitting in the examination room, our C-ADBTP-2601 actual exam allows you to pass the exam more calmly and calmly. After you use our products, our C-ADBTP-2601 study materials will provide you with a real test environment before the C-ADBTP-2601 Exam. After the simulation, you will have a clearer understanding of the exam environment, examination process, and exam outline. And our C-ADBTP-2601 learning guide will be your best choice.

SAP C-ADBTP-2601 Exam Syllabus Topics:

Section	Objectives
	- Service Management
Topic 1: Entitlements and Service Provisioning	1. Service subscriptions 2. Entitlements 3. Quotas
	- Account Structure Administration
Topic 2: Global Account and Subaccount Management	1. Subaccounts 2. Directories 3. Global accounts
	- Platform Operations
Topic 3: Monitoring and Operations	1. Monitoring 2. Logging 3. Operational management 4. Usage tracking
	- Runtime Environments
Topic 4: Environment Configuration	1. ABAP Environment 2. Kyma 3. Cloud Foundry
	- Security Administration
Topic 5: Identity and Access Management	1. User management 2. Identity Provisioning Service 3. Identity Authentication Service 4. Role collections

- Governance

Topic 6: Security and Compliance

- 1. Security best practices
- 2. Authorization concepts
- 3. Compliance controls

>> Reliable C-ADBTP-2601 Dumps Free <<

Verified and Updated SAP C-ADBTP-2601 Exam Questions & Answers

We hope to meet the needs of customers as much as possible. If you understand some of the features of our C-ADBTP-2601 practice engine, you will agree that this is really a very cost-effective product. And we have developed our C-ADBTP-2601 Exam Questions in three different versions: the PDF, Software and APP online. With these versions of the C-ADBTP-2601 study braindumps, you can learn in different conditions no matter at home or not.

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.



Step 2 - Open Entitlements

What to do


Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

What to verify

You should see the entitlements page for Partner.



Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.



Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.


What to verify

After enabling, the Partner directory should allow entitlement assignment and management.


Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.



Global Account: BTP Admin Certification - Entity Assignments




Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.

Directory Partner: Add Service Plans



Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:


This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)



Service	Plan	Assigned (1 unit)	Entitled	Remove
Credential Store	credstore	Assigned (1 unit)	☐	×
Destination Service	destination	Assigned (1 unit)	☐	×
Feature Flags Service	feature-flags-dashboard	Assigned (1 unit)	☐	×
	feature-flags	Assigned (1 unit)	☐	×
HTML5 Application Repository Service	lite	Assigned (1 unit)	☐	×
	app-host	Assigned (1 unit)	☐	×
	app-runtime	Assigned (1 unit)	☐	×
Print Service	print	Assigned (1 unit)	☐	×
SaaS Provisioning Service	saas-registry	Assigned (1 unit)	☐	×
SAP Build Work Zone, standard edition	SAPLaunchpad	Assigned (1 unit)	☒	×
Service Manager	service-operator-access	Assigned (1 unit)	☐	×
	global-offerings-audit	Assigned (1 unit)	☐	×
	subaccount-audit	Assigned (1 unit)	☐	×
	subaccount-admin	Assigned (1 unit)	☐	×
	container	Assigned (1 unit)	☐	×

Final Expected Result for Task 1

Inside the Partner directory:

Entitlement management is enabled

The service SAP Build Work Zone, standard edition is entitled

The plan standard (Application) is added

Common Mistakes to Avoid

1. Working in the wrong level

Do this in:

Partner directory

Not in:

Global Account

Subaccount

Another directory

2. Forgetting to enable entitlement management first

If entitlement management is not enabled for the directory, you may not be able to add the service plan properly.

3. Choosing the wrong service

Be sure you select:

SAP Build Work Zone, standard edition
Not another SAP Build service.
4. Choosing the wrong plan
You must select:
standard (Application)

NEW QUESTION # 11

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Create Subaccount

Display Name *	Description
EU HCM Dev	Human Resources Development
Region *	
Europe (Frankfurt) - AWS	
Subdomain *	Parent *
btpops-xxxx-eu-hcm-dev	Eurasia

> Advanced

 Cockpit supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Create Subaccount

Display Name*

Description

Region*

Subdomain*

Parent*

☒ Advanced

☐ Used for production

☐ Enable beta features

Add labels to this subaccount.

Name: Values:

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

Name	Environment	Provider	Region	Changed On
STP Admin Certification	Global Account			March 25, 2026, 5:11:2...
Americas	Directory			March 26, 2026, 3:27:5...
Partner	Directory			March 26, 2026, 3:30:3...
AM PA Dev Test	Subaccount	Multi-Environment	US West (OR)	March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi-Environment	US West (OR)	March 26, 2026, 3:39:3...
Eurasia	Directory			March 26, 2026, 3:28:2...
Human Resources	Directory			March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Europe (Frankfurt) - AWS	March 26, 2026, 3:43:4...
EU HCM Test	Subaccount	Multi-Environment	Europe (Frankfurt) - AWS	March 26, 2026, 3:46:5...

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.
The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Create Subaccount

Display Name* Description

Region*

Subdomain* Parent*

Advanced

☒ Used for production ☐ Enable beta features

Add labels to this subaccount.

Name: Values:

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Directories and Subaccounts Subaccounts (7)

Name	Type	Environment	Provider	Changed On
STP Admin Certification XXXX	Global Account			March 25, 2026, 5:11:2...
Americas	Directory			March 26, 2026, 9:27:5...
Partner	Directory			March 26, 2026, 9:30:3...
AM PA Dev Test	Subaccount	Microsoft Azure	US West (WA)	March 26, 2026, 9:35:3...
AM PA Prod	Subaccount	Microsoft Azure	US West (WA)	March 26, 2026, 9:38:3...
Europe	Directory			March 26, 2026, 9:38:2...
Human Resources	Directory			March 26, 2026, 9:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS) Europe (Frankfurt) - AWS	March 26, 2026, 9:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS) Europe (Frankfurt) - AWS	March 26, 2026, 9:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS) Europe (Frankfurt) - AWS	March 26, 2026, 9:48:5...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:
Global Account
Americas
Eurasia
Partner
2. Wrong subdomain values
Use exactly:
btpops####-eu-hcm-dev
btpops####-eu-hcm-test
btpops####-eu-hcm-prod
Only replace #### with your global account number.
3. Wrong region for EU HCM Dev
It must be:
Amazon Web Services (AWS)
Europe (Frankfurt)
cf-eu10
4. Wrong source subaccount
For both:
EU HCM Test
EU HCM Prod
you must select:
EU HCM Dev
5. Forgetting the production flag
For EU HCM Prod, make sure:
Used in Production is enabled

NEW QUESTION # 12

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape. Set the instance name to cf-eu-hcm-dev and the org name to btpops####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a

subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops#####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Enable Cloud Foundry

1

Basic Info

Enter basic info for your environment instance.

Environment: * [Can't find what you're looking for?](#)

Cloud Foundry Runtime

Plan: *

standard

Landscape: *

cf-eu10-005

Instance Name: ⓘ


cf-eu-hcm-dev

Org Name: * ⓘ

btpops#####-eu-hcm-dev

ⓘ Cloud Foundry API endpoints may differ between subaccounts in the same region.
The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

CreateCancel



Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.




Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.



Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory

For App Instances, set:

Unlimited

Then save the quota.

Create Space Quota

1 You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach.
To assign the "Unlimited" value, use -1.

Name: * half-org-quota

Space Memory (MB): * 512
Org Quota: 1024 MB (1GB)

Routes: * 5
Org Quota: 10

Service Instances: * 250
Org Quota: 500

Memory per Instance (MB): * 8192
Org Quota: 16384 MB (16GB)

App Instances: * -1
Org Quota: Unlimited

Allow Field Services: ☒

SAP

Create Cancel

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100


If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.



Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment


Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording



Edit Quota Assignment

Space:
activity-recording

Quota:
☐ Org Quota
☒ Space Quota

Name: *

SAP Save Cancel

Subaccount: EU HCM Dev - Space Quotas

Space Quotas Quota Assignments

Space	Space Quota	Actions
activity-recording	half-org-quota	

Search by space or quota name

Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is btpops####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly btpops####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.

Creating the quota but not assigning it to activity-recording.

NEW QUESTION # 13

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain btpops####-sh-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain btpops####-sh-ops in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.



Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name *

Description

Parent *

> **Advanced**

Cockpit supports multi-level directories in your account structure.
You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.

Create **Cancel**

Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Create Subaccount

Display Name *

SH Dev

Description

Shared Services Development

Region *

Europe (Frankfurt) - AWS

Subdomain *

btpops xxxxsh-dev

Parent *

Shared Services

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

SAP

Create Cancel

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops####-sh-ops


Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.



Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops####-sh-dev


Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpops####-sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10



The screenshot displays the SAP BTP account structure. A large 'SAP' watermark is visible across the center. The table lists various accounts and their configurations.

Name	Type	Environment	Labels	Changed On
BTP Admin Certification	Global Account			March 25, 2026, 5:11:2...
Americas	Directory			March 26, 2026, 3:27:5...
Partner	Directory (Managed)		1 label	March 26, 2026, 3:50:1...
AM PA Dev Test	Subaccount	Multi-Environment Microsoft Azure	US West (WA)	March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi-Environment Microsoft Azure	US West (WA)	March 26, 2026, 3:39:3...
Eurelia	Directory			March 26, 2026, 3:28:2...
Human Resources	Directory		1 label	March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:46:5...
Shared Services	Directory			March 26, 2026, 4:14:2...
SH Dev	Subaccount	Multi-Environment Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 4:15:5...
SH Ops	Subaccount	Multi-Environment Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 4:17:0...

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

bt pops####-sh-dev

bt pops####-sh-ops

Only replace #### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

NEW QUESTION # 14

.....

Are you ready to accept this challenge and want to crack the Adminstrating SAP Business Technology Platform(C_ADBTP_2601) C-ADBTP-2601 certification exam? If your answer is yes then just get register for the C-ADBTP-2601 test and start preparation with ActualCollection C-ADBTP-2601 PDF Questions and practice test software. All three C-ADBTP-2601 exam dumps formats are ready for download. Just download Adminstrating SAP Business Technology Platform(C_ADBTP_2601) C-ADBTP-2601 exam questions and start preparation right now.

100% C-ADBTP-2601 Accuracy: <https://www.actualcollection.com/C-ADBTP-2601-exam-questions.html>

- Reliable C-ADBTP-2601 Test Tutorial ☐ C-ADBTP-2601 New Braindumps Free ☐ New C-ADBTP-2601 Mock Exam ☐ Search for ⇒ C-ADBTP-2601 ⇐ and obtain a free download on ⇒ www.troytecdumps.com ⇐ ☐ C-ADBTP-2601 Test Cram Pdf
- C-ADBTP-2601 Test Cram Pdf ☐ New C-ADBTP-2601 Test Experience ☐ New C-ADBTP-2601 Test Experience ☐ Search on ⇒ www.pdfvce.com ⇐ for ▷ C-ADBTP-2601 ◁ to obtain exam materials for free download ☐ Free C-ADBTP-2601 Exam
- New C-ADBTP-2601 Test Experience ☐ Test C-ADBTP-2601 Question ☐ C-ADBTP-2601 New Braindumps Free ☐ ☀ www.examcollectionpass.com ☀ ☐ is best website to obtain ⇒ C-ADBTP-2601 ⇐ for free download ☐ C-ADBTP-2601 Exam Cram
- Reliable C-ADBTP-2601 Test Tutorial ☐ C-ADBTP-2601 New Braindumps Free ☐ Reliable C-ADBTP-2601 Test Tutorial ☐ Simply search for ► C-ADBTP-2601 ◀ for free download on { www.pdfvce.com } ☐ C-ADBTP-2601 New Braindumps Free

- Pass Guaranteed Quiz C-ADBTP-2601 - Administrating SAP Business Technology Platform(C_ADBTP_2601) Accurate Reliable Dumps Free □ Search on □ www.vce4dumps.com □ for “C-ADBTP-2601 ” to obtain exam materials for free download □C-ADBTP-2601 Exam Cram
- Get a Free Demo of SAP C-ADBTP-2601 Questions Before Purchase □ Easily obtain free download of □ C-ADBTP-2601 □ by searching on [www.pdfvce.com] □C-ADBTP-2601 Exam Vce
- C-ADBTP-2601 Test Cram Pdf □ Test C-ADBTP-2601 Question □ Positive C-ADBTP-2601 Feedback □ Open [www.exam4labs.com] enter 「 C-ADBTP-2601 」 and obtain a free download □C-ADBTP-2601 Exam Vce
- Reliable C-ADBTP-2601 Dumps Free : Free PDF Quiz 2026 Realistic SAP Reliable Administrating SAP Business Technology Platform(C_ADBTP_2601) Dumps Free □ Copy URL 【 www.pdfvce.com 】 open and search for 《 C-ADBTP-2601 》 to download for free □New C-ADBTP-2601 Mock Exam
- Pass Guaranteed Quiz C-ADBTP-2601 - Administrating SAP Business Technology Platform(C_ADBTP_2601) Accurate Reliable Dumps Free □ Search for □ C-ADBTP-2601 □ and easily obtain a free download on ☀ www.prepawaypdf.com □☀ □ C-ADBTP-2601 Exam Cram
- Get a Free Demo of SAP C-ADBTP-2601 Questions Before Purchase □ Simply search for 【 C-ADBTP-2601 】 for free download on▷ www.pdfvce.com ◁ □Free C-ADBTP-2601 Exam
- Flexible C-ADBTP-2601 Testing Engine □ Reliable C-ADBTP-2601 Exam Practice □ Exam C-ADBTP-2601 Labs □ Go to website □ www.prepawaypdf.com □ open and search for ➤ C-ADBTP-2601 □ to download for free □C-ADBTP-2601 Examcollection Dumps Torrent
- blogfreely.net, buyerseller.xyz, nguza.com, telegra.ph, scalar.usc.edu, www.wonderlink.de, semasocial.com, www.qualitydigest.com, fortunetelleroracle.com, ronorp.net, Disposable vapes