

# Reliable FCSS\_EFW\_AD-7.6 Dumps Pdf & FCSS\_EFW\_AD-7.6 Verified Answers



What's more, part of that PrepAwayETE FCSS\_EFW\_AD-7.6 dumps now are free: [https://drive.google.com/open?id=1693LjpfIRN056zt7y7ziq\\_rYqWCa\\_QP2](https://drive.google.com/open?id=1693LjpfIRN056zt7y7ziq_rYqWCa_QP2)

We can't forget the advantages and the conveniences that reliable FCSS\_EFW\_AD-7.6 study materials compiled by our companies bring to us. First, by telling our customers what the key points of learning, and which learning FCSS\_EFW\_AD-7.6 method is available, they may save our customers money and time. They guide our customers in finding suitable jobs and other information as well. Secondly, a wide range of practice types and different version of our FCSS\_EFW\_AD-7.6 Study Materials receive technological support through our expert team.

It is well known that the best way to improve your competitive advantages in this modern world is to increase your soft power, such as graduation from a first-tier university, fruitful experience in a well-known international company, or even possession of some globally recognized FCSS\_EFW\_AD-7.6 certifications, which can totally help you highlight your resume and get a promotion in your workplace to a large extent. If you are interested our FCSS\_EFW\_AD-7.6 Guide Torrent, please contact us immediately, we would show our greatest enthusiasm to help you obtain the certification.

>> **Reliable FCSS\_EFW\_AD-7.6 Dumps Pdf** <<


## **2026 Reliable FCSS\_EFW\_AD-7.6 Dumps Pdf: FCSS - Enterprise Firewall 7.6 Administrator - High Pass-Rate Fortinet FCSS\_EFW\_AD-7.6 Verified Answers**

Obtaining valid training materials will accelerate the way of passing Fortinet FCSS\_EFW\_AD-7.6 actual test in your first attempt. It will just need to take one or two days to practice Fortinet FCSS\_EFW\_AD-7.6 Test Questions and remember answers. You will free access to our test engine for review after payment.

### **Fortinet FCSS - Enterprise Firewall 7.6 Administrator Sample Questions (Q58-Q63):**

### NEW QUESTION # 58

Refer to the exhibit, which shows the ADVPN IPsec interface representing the VPN IPsec phase 1 from Hub A to Spoke 1 and Spoke 2, and from Hub # to Spoke 3 and Spoke 4.



An administrator must configure an ADVPN using IBGP and EBGP to connect overlay network 1 with 2. What must the administrator configure in the phase 1 VPN IPsec configuration of the ADVPN tunnels?

- A. set auto-discovery-sender enable and set network-id x
- B. set auto-discovery-receiver enable and set npu-offload enable
- C. set auto-discovery-forwarder enable and set remote-as x
- D. set auto-discovery-crossover enable and set enforce-multihop enable

**Answer: D**

Explanation:

When configuring ADVPN (Auto-Discovery VPN) to connect overlay networks across different hubs using IBGP and EBGP, special configurations are required to allow spokes from different overlay networks to dynamically establish tunnels.

# set auto-discovery-crossover enable

# This allows cross-hub tunnel discovery in an ADVPN deployment where multiple hubs are used.

# Since Hub A and Hub B belong to different overlays, enabling crossover discovery ensures that spokes from one overlay can dynamically create direct tunnels to spokes in the other overlay when needed.

# set enforce-multihop enable

# This setting ensures that BGP peers using loopback interfaces can establish connectivity even if they are not directly connected.

# Multihop BGP sessions are required when using loopback addresses as BGP peer sources because the connection might need to traverse multiple routers before reaching the BGP neighbor.

# This is especially useful in ADVPN deployments with multiple hubs, where routes might need to cross from one hub to another.

### NEW QUESTION # 59

The IT department discovered during the last network migration that all zero phase selectors in phase 2 IPsec configurations impacted network operations.

What are two valid approaches to prevent this during future migrations? (Choose two.)

- A. Configure an IPsec-aggregate to create redundancy between each firewall peer.
- B. Use routing protocols to specify allowed subnets over the tunnel.
- C. Configure an IP address on the IPsec interface of each firewall to establish unique peer connections and avoid impacting network operations.
- D. Clearly indicate to the VPN which segments will be encrypted in the phase two selectors.

**Answer: B,D**

Explanation:

Zero phase selectors in IPsec Phase 2 mean that no specific traffic selectors (subnets) are defined, allowing any traffic to be encrypted through the VPN tunnel. This can cause unintended traffic forwarding issues and disrupt network operations.

To prevent this from happening during future migrations:

# Using routing protocols ensures that only specific subnets are advertised over the tunnel. Dynamic routing (such as OSPF or BGP) helps define which networks should use the tunnel, preventing unintended traffic from being encrypted.

# Clearly defining phase 2 selectors avoids the problem of encrypting all traffic by explicitly stating the allowed source and destination subnets. This prevents the tunnel from affecting unrelated network traffic.

## NEW QUESTION # 60

Refer to the exhibit.

### Routing table on FortiGate\_A

```
FortiGate_A # get router info routing-table all
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
       O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
       V - BGP VPNv4
       * - candidate default

Routing table for VRF=0
S*   0.0.0.0/0 [10/0] via 10.1.0.254, port1, [1/0]
C    10.1.0.0/24 is directly connected, port1
C    10.1.4.0/24 is directly connected, port3
B    100.64.1.0/24 [200/0] via 10.1.0.254 (recursive is directly connected, port1), 00:39:45, [1/0]
B    172.16.1.252/30 [200/0] via 10.1.0.1 (recursive is directly connected, port1), 00:42:48, [1/0]
C    172.16.100.0/24 is directly connected, port8
```

### Routing table on FortiGate\_B

```
FortiGate_B # get router info routing-table all
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
       O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
       V - BGP VPNv4
       * - candidate default

Routing table for VRF=0
S*   0.0.0.0/0 [10/0] via 10.1.0.254, port1, [1/0]
S    4.2.2.2/32 [10/0] via 10.1.5.254, port4, [1/0]
C    10.1.0.0/24 is directly connected, port1
B    10.1.4.0/24 [200/0] via 10.1.0.100 (recursive is directly connected, port1), 00:41:02, [1/0]
C    10.1.5.0/24 is directly connected, port4
B    100.64.1.0/24 [200/0] via 10.1.0.254 (recursive is directly connected, port1), 00:38:14, [1/0]
C    172.16.1.248/30 is directly connected, C0
C    172.16.1.252/30 is directly connected, A0
C    172.16.100.0/24 is directly connected, port8
```

The routing tables of FortiGate\_A and FortiGate\_B are shown. FortiGate\_A and FortiGate\_B are in the same autonomous system. The administrator wants to dynamically add only route 172.16.1.248/30 on FortiGate\_A. What must the administrator configure?

- A. A BGP route map in for 172.16.1.248/30 on FortiGate\_A
- B. The prefix 172.16.1.248/30 in the BGP Networks section on FortiGate\_B
- C. A BGP route map out for 172.16.1.248/30 on FortiGate\_B
- D. Enable Redistribute Connected in the BGP section on FortiGate\_B.

**Answer: C**

Explanation:

FortiGate\_A and FortiGate\_B are in the same autonomous system (AS), and FortiGate\_A does not currently have route 172.16.1.248/30 in its routing table. However, FortiGate\_B has this route as a connected route.

To dynamically advertise only 172.16.1.248/30 from FortiGate\_B to FortiGate\_A, the administrator must configure a BGP route map out on FortiGate\_B that specifically permits only this prefix.

A BGP route map out on FortiGate\_B controls which routes FortiGate\_B advertises to FortiGate\_A. If no filtering is applied, FortiGate\_B might advertise all BGP-learned and connected routes, which is not what the administrator wants. The route map should include a prefix-list that explicitly allows only 172.16.1.248/30 and denies everything else.

### NEW QUESTION # 61

A company's users on an IPsec VPN between FortiGate A and B have experienced intermittent issues since implementing VXLAN. The administrator suspects that packets exceeding the 1500-byte default MTU are causing the problems.

In which situation would adjusting the interface's maximum MTU value help resolve issues caused by protocols that add extra headers to IP packets?

- A. Adjust the MTU on interfaces only in wired connections like PPPoE, optic fiber, and ethernet cable.
- B. Adjust the MTU on interfaces only if FortiGate has the FortiGuard enterprise bundle, which allows MTU modification.
- C. Adjust the MTU on interfaces in all FortiGate devices that support the latest family of Fortinet SPUs: NP7, CP9 and SP5.
- D. Adjust the MTU on interfaces in controlled environments where all devices along the path allow MTU interface changes.

**Answer: D**

Explanation:

When using IPsec VPNs and VXLAN, additional headers are added to packets, which can exceed the default 1500-byte MTU. This can lead to fragmentation issues, dropped packets, or degraded performance.

To resolve this, the MTU (Maximum Transmission Unit) should be adjusted only if all devices in the network path support it. Otherwise, some devices may still drop or fragment packets, leading to continued issues.

Why adjusting MTU helps:

# VXLAN adds a 50-byte overhead to packets.


# IPsec adds additional encapsulation (ESP, GRE, etc.), increasing the packet size.

# If packets exceed the MTU, they may be fragmented or dropped, causing intermittent connectivity issues.

# Lowering the MTU on interfaces ensures packets stay within the supported size limit across all network devices.

### NEW QUESTION # 62

Refer to the exhibit, which shows an OSPF network.



Which configuration must the administrator apply to optimize the OSPF database?

- A. Set an access list in the AS boundary FortiGate.

- B. Set the area 0.0.0.1 to the type STUB in the area border FortiGate.
- C. Set a route map in the AS boundary FortiGate.
- D. Set the area 0.0.0.1 to the type NSSA in the area border FortiGate.

**Answer: B**

Explanation:

The OSPF database optimization is necessary to reduce unnecessary routing information and improve network performance. In the given topology, Area 0.0.0.1 is a non-backbone area connected to Area 0.0.0.0 (the backbone area) through an Area Border Router (ABR).

To optimize OSPF in this scenario, configuring Area 0.0.0.1 as a Stub Area will:

- # Reduce the size of the OSPF database by preventing external routes (from outside OSPF) from being injected into Area 0.0.0.1.
- # Allow only intra-area and inter-area routes, meaning routers in Area 0.0.0.1 will rely on a default route for external destinations.
- # Improve convergence time and reduce router processing load since fewer LSAs (Link-State Advertisements) are exchanged.

## NEW QUESTION # 63

.....

Success in the Fortinet FCSS\_EFW\_AD-7.6 Exam paves the way toward high-paying jobs, promotions, and skills verification. Hundreds of Fortinet FCSS\_EFW\_AD-7.6 test takers don't get success because of using Fortinet outdated dumps. Due to failure, they lose money, time, and confidence. All these losses can be prevented by using updated and real Fortinet Dumps of PrepAwayETE.

**FCSS\_EFW\_AD-7.6 Verified Answers:** [https://www.prepawayete.com/Fortinet/FCSS\\_EFW\\_AD-7.6-practice-exam-dumps.html](https://www.prepawayete.com/Fortinet/FCSS_EFW_AD-7.6-practice-exam-dumps.html)

Fortinet Reliable FCSS\_EFW\_AD-7.6 Dumps Pdf Secondly, our services are 24/7 available to help our customers solve all kinds of questions, Fortinet Reliable FCSS\_EFW\_AD-7.6 Dumps Pdf If you have good comments or suggestions during the trial period, you can also give us feedback in a timely manner, Our FCSS\_EFW\_AD-7.6 exam questions have three versions: the PDF, Software and APP online, Fortinet Reliable FCSS\_EFW\_AD-7.6 Dumps Pdf In our site, you could enjoy full refund policy, that is to say, if you fail the exam with any reason, we will refund to you.

Download the sample workbooks from this book, FCSS\_EFW\_AD-7.6 General inventory, purchasing decisions, software license compliance, tracking usage patterns, theft identification, upgrade planning, Valid FCSS\_EFW\_AD-7.6 Test Simulator and update deploying rely on knowing as much as possible about the computer you manage.

## Pass Guaranteed Quiz FCSS\_EFW\_AD-7.6 - Fantastic Reliable FCSS - Enterprise Firewall 7.6 Administrator Dumps Pdf

Secondly, our services are 24/7 available to help our customers solve all Reliable FCSS\_EFW\_AD-7.6 Dumps Pdf kinds of questions, If you have good comments or suggestions during the trial period, you can also give us feedback in a timely manner.

Our FCSS\_EFW\_AD-7.6 Exam Questions have three versions: the PDF, Software and APP online, In our site, you could enjoy full refund policy, that is to say, if you fail the exam with any reason, we will refund to you.

We are trying to apply the most latest technologies to the compiling and designing on the FCSS\_EFW\_AD-7.6 learning guide.

- FCSS\_EFW\_AD-7.6 Exam Pdf Vce - FCSS\_EFW\_AD-7.6 Exam Training Materials - FCSS\_EFW\_AD-7.6 Study Questions Free  Open 《 [www.prepawayexam.com](http://www.prepawayexam.com) 》 and search for **>** FCSS\_EFW\_AD-7.6  to download exam materials for free  FCSS\_EFW\_AD-7.6 Real Sheets
- Reliable FCSS\_EFW\_AD-7.6 Dumps Pdf - 100% Newest Questions Pool  Simply search for **➡** FCSS\_EFW\_AD-7.6  for free download on **⇒** [www.pdfvce.com](http://www.pdfvce.com) **⇐**  Free FCSS\_EFW\_AD-7.6 Brain Dumps
- Examcollection FCSS\_EFW\_AD-7.6 Vce  Training FCSS\_EFW\_AD-7.6 Kit  FCSS\_EFW\_AD-7.6 Reliable Test Answers  Easily obtain  FCSS\_EFW\_AD-7.6  for free download through **【 [www.easy4engine.com](http://www.easy4engine.com) 】**  Free FCSS\_EFW\_AD-7.6 Dumps
- Free PDF Valid Fortinet - Reliable FCSS\_EFW\_AD-7.6 Dumps Pdf  Search for { FCSS\_EFW\_AD-7.6 } and download exam materials for free through **▶** [www.pdfvce.com](http://www.pdfvce.com) **◀**  Examcollection FCSS\_EFW\_AD-7.6 Vce
- Dumps FCSS\_EFW\_AD-7.6 PDF  Valid Dumps FCSS\_EFW\_AD-7.6 Files  Examcollection FCSS\_EFW\_AD-7.6 Vce  Open **✓** [www.practicevce.com](http://www.practicevce.com)  **✓**  and search for  FCSS\_EFW\_AD-7.6  to download exam materials for free  Examcollection FCSS\_EFW\_AD-7.6 Vce

- Exam FCSS\_EFW\_AD-7.6 Duration □ FCSS\_EFW\_AD-7.6 Real Sheets □ Dumps FCSS\_EFW\_AD-7.6 PDF □  
 ➡ [www.pdfvce.com](http://www.pdfvce.com) □ is best website to obtain □ FCSS\_EFW\_AD-7.6 □ for free download □ Valid  
 FCSS\_EFW\_AD-7.6 Test Guide
- Pdf FCSS\_EFW\_AD-7.6 Braindumps □ Examcollection FCSS\_EFW\_AD-7.6 Vce □ Certification FCSS\_EFW\_AD-  
 7.6 Test Answers □ The page for free download of ➡ FCSS\_EFW\_AD-7.6 □□□ on 【 [www.practicevce.com](http://www.practicevce.com) 】 will  
 open immediately □ FCSS\_EFW\_AD-7.6 Exam Simulator Online
- Valid FCSS\_EFW\_AD-7.6 Test Guide □ Exam FCSS\_EFW\_AD-7.6 Duration □ Updated FCSS\_EFW\_AD-7.6  
 Demo □ Search for ► FCSS\_EFW\_AD-7.6 □ and download it for free immediately on □ [www.pdfvce.com](http://www.pdfvce.com) □ ~  
 FCSS\_EFW\_AD-7.6 Reliable Exam Vce
- Valid Dumps FCSS\_EFW\_AD-7.6 Files □ FCSS\_EFW\_AD-7.6 Valid Test Dumps □ Examcollection  
 FCSS\_EFW\_AD-7.6 Vce □ The page for free download of 《 FCSS\_EFW\_AD-7.6 》 on ➡ [www.practicevce.com](http://www.practicevce.com) □  
 □ will open immediately □ Free FCSS\_EFW\_AD-7.6 Brain Dumps
- FCSS\_EFW\_AD-7.6 Exam Simulator Online □ FCSS\_EFW\_AD-7.6 Valid Test Dumps □ Updated  
 FCSS\_EFW\_AD-7.6 Demo □ Download ➡ FCSS\_EFW\_AD-7.6 □ for free by simply searching on 《  
[www.pdfvce.com](http://www.pdfvce.com) 》 □ FCSS\_EFW\_AD-7.6 Real Sheets
- Reliable FCSS\_EFW\_AD-7.6 Dumps Pdf Realistic Questions Pool Only at [www.pdfdumps.com](http://www.pdfdumps.com) □ Copy URL 【  
[www.pdfdumps.com](http://www.pdfdumps.com) 】 open and search for { FCSS\_EFW\_AD-7.6 } to download for free □ Training  
 FCSS\_EFW\_AD-7.6 Kit
- [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [studywithjoydeep.com](http://studywithjoydeep.com), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [pct.edu.pk](http://pct.edu.pk), [master3danim.in](http://master3danim.in),  
[www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [elearning.eauqardho.edu.so](http://elearning.eauqardho.edu.so), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), Disposable vapes

P.S. Free & New FCSS\_EFW\_AD-7.6 dumps are available on Google Drive shared by PrepAwayETE:  
[https://drive.google.com/open?id=1693LjpffRN056zt7y7ziq\\_rYqWCa\\_QP2](https://drive.google.com/open?id=1693LjpffRN056zt7y7ziq_rYqWCa_QP2)