

ECCouncil certification 312-97 exam training methods



There is not much disparity among these versions of 312-97 simulating practice, but they do help to beef up your capacity and speed up your review process to master more knowledge about the 312-97 exam, so the review process will be unencumbered. Though the content of these three versions is the same, the displays of them are different. And you can try our 312-97 Study Materials by free downloading the demos to know which one is your favorite.

We recognize that preparing for the ECCouncil Certification Exams can be challenging, and that's why we provide ECCouncil 312-97 practice material with three formats that take your individual needs into account. Our team of experts is dedicated to helping you succeed by providing you with the support you need while using the product.

>> 312-97 Valid Test Cram <<

312-97 Latest Braindumps Sheet - Valid Braindumps 312-97 Ppt

As to the rapid changes that happened in this 312-97 exam, experts will fix them and we assure your 312-97 exam simulation you are looking at now are the newest version. Materials trends are not always easy to forecast on our study guide, but they have a predictable pattern for them by ten-year experience who often accurately predict points of knowledge occurring in next 312-97 Preparation materials.

ECCouncil EC-Council Certified DevSecOps Engineer (ECDE) Sample Questions (Q69-Q74):

NEW QUESTION # 69

(Sarah Wheeler is an experienced DevSecOps engineer. She recently joined an IT company that develops software products for customers stretched across the globe. Sarah would like to use a security testing tool that protects the application from false positives, network sniffing, tampering with code, etc. The tool should monitor the incoming traffic to the server and APIs for suspicious activities and help her team in remediating them during runtime. Which of the following tools should Sarah select that will help her team in precisely detecting and remediating the security issues in the application code during runtime?.)

- A. SAST.
- B. IAST.
- C. DAST.
- **D. RASP.**

Answer: D

Explanation:

Runtime Application Self-Protection (RASP) operates from within the application runtime environment, monitoring incoming traffic, API calls, and execution behavior in real time. Because it has deep visibility into application logic and execution context, RASP can accurately detect attacks such as injection, tampering, and abnormal behavior while minimizing false positives. SAST analyzes source code statically, DAST tests running applications externally, and IAST combines some runtime insight with testing but does not actively block threats. RASP's ability to detect and remediate attacks during runtime makes it ideal for protecting applications in production environments, aligning with the Operate and Monitor stage of the DevSecOps pipeline.

NEW QUESTION # 70

(Andrew Gerrard has recently joined an IT company that develops software products and applications as a DevSecOps engineer. His team leader asked him to download a jar application from the organization GitHub repository and run the BDD security framework. Andrew successfully downloaded the jar application from the repository and executed the jar application; then, he cloned the BDD security framework. Which of the following commands should Andrew use to execute the authentication feature?.)

- A. `./gradlew -Dcucumber.options="-tags @authentication -tags @skip"`.
- B. `./gradlew -Dcucumber.options="-tags @authentication -tags ~@skip"`.
- C. `./gradlew -Dcucumber.options="-tags @authentication -tags @skip"`.
- D. `./gradlew -Dcucumber.options="-tags @authentication -tags ~@skip"`.

Answer: D

Explanation:

The BDD Security framework is executed through Gradle wrapper commands, and the correct wrapper script on Unix-like systems is `./gradlew` (dot-slash indicates "run the wrapper from the current directory"). Options using `./gradlew` or `./gradlev` imply an absolute path at filesystem root and are typically incorrect for a cloned project. Also, the wrapper name is `gradlew`, not `gradlev`. For executing only the authentication feature (or scenarios tagged for authentication), Cucumber tag expressions are used through the `-Dcucumber.options` system property. The command must include `--tags @authentication` to select authentication-tagged scenarios. To skip scenarios tagged "skip," the exclusion operator is used as `--tags ~@skip` (meaning "exclude @skip"). Options A and B incorrectly include `--tags @skip` which would include skipped tests rather than exclude them. Therefore, `./gradlew -Dcucumber.options="-tags @authentication --tags ~@skip"` is the correct choice to run authentication scenarios while excluding anything marked to skip.

NEW QUESTION # 71

(Debra Aniston is a DevSecOps engineer in an IT company that develops software products and web applications. Her team has found various coding issues in the application code. Debra would like to fix coding issues before they exist. She recommended a DevSecOps tool to the software developer team that highlights bugs and security vulnerabilities with clear remediation guidance, which helps in fixing security issues before the code is committed. Based on the information given, which of the following tools has Debra recommended to the software development team?)

- A. OWASP ZAP.
- B. Tenable.io.
- C. SonarLint.
- D. Arachni.

Answer: C

Explanation:

SonarLint is a static code analysis tool designed specifically to be used inside developers' IDEs, where it provides immediate feedback while code is being written. It highlights bugs, security vulnerabilities, and code smells and, importantly, provides clear remediation guidance that explains why an issue exists and how it can be fixed. This aligns directly with Debra's requirement to fix issues "before they exist," meaning before code is committed to the repository. Arachni and OWASP ZAP are dynamic application security testing tools that require a running application and are typically used later in the pipeline. Tenable.io is a vulnerability management platform focused on infrastructure and application scanning rather than real-time developer feedback. By using SonarLint, developers receive continuous guidance during coding, supporting the shift-left security approach in DevSecOps and reducing the cost and effort of fixing vulnerabilities later in the lifecycle.

NEW QUESTION # 72

(Dustin Hoffman is a DevSecOps engineer at SantSol Pvt. Ltd. His organization develops software products and web applications related to mobile apps. Using Gauntlt, Dustin would like to facilitate testing and communication between teams and create actionable tests that can be hooked in testing and deployment process. Which of the following commands should Dustin use to install Gauntlt?.)

- A. `$ gems install gauntlt`.
- B. `$ gems install Gauntlt`.

- C. \$ gem install Gauntlt.
- D. \$ gem install gauntlt.

Answer: D

Explanation:

Gauntlt is a security testing framework written in Ruby and distributed as a Ruby gem. The correct way to install a Ruby gem is using the gem install command followed by the lowercase gem name. RubyGems are case-sensitive and standardized to lowercase naming conventions, which makes gem install gauntlt the correct command. The gems command does not exist in Ruby's package management ecosystem, and using uppercase names such as Gauntlt can lead to installation failures. Installing Gauntlt allows DevSecOps teams to write human-readable security tests and integrate them into CI/CD pipelines, enabling automated and collaborative security validation during the Build and Test stage.

NEW QUESTION # 73

(Timothy Dalton has been working as a senior DevSecOps engineer in an IT company located in Auburn, New York. He would like to use Jenkins for CI and Azure Pipelines for CD to deploy a Java-based app to an Azure Container Service (AKS) Kubernetes cluster. Before deploying Azure Kubernetes Service (AKS) Cluster, Timothy wants to create a Resource group named Jenkins in southindia location. Which of the following commands should Timothy run?.)

- A. az grp create --n Jenkins --loc southindia.
- B. az group create --name Jenkins --location southindia.
- C. azure group create --n Jenkins --loc southindia.
- D. azure group create --name Jenkins --location southindia.

Answer: B

Explanation:

Azure resource groups are created using the Azure CLI command az group create. The --name parameter specifies the resource group name, and --location defines the Azure region. Option A uses the correct CLI prefix (az), command group (group create), and valid parameters. Options B, C, and D are incorrect due to invalid command abbreviations or incorrect CLI prefixes (azure instead of az). Creating a resource group is a foundational step in the Release and Deploy stage, as it provides a logical container for AKS clusters, networking components, and related resources, enabling organized, secure, and manageable deployments.

NEW QUESTION # 74

.....

With the most scientific content and professional materials 312-97 preparation materials are indispensable helps for your success. Such a valuable acquisition priced reasonably of our 312-97 study guide is offered before your eyes, you can feel assured to take good advantage of. And we give some discounts from time to time on our 312-97 Exam Questions for promoting. If you come to visit our website more times, you will buy our 312-97 practice engine at a more favorable price.

312-97 Latest Braindumps Sheet: <https://www.examcollectionpass.com/ECCouncil/312-97-practice-exam-dumps.html>

The quality of our 312-97 exam questions is of course in line with the standards of various countries, Like it did for me, They are App version, PDF version and software version of 312-97 Latest Braindumps Sheet - EC-Council Certified DevSecOps Engineer (ECDE) latest torrent vce, And this is a virtuous cycle that the high quality and warm and attentive service of 312-97 test guide lead to its high hit rate, pass rate and sale, ECCouncil 312-97 Valid Test Cram With the increasing marketization, the product experience marketing has been praised by the consumer market and the industry.

If you did not save for a long period of time before the crash 312-97 or outage, the snapshot can contain a much more current version of your document than the one you most recently saved.

Succession often follows conflict and confusion or, as in Washington's case, the departure of a beloved and trusted steward, The quality of our 312-97 Exam Questions is of course in line with the standards of various countries.

Download the Updated Demo of ECCouncil 312-97 Exam Dumps

Like it did for me, They are App version, PDF 312-97 Latest Braindumps Sheet version and software version of EC-Council

Certified DevSecOps Engineer (ECDE) latest torrent vce, And this is a virtuous cycle that the high quality and warm and attentive service of 312-97 test guide lead to its high hit rate, pass rate and sale.

With the increasing marketization, the product 312-97 Test Simulator Free experience marketing has been praised by the consumer market and the industry.

- [illegible]