

Practice 1z0-076 Exam Fee - Trustworthy 1z0-076 Dumps



BONUS!!! Download part of BraindumpStudy 1z0-076 dumps for free: https://drive.google.com/open?id=1MXbGYboHwCuG_4fQIOYbqhiGHNEeS_Ow

Do you want to pass your exam just one time? Then choose us, we can do that for you. 1z0-076 exam cram contains both questions and answers, and you can have a quick check after practicing. 1z0-076 exam materials are high-quality, because we have professional team to compile and verify them. In order to build up your confidence for 1z0-076 Training Materials, we are pass guarantee and money back guarantee, and if you fail to pass the exam, we will give you full refund. We provide you with free update for 365 days, so that you can know the latest information for the exam, and the update version for 1z0-076 exam dumps will be sent to your email automatically.

Oracle 1z0-076 Exam Syllabus Topics:

| Topic | Details |
|---------|---|
| Topic 1 | <ul style="list-style-type: none">Using Oracle Active Data Guard: Supported Workloads in Read-Only Standby Databases: Here, the usage of physical standby databases for real-time queries is discussed. |
| Topic 2 | <ul style="list-style-type: none">Backup and Recovery Considerations in an Oracle Data Guard Configuration: In this topic, Backup and recovery procedures in a Data Guard configuration are discussed, including RMAN backups, offloading to physical standby, and network-based recovery. |
| Topic 3 | <ul style="list-style-type: none">Creating a Data Guard Broker Configuration: This section delves into the practical aspects of creating and managing a Data Guard broker configuration, including command-line and Enterprise Manager approaches. |
| Topic 4 | <ul style="list-style-type: none">Enhanced Client Connectivity in a Data Guard Environment: This topic focuses on enhancing client connectivity in a Data Guard setup and implementing failover procedures for seamless client redirection. It also covers application continuity to ensure uninterrupted operations during role transitions. |
| Topic 6 | <ul style="list-style-type: none">Managing Physical Standby Files After Structural Changes on the Primary Database: The topic covers managing structural changes in the primary database and their impact on physical standby files. |
| Topic 7 | <ul style="list-style-type: none">Oracle Data Guard Broker Basics: An overview of the Data Guard broker, its architecture, components, benefits, and configurations, is provided here. It serves as an introduction to the tool used for managing Data Guard configurations. |

| | |
|----------|---|
| Topic 9 | <ul style="list-style-type: none"> Managing Oracle Net Services in a Data Guard Environment: The section focuses on Oracle Net Services and its role in Data Guard networking setup. |
| Topic 10 | <ul style="list-style-type: none"> Using Flashback Database in a Data Guard Configuration: This topic covers the configuration and advantages of using Flashback Database in a Data Guard setup, as well as the process of enabling fast-start failover for seamless role changes. |

>> Practice 1z0-076 Exam Fee <<

Oracle 1z0-076 Practice Test with Latest 1z0-076 Exam Questions [2026]

The 1z0-076 practice questions offered by BraindumpStudy is the latest and valid 1z0-076 study material which suitable for all of you. Our free demo is especially for you to free download for try before you buy. Improve your professional ability with our 1z0-076 certification. Getting qualified by the certification will position you for better job opportunities and higher salary. Now, let's start your preparation with our 1z0-076 Training Material. You can get a lot from the simulate 1z0-076 exam guide and get your certification easily.

Oracle Database 19c: Data Guard Administration Sample Questions (Q11-Q16):

NEW QUESTION # 11

Which two statements are true regarding Data Guard environments in an Oracle Multi-tenant architecture?

- A. The Data Guard broker may be used for multi-tenant databases.
- B. Different redo transport methods can be configured for different pluggable databases within one Data Guard environment.
- C. A Data Guard environment with a multi-tenant primary database can operate in any Protection mode.
- D. Standby redo log files are required for each pluggable database that is protected with Data Guard.
- E. PDB_FILE_NAME_CONVERT must be set to enable creation of standby databases if they are created on the same host as the primary.

Answer: A,C

Explanation:

Oracle Multi-tenant architecture and Data Guard have several interactions, but specific aspects hold true in such environments: The Data Guard broker may be used for multi-tenant databases (B): Data Guard Broker simplifies the management and monitoring of Data Guard configurations and is fully compatible with the Oracle Multi-tenant architecture, allowing for easy management of Data Guard configurations that include multi-tenant container databases (CDBs) and their pluggable databases (PDBs).

A Data Guard environment with a multi-tenant primary database can operate in any Protection mode (E): Data Guard can be configured to operate in Maximum Performance, Maximum Availability, or Maximum Protection mode, regardless of whether the primary database is a multi-tenant database. This flexibility ensures that Data Guard can meet various data protection and availability requirements in multi-tenant environments.

Reference:

Oracle Data Guard Broker documentation

Oracle Multitenant Administrator's Guide

NEW QUESTION # 12

Which THREE are always benefits of using a logical standby database?

- A. It can be used for testing patchsets without affecting the primary database.
- B. It can be used for reporting workloads requiring additional indexes or materialized views or both.
- C. It can be used for database rolling release upgrades.
- D. It provides a disaster-recovery solution with switchover and failover options that can recover any data updated on the primary database.
- E. It can be used as an updatable database for Real Application Testing and then converted back to a standby database without affecting the updates.
- F. It can be used to replicate a single pluggable database (PDB) in a multitenant container database.

Answer: B,C,D

Explanation:

Logical standby databases are a key feature of Oracle Data Guard and offer several distinct advantages, especially in terms of flexibility for reporting, upgrades, and disaster recovery:

Disaster-recovery solution with switchover and failover options (A): Logical standby databases provide a robust disaster-recovery solution, ensuring that any data updated on the primary database can be recovered. They support both switchover and failover operations, allowing for smooth role transitions between the primary and standby databases.

Used for reporting workloads requiring additional indexes or materialized views (B): Logical standby databases can be opened for read-write operations and can have additional indexes or materialized views that are not present in the primary database. This makes them ideal for offloading reporting and querying workloads from the primary database.

Database rolling release upgrades (D): Logical standby databases can be used to perform rolling upgrades of the Oracle Database software. This allows the database to be upgraded with minimal downtime, as the standby database is upgraded first, followed by a switchover to make it the new primary.

Reference:

Oracle Data Guard Concepts and Administration Guide

Oracle Database High Availability Overview

NEW QUESTION # 13

You must configure flashback database for your Oracle 19c databases that will be part of a Data Guard Broker configuration. The databases are all in ARCHIVELOG mode.

You will execute the SQL statement:

```
ALTER DATABASE FLASHBACK ON;
```

Which three are true concerning this command?

- **A. It will execute successfully on an Oracle 19c logical standby database while SQL apply is active.**
- B. If executed successfully on an Oracle 19c primary database, flashback will also be enabled on all physical standby databases that are part of the configuration.
- C. It will execute successfully on an Oracle 19c physical standby database while Real Time Query is active.
- **D. It will execute successfully while an Oracle 19c primary database is mounted.**
- **E. It will execute successfully while an Oracle 19c primary database is open.**
- F. If executed successfully on an Oracle 19c primary database, flashback will also be enabled on all logical standby databases that are part of the configuration.

Answer: A,D,E

Explanation:

The command ALTER DATABASE FLASHBACK ON; enables the Flashback Database feature, which provides a way to quickly revert an entire Oracle database back to a previous point in time. This command can be executed while an Oracle 19c primary database is either open (option A) or mounted (option B). It is also applicable to an Oracle 19c logical standby database while SQL Apply is active (option E). However, it's important to note that enabling Flashback Database on the primary does not automatically enable it on all associated standby databases, whether they are physical or logical. Each database in a Data Guard configuration must have Flashback Database explicitly enabled if desired. Real Time Query being active on a physical standby does not directly relate to the ability to execute this command on the standby. Reference: The explanation is based on Oracle's concepts for Flashback Technology and Data Guard configurations as detailed in the Oracle Database Backup and Recovery User's Guide and the Oracle Data Guard Concepts and Administration guide.

NEW QUESTION # 14

Which three are prerequisites for enabling Fast-Start Failover?

- A. The configuration must be operating in either Maximum Performance or Maximum Protection mode.
- **B. You can specify only one standby database as the fast-start failover target.**
- C. Flashback Database must be enabled only on the Fast-Start Failover target standby database.
- D. The maximum protection mode can be used, but with two or more standby databases.
- **E. The Data Guard environment must be managed by the Data Guard Broker.**
- **F. Flashback Database must be enabled on both the primary database and the Fast-Start Failover target standby database.**

Answer: B,E,F

Explanation:

To enable Fast-Start Failover in a Data Guard environment, the following conditions must be in place:

The Data Guard environment must be managed by the Data Guard Broker (A): The Broker simplifies management tasks and is required to enable fast-start failover, which is an automatic failover mechanism provided by Data Guard.

You can specify only one standby database as the fast-start failover target (C): Fast-start failover is designed to fail over to a single, predetermined standby database, known as the target standby.

Flashback Database must be enabled on both the primary database and the Fast-Start Failover target standby database (F):

Flashback Database provides a quick way to revert a database to a point in time before a logical or physical corruption or error occurred. It must be enabled on both the primary and target standby databases to allow for the possibility of reinstating the old primary as a standby after a failover.

Reference:

Oracle Data Guard Concepts and Administration Guide

Oracle Database High Availability Overview

NEW QUESTION # 15

Which three statements are true..... With no Oracle Streams or Goldengate configured?

- A. They are required on a logical standby for real-time apply
- B. They are required only for synchronous redo transport
- C. It is recommended to have them on the...
- D. Only standby databases can write redo....
- E. They are required on a physical standby for real-time apply.
- F. The LGWR process writes to them on

Answer: A,E,F

Explanation:

C . The LGWR (Log Writer) process is responsible for writing redo entries from the redo log buffer to the online redo log files on the primary database. This is a fundamental process in the Oracle Database architecture, ensuring that all changes made to the database are captured for purposes such as recovery, replication, and high availability.

D . Real-time apply on a logical standby database requires standby redo log files. The standby redo log files are used to store redo data received from the primary database before it is applied to the logical standby database. This enables the logical standby to apply changes as they are received, without waiting for the current redo log file to be archived.

E . Similarly, on a physical standby database, standby redo log files are used for real-time apply. They store redo data from the primary database, allowing the physical standby to apply redo data concurrently as it is received, rather than waiting for redo log files to be archived. This capability is crucial for maintaining a physical standby database that is closely synchronized with the primary database with minimal lag.

These functionalities are integral to Oracle Data Guard configurations and are not dependent on Oracle Streams or Oracle GoldenGate, which are separate technologies for data replication and integration.

NEW QUESTION # 16

.....

If you want to pass 1z0-076 exams easily and obtain certifications in shortest time, the best way is to purchase the best high-quality 1z0-076 exam preparation materials. That's what we do. Our 1z0-076 training materials are famous for the high pass rate in this field, if you choose our products we are sure that you will 100% clear 1z0-076 Exams. If you are still headache about how to pass exam certainly, our 1z0-076 practice test questions will be your best choice. Don't hesitate again and just choose us!

Trustworthy 1z0-076 Dumps: https://www.braindumpstudy.com/1z0-076_braindumps.html

- 1z0-076 Valid Exam Preparation ☐ 1z0-076 Free Dump Download ☐ 1z0-076 Reliable Real Exam ☐ Easily obtain 《 1z0-076 》 for free download through ✓ www.prepawayexam.com ☐ ✓ ☐ Practical 1z0-076 Information
- Real 1z0-076 Torrent ☐ 1z0-076 Latest Demo ☐ 1z0-076 Exam Success ☐ Search for ☐ 1z0-076 ☐ and download it for free on ➡ www.pdfvce.com ☐ website ☐ 1z0-076 Exam Quiz
- 1z0-076 Exam Quiz ☐ 1z0-076 Exam Training ☐ Related 1z0-076 Certifications ☐ Search for (1z0-076) and obtain a free download on 【 www.vce4dumps.com 】 ☐ Reliable Study 1z0-076 Questions
- 1z0-076 Latest Demo ☐ 1z0-076 Valid Exam Preparation ☐ 1z0-076 Accurate Prep Material ☐ Download ▶ 1z0-076 ◀ for free by simply entering ➤ www.pdfvce.com ☐ website ☐ Certification 1z0-076 Test Answers
- Real 1z0-076 Torrent ☐ Trustworthy 1z0-076 Exam Content ☐ Trustworthy 1z0-076 Exam Content ☐ Immediately

[illegible]

P.S. Free 2026 Oracle 1z0-076 dumps are available on Google Drive shared by BraindumpStudy: https://drive.google.com/open?id=1MXbGYboHwCuG_4fQIOYbqhiGHNEEs_Ow