

# More Details About Huawei H12-811\_V2.0 Exam Dumps

5. Which radio bridge D cannot appear in the configured BPDU sent from the interface machine? (single choice)

- A 8192 00-01-02-03-04-CC
- B 4096 00-01-02-03-04-CC
- C 0 00-01-02-03-04-CC

D 2048 00-01-02-03-04-CC

ANSWER D

You will notice the above features in the Huawei H12-811\_V2.0 Web-based format too. But the difference is that it is suitable for all operating systems. There is no need to go through time-taking installations or agitating plugins to use this format. It will lead to your convenience while preparing for the HCIA-Datacom V2.0 (H12-811\_V2.0) certification test. Above all, it operates on all browsers.

## Huawei H12-811\_V2.0 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>Ethernet Technology Basics: Covers Ethernet standards, switching principles, VLANs, and Layer 2 protocols used in enterprise network environments.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>Data Center Network Basics: Covers the architecture and key technologies used in modern data center networks including virtualization and high-availability design concepts.</li></ul>
Topic 3	<ul style="list-style-type: none"><li>Data Communication Network Basics: Covers foundational concepts of data communication networks including network types, reference models (OSI</li><li>TCP-IP), and basic device roles.</li></ul>
Topic 4	<ul style="list-style-type: none"><li>WLAN Technology Basics: Covers wireless LAN standards, components such as APs and ACs, WLAN architecture, and basic configuration principles.</li></ul>

>> H12-811\_V2.0 Latest Test Questions <<

## Test H12-811\_V2.0 Quiz & New H12-811\_V2.0 Test Duration

The H12-811\_V2.0 exam requires a lot of preparation, hard work, and practice to be successful. To pass the HCIA-Datacom V2.0 (H12-811\_V2.0) test, you need to get updated Huawei H12-811\_V2.0 dumps. These H12-811\_V2.0 questions are necessary to study for the test and pass it on the first try. Updated H12-811\_V2.0 Practice Questions are essential prepare successfully for the HCIA-Datacom V2.0 certification exam. But gaining access to updated H12-811\_V2.0 questions is challenging for the candidates.

## Huawei HCIA-Datacom V2.0 Sample Questions (Q33-Q38):

### NEW QUESTION # 33

PC1 and PC2 are connected to the same switch, but they cannot learn each other's ARP information. This may be caused by incorrect VLAN configuration on the switch.

- A. FALSE
- B. TRUE

**Answer: B**

Explanation:

This statement is true . ARP is a Layer 2 broadcast-based protocol used to resolve an IPv4 address into a MAC address within the same broadcast domain. If two PCs are connected to the same switch but cannot learn each other's ARP entries, one likely reason is an incorrect VLAN configuration .

For example, if PC1 and PC2 are placed in different VLANs, or if one interface is configured with the wrong access VLAN, ARP broadcast frames from one PC will not reach the other PC because VLANs separate Layer 2 broadcast domains. As a result, the ARP request will not be received by the peer, and the MAC address cannot be resolved. Other causes may also exist, such as incorrect IP addressing, port isolation, or security policies, but VLAN misconfiguration is a very common and valid cause in campus switching scenarios. HCIA-Datacom teaches that ARP communication depends on correct Layer 2 domain membership, and VLAN planning or interface configuration errors often directly affect host-to-host communication even when both hosts are physically connected to the same switch.

### NEW QUESTION # 34

The domain to which a user belongs is determined by the user name used by the user to log in to the NAS device. If the domain name carried in the user name is not configured on the NAS device, the authentication fails.

- A. TRUE
- B. FALSE

**Answer: B**

Explanation:

This statement is false . On Huawei devices, the domain to which a user belongs is usually determined by the domain part carried in the user name, for example user@huawei.com. However, if the specified domain is not configured on the NAS device, authentication does not necessarily fail immediately . In many cases, the device can use a default domain for authentication processing, depending on the AAA configuration.

Huawei AAA supports both an administrator user default domain and a normal user default domain . If a user name does not match a configured domain, or the domain carried in the user name is unavailable, the device may fall back to the default domain and continue authentication according to the configured policy.

Therefore, the statement is incorrect because it treats authentication failure as unavoidable in every such case.

HCIA-Datacom emphasizes domain-based AAA processing because it allows different groups of users to use different authentication, authorization, and accounting methods. At the same time, learners must understand the function of default domains, which provide flexibility in real deployments and prevent unnecessary authentication failures in some login scenarios.

### NEW QUESTION # 35

On a switched network where STP is enabled on all devices, when a downstream device detects a topology change, it continuously sends configuration BPDUs to the upstream device until the root bridge is informed of the topology change.

- A. TRUE
- B. FALSE

**Answer: B**

Explanation:

This statement is false . In classic STP, when a non-root switch detects a topology change, it does not continuously send configuration BPDUs upstream to notify the root bridge. Instead, it sends a Topology Change Notification (TCN) BPDU toward the root bridge through its root port. Each upstream switch acknowledges the TCN and forwards it further until it reaches the root bridge.

After the root bridge receives the topology change notification, the root bridge sets the Topology Change (TC) flag in its configuration BPDUs, and those configuration BPDUs are then propagated throughout the network. Therefore, topology-change notification and normal configuration BPDU transmission are different functions. The statement is wrong because it confuses TCN BPDUs with configuration BPDUs, and also inaccurately describes the notification behavior. HCIA-Datacom requires learners to distinguish between these BPDU types and understand how STP reacts to topology changes by accelerating MAC address aging and informing the network through the root bridge. This process helps the Layer 2 topology converge and reduces long-lasting forwarding inconsistencies after a link or port-state change.

#### NEW QUESTION # 36

During VLAN planning for a campus network, VLAN IDs for different service types must be allocated consecutively, without redundancy, to prevent omissions in future allocations.

- A. TRUE
- B. FALSE

**Answer: B**

Explanation:

This statement is false. In campus network VLAN planning, VLAN IDs do not have to be allocated strictly consecutively without any gaps. In fact, leaving some reserved VLAN IDs is often a practical and recommended design approach. VLAN planning should focus on clarity, scalability, maintainability, and service separation, rather than on forcing all VLAN IDs to be contiguous. For example, an administrator may reserve certain VLAN ranges for user access, voice services, management, wireless services, guest access, future expansion, or specific departments. Such structured planning makes later network expansion easier and reduces the risk of service conflicts or disruptive renumbering. HCIA-Datacom emphasizes that good campus network planning should consider current requirements and future growth. Consecutive allocation may look tidy at first, but it can actually reduce flexibility and make later additions more difficult. Therefore, the idea that VLAN IDs must be assigned consecutively without redundancy to avoid omissions is not a correct design principle. Reasonable reservation and categorized allocation are often more beneficial in real enterprise campus networks.

#### NEW QUESTION # 37

OSPF supports the division of a network into areas, each identified by an area ID that ranges from 0 to 255. Area 0 is designated as the backbone area.

- A. TRUE
- B. FALSE

**Answer: B**

Explanation:

This statement is false because although Area 0 is indeed the backbone area, the statement about the area ID range is incorrect. In OSPF, the area ID is a 32-bit value, which can be represented either in decimal format or in IPv4 address format such as 0.0.0.0. It is not limited to the numeric range 0 to 255. For example, an area can be configured as 0, 1, 100, or in dotted-decimal form such as 0.0.0.1 or 0.0.0.10, depending on implementation and configuration style. HCIA-Datacom teaches that OSPF uses hierarchical area design to improve scalability, reduce SPF calculation scope, and optimize LSA flooding. The backbone area, which is Area 0, serves as the transit area connecting all non-backbone areas in a standard OSPF design. Therefore, the second part of the statement is correct, but the first part is wrong, making the entire statement false. This question tests whether the learner understands both the function of Area 0 and the actual format of OSPF area identifiers.

#### NEW QUESTION # 38

.....

We apply international recognition third party for payment for H12-811\_V2.0 exam materials, therefore, if you choose us, your money safety will be guaranteed. The third party will guarantee your interests. Besides, H12-811\_V2.0 exam materials of us is high-quality, they will help you pass the exam successfully. We also pass guarantee and money back guarantee if you fail to pass the exam. H12-811\_V2.0 Exam Braindumps offer you free update for one year, and in the following year, you can know the latest information for the exam. The latest version for H12-811\_V2.0 will be sent to your email automatically.

**Test H12-811\_V2.0 Quiz:** [https://www.fast2test.com/H12-811\\_V2.0-premium-file.html](https://www.fast2test.com/H12-811_V2.0-premium-file.html)

- H12-811\_V2.0 Valid Test Materials ☞ Valid Braindumps H12-811\_V2.0 Ppt ☐ H12-811\_V2.0 Valid Test Materials ☐  
☐ Search for { H12-811\_V2.0 } and download exam materials for free through { www.dumpsquestion.com } ☐New  
H12-811\_V2.0 Exam Book
- Pass Guaranteed 2026 H12-811\_V2.0: High Pass-Rate HCIA-Datacom V2.0 Latest Test Questions ☐ Open ⇒  
www.pdfvce.com ⇐ enter ☐ H12-811\_V2.0 ☐ and obtain a free download ☐Valid Braindumps H12-811\_V2.0 Ppt
- H12-811\_V2.0 Valid Test Guide ♥ H12-811\_V2.0 Valid Test Guide ☐ H12-811\_V2.0 Latest Exam Test ☐ Easily  
obtain 【 H12-811\_V2.0 】 for free download through ☐ www.exam4labs.com ☐ ☐Dumps H12-811\_V2.0 Torrent
- H12-811\_V2.0 Download Free Dumps ☐ Valid H12-811\_V2.0 Mock Test ☐ H12-811\_V2.0 Latest Exam Test ☐  
Copy URL ( www.pdfvce.com ) open and search for ➡ H12-811\_V2.0 ☐ to download for free ☐H12-811\_V2.0  
Valid Practice Questions
- Pass Guaranteed 2026 H12-811\_V2.0: High Pass-Rate HCIA-Datacom V2.0 Latest Test Questions ☐ Search on ⇒  
www.validtorrent.com ⇐ for ( H12-811\_V2.0 ) to obtain exam materials for free download ☐H12-811\_V2.0 Valid  
Practice Questions
- Quiz Huawei - H12-811\_V2.0 - HCIA-Datacom V2.0 Authoritative Latest Test Questions ☐ Open website ▶  
www.pdfvce.com ◀ and search for ☐ H12-811\_V2.0 ☐ for free download ☐H12-811\_V2.0 Certification Exam Cost
- Marvelous H12-811\_V2.0 - HCIA-Datacom V2.0 Latest Test Questions ☐ Simply search for ☼ H12-811\_V2.0 ☐☼☐  
for free download on { www.vce4dumps.com } ☐H12-811\_V2.0 Latest Torrent
- 100% Pass Huawei - Newest H12-811\_V2.0 Latest Test Questions ☐ Easily obtain free download of▷ H12-811\_V2.0 ◁  
by searching on { www.pdfvce.com } ☐New H12-811\_V2.0 Exam Prep
- H12-811\_V2.0 Online Version ☐ H12-811\_V2.0 Valid Test Materials ☐ Dumps H12-811\_V2.0 Torrent ☐ Search  
for ☼ H12-811\_V2.0 ☐☼☐ and easily obtain a free download on ( www.practicevce.com ) ☐H12-811\_V2.0  
Certification Exam Cost
- Pass Guaranteed 2026 H12-811\_V2.0: High Pass-Rate HCIA-Datacom V2.0 Latest Test Questions ☐ The page for free  
download of☐ H12-811\_V2.0 ☐ on☼ www.pdfvce.com ☐☼☐ will open immediately ☐Valid Braindumps H12-  
811\_V2.0 Ppt
- Marvelous H12-811\_V2.0 - HCIA-Datacom V2.0 Latest Test Questions ☐ Search for ☐ H12-811\_V2.0 ☐ and  
download it for free on 【 www.examcollectionpass.com 】 website ☐New H12-811\_V2.0 Exam Prep
- iifledu.com, www.stes.tyc.edu.tw, bbs.t-firefly.com, www.stes.tyc.edu.tw, www.benzou.cn, bbs.86bbk.com,  
www.stes.tyc.edu.tw, www.competize.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
www.stes.tyc.edu.tw, Disposable vapes