


免費下載Nutanix NCM-MCI考題 & NCM-MCI證照指南



此外，這些VCESoft NCM-MCI考試題庫的部分內容現在是免費的：<https://drive.google.com/open?id=1HpDyT-RfvAv0xn5F-cP6oMtpV7NKc-sV>

如果你不知道如何更有效的通過考試，我給你一個建議是選擇一個良好的培訓網站，這樣可以起到事半功倍的效果。我們VCESoft網站始終致力於為廣大考生提供全部真實的Nutanix的NCM-MCI認證的考試培訓資料，VCESoft Nutanix的NCM-MCI認證考試考古題軟體供應商授權的產品，覆蓋率廣，可以為你節省大量的時間和精力。

Nutanix NCM-MCI 考試大綱：

主題	簡介
主題 1	<ul style="list-style-type: none">Analyze and Optimize VM Performance: Manipulation of VM configuration for resource utilization is discussed in this topic. It also explains interpreting VM, node, and cluster metrics.
主題 2	<ul style="list-style-type: none">Business Continuity: The topic of business continuity measures knowledge about analyzing BCDR plans for compliance and evaluating BCDR plans for specific workloads.
主題 3	<ul style="list-style-type: none">Analyze and Optimize Network Performance: Focal points of this topic are overlay networking, physical networks, virtual networks, network configurations, and flow policies. Moreover, questions about configurations also appear.
主題 4	<ul style="list-style-type: none">Analyze and Optimize Storage Performance: It covers storage settings, workload requirements, and storage internals.
主題 5	<ul style="list-style-type: none">Advanced Configuration and Troubleshooting: This topic covers sub-topics of executing API calls, configuring third-party integrations, analyzing AOS security posture, and translate business needs into technical solutions. Lastly, it discusses troubleshooting Nutanix services as well.

>> 免費下載Nutanix NCM-MCI考題 <<

NCM-MCI證照指南，NCM-MCI題庫分享

近來，隨著IT技術的不斷快速發展，學習IT技術的人越來越多。這也導致在IT行業工作的人越來越多。於是，IT行業的競爭愈發激烈了。同樣在IT行業工作，並且有著IT夢的你，肯定不希望被別人趕上甚至超過吧？那麼，這就需要你不斷提升自己的技能，向別人證明你自己的實力。那麼怎樣才能證明你自己的能力呢？越來越多的人選擇參加IT認定考試取得認證資格來證明自己的實力。你也想获得认证资格吗？首先来参加Nutanix的NCM-MCI认定考试吧。这是Nutanix的最重要的考试，同时也是被业界广泛认证的资格。

最新的 Master Level NCM-MCI 免費考試真題 (Q13-Q18):

問題 #13

Task 9

Part1

An administrator logs into Prism Element and sees an alert stating the following:

Cluster services down on Controller VM (35.197.75.196)

Correct this issue in the least disruptive manner.

Part2

In a separate request, the security team has noticed a newly created cluster is reporting:

CVM [35.197.75.196] is using the default password.

They have provided some new security requirements for cluster level security.

Security requirements:

Update the default password for the root user on the node to match the admin user password: Note: 192.168.x.x is not available.

To access a node use the Host IP (172.30.0.x) from a CVM or the supplied external IP address.

Update the default password for the nutanix user on the CVM to match the admin user password.

Resolve the alert that is being reported.

Output the cluster-wide configuration of the SCMA policy to Desktop\Files\output.txt before changes are made.

Enable the Advance intrusion Detection Environment (AIDE) to run on a weekly basis for the cluster.

Enable high-strength password policies for the cluster.

Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the Desktop\Files\SSH folder).

Ensure the clusters meets these requirements. Do not reboot any cluster components.

答案:

解題說明:

See the Explanation for step by step solution

Explanation:

To correct the issue of cluster services down on Controller VM (35.197.75.196) in the least disruptive manner, you need to do the following steps:

Log in to Prism Element using the admin user credentials.

Go to the Alerts page and click on the alert to see more details.

You will see which cluster services are down on the Controller VM. For example, it could be cassandra, curator, stargate, etc.

To start the cluster services, you need to SSH to the Controller VM using the nutanix user credentials. You can use any SSH client such as PuTTY or Windows PowerShell to connect to the Controller VM. You will need the IP address and the password of the nutanix user, which you can find in Desktop\Files\SSH\nutanix.txt.

Once you are logged in to the Controller VM, run the command:

```
cluster status | grep -v UP
```

This will show you which services are down on the Controller VM.

To start the cluster services, run the command:

```
cluster start
```

This will start all the cluster services on the Controller VM.

To verify that the cluster services are running, run the command:

```
cluster status | grep -v UP
```

This should show no output, indicating that all services are up.

To clear the alert, go back to Prism Element and click on Resolve in the Alerts page.

To meet the security requirements for cluster level security, you need to do the following steps:

To update the default password for the root user on the node to match the admin user password, you need to SSH to the node using the root user credentials. You can use any SSH client such as PuTTY or Windows PowerShell to connect to the node. You will need the IP address and the password of the root user, which you can find in Desktop\Files\SSH\root.txt.

Once you are logged in to the node, run the command:

```
passwd
```

This will prompt you to enter a new password for the root user. Enter the same password as the admin user, which you can find in Desktop\Files\SSH\admin.txt.

To update the default password for the nutanix user on the CVM to match the admin user password, you need to SSH to the CVM using the nutanix user credentials. You can use any SSH client such as PuTTY or Windows PowerShell to connect to the CVM.

You will need the IP address and the password of the nutanix user, which you can find in Desktop\Files\SSH\nutanix.txt.

Once you are logged in to the CVM, run the command:

```
passwd
```

This will prompt you to enter a new password for the nutanix user. Enter the same password as the admin user, which you can find in Desktop\Files\SSH\admin.txt.

To resolve the alert that is being reported, go back to Prism Element and click on Resolve in the Alerts page.

To output the cluster-wide configuration of SCMA policy to Desktop\Files\output.txt before changes are made, you need to log in to Prism Element using the admin user credentials.

Go to Security > SCMA Policy and click on View Policy Details. This will show you the current settings of SCMA policy for each entity type.

Copy and paste these settings into a new text file named Desktop\Files\output.txt.

To enable AIDE (Advanced Intrusion Detection Environment) to run on a weekly basis for the cluster, you need to log in to Prism Element using the admin user credentials.

Go to Security > AIDE Configuration and click on Enable AIDE. This will enable AIDE to monitor file system changes on all CVMs and nodes in the cluster.

Select Weekly as the frequency of AIDE scans and click Save.

To enable high-strength password policies for the cluster, you need to log in to Prism Element using the admin user credentials.

Go to Security > Password Policy and click on Edit Policy. This will allow you to modify the password policy settings for each entity type.

For each entity type (Admin User, Console User, CVM User, and Host User), select High Strength as the password policy level and click Save.

To ensure CVMs require SSH keys for login instead of passwords, you need to log in to Prism Element using the admin user credentials.

Go to Security > Cluster Lockdown and click on Configure Lockdown. This will allow you to manage SSH access settings for the cluster.

Uncheck Enable Remote Login with Password. This will disable password-based SSH access to the cluster.

Click New Public Key and enter a name for the key and paste the public key value from Desktop\Files\SSH\id_rsa.pub. This will add a public key for key-based SSH access to the cluster.

Click Save and Apply Lockdown. This will apply the changes and ensure CVMs require SSH keys for login instead of passwords.

Part1

Enter CVM ssh and execute:

```
cluster status | grep -v UP
```

```
cluster start
```

If there are issues starting some services, check the following:

Check if the node is in maintenance mode by running the `ncli host ls` command on the CVM. Verify if the parameter Under Maintenance Mode is set to False for the node where the services are down. If the parameter Under Maintenance Mode is set to True, remove the node from maintenance mode by running the following command:

```
* nutanix@cvm$ ncli host edit id=<host id> enable-maintenance-mode=false
```

 You can determine the host ID by using `ncli host ls`.

See the troubleshooting topics related to failed cluster services in the Advanced Administration Guide available from the Nutanix Portal's Software Documentation page. (Use the filters to search for the guide for your AOS version). These topics have information about common and AOS-specific logs, such as Stargate, Cassandra, and other modules.

* Check for any latest FATALs for the service that is down. The following command prints all the FATALs for a CVM. Run this command on all CVMs.

```
nutanix@cvm$ for i in `svnrips`; do echo "CVM: $i"; ssh $i "ls -ltr /home/nutanix/data/logs/*.FATAL"; done
```

 NCC Health Check:

```
cluster_services_down_check (nutanix.com)
```

 Part2 Update the default password for the root user on the node to match the admin

```
user password echo -e "CHANGING ALL AHV HOST ROOT PASSWORDS.\nPlease input new password: "; read -rs
```

```
password1; echo "Confirm new password: "; read -rs password2; if [ "$password1" = "$password2" ]; then for host in $(hostips);
```

```
do echo Host $host; echo $password1 | ssh root@$host "passwd --stdin root"; done; else echo "The passwords do not match"; fi
```

```
Update the default password for the nutanix user on the CVM sudo passwd nutanix
```

 Output the cluster-wide configuration of the

```
SCMA policy ncli cluster get-hypervisor-security-config
```

 Output Example:

```
nutanix@NTNX-372a19a3-A-CVM:10.35.150.184:~$ ncli cluster get-hypervisor-security-config
```

 Enable Aide : false Enable Core

```
: false Enable High Strength P... : false Enable Banner : false Schedule : DAILY Enable iTLB Multihit M... : false
```

 Enable the

```
Advance intrusion Detection Environment (AIDE) to run on a weekly basis for the cluster.
```

```
ncli cluster edit-hypervisor-security-params enable-aide=true
```

```
ncli cluster edit-hypervisor-security-params schedule=weekly
```

```
Enable high-strength password policies for the cluster.
```

```
ncli cluster edit-hypervisor-security-params enable-high-strength-password=true
```

 Ensure CVMs require SSH keys for login instead of passwords

```
https://portal.nutanix.com/page/documents/kbs/details?targetId=kA060000008gb3CAA
```

```
□
```

問題 #14

Task 13

The application team is reporting performance degradation for a business-critical application that runs processes all day on

Saturdays.

The team is requesting monitoring of processor, memory and storage utilization for the three VMs that make up the database cluster for the application: ORA01, ORA02 and ORA03.

The report should contain tables for the following:

At the cluster level, only for the current cluster:

The maximum percentage of CPU used

At the VM level, including any future VM with the prefix ORA:

The maximum time taken to process I/O Read requests

The Maximum percentage of time a VM waits to use physical CPU, out of the local CPU time allotted to the VM.

The report should run on Sundays at 12:00 AM for the previous 24 hours. The report should be emailed to appdev@cyberdyne.net when completed.

Create a report named Weekends that meets these requirements

Note: You must name the report Weekends to receive any credit. Any other objects needed can be named as you see fit. SMTP is not configured.

A: Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Report Settings option, select Weekly from the Schedule drop-down menu and choose Sunday as the day of week. Enter 12:00 AM as the time of day. Enter appdev@cyberdyne.net as the Email Recipient. Select CSV as the Report Output Format.

Click Next.

Review the report details and click Finish.

答案:

解題說明:

See the Explanation for step by step solution

Explanation:

To create a report named Weekends that meets the requirements, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter Weekends as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select Cluster. Click Next.

Under the Custom Columns option, add the following variable: CPU Usage (%). Click Next.

Under the Aggregation option for CPU Usage (%), select Max. Click Next.

Under the Filter option, select Current Cluster from the drop-down menu. Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Custom Views section, select Data Table again. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, I/O Read Latency (ms), VM Ready Time (%). Click Next.

Under the Aggregation option for I/O Read Latency (ms) and VM Ready Time (%), select Max. Click Next.

Under the Filter option, enter ORA* in the Name field. This will include any future VM with the prefix OR

問題 #15

Refer to the exhibit.

□
□
□

Task1

A newly created Windows VM "SQL02" is experiencing poor storage performance when compared to "SQL01" running within the same cluster, on the same storage container.

The cluster is in a healthy state.

Create a new session named Monitor SQL02 with meaningful metrics. Right click on the session page and click Select All then paste this into Notepad and save it as Task 1.txt on the desktop.

Also, save the analysis as a report named "MonitorSQL02" and send the report as a PDF on a daily basis to perf_group@ACME.org. Reports should not be retained. If any new objects need to be created, use monitorvm2 in the name.

Finally, correct the issue within "SQL02"

Notes:

Do not power on the VMs.

While you will be creating a session, you will need to examine the VM configurations to determine the issue.

Do not delete the VM to resolve the issue, any other destructive change is acceptable

答案:

解題說明:

See the Explanation

Explanation:

This is a classic Nutanix performance troubleshooting scenario. The issue is almost certainly that the VM was created using the wrong Disk Bus Type (IDE or SATA instead of SCSI).

Here is the step-by-step solution to complete Task 1.

Part 1: Analysis and Reporting

Create the Session

Log in to Prism Central (or Prism Element, depending on the exam environment, but Analysis is usually a PC feature).

Navigate to Operations -> Analysis.

Click New Session.

Name: Monitor SQL02

Entity: Search for and select the VM named SQL02.

Metrics: Since the issue is storage performance, search for and add these specific metrics:

Hypervisor IOPS (or Controller IOPS)

Hypervisor IO Latency (or Controller IO Latency)

Hypervisor IO Bandwidth

Click Save.

Save Session Data (Task 1.txt)

Open the "Monitor SQL02" session you just created.

(Per instructions): Right-click anywhere on the chart/data area -> Click Select All.

Copy the selected text (Ctrl+C).

Open Notepad on the provided desktop.

Paste the data.

Save the file as Task 1.txt on the Desktop.

Create and Schedule the Report

While still in the Analysis session, click the Create Report (or "Add to Report") button.

Report Name: MonitorSQL02

Report Settings:

Format: PDF

Frequency: Daily

Email Recipient: perf_group@ACME.org

Retention: 0 (or "Do not retain", as requested).

Note: If the system forces you to create a new Report object and MonitorSQL02 is rejected, use monitorvm2 as the name per the instructions.

Save/Schedule the report.

Part 2: Diagnose and Fix the Issue

The Issue:

VM SQL02 was likely created with its data disks set to IDE or SATA.

Why this causes poor performance: IDE/SATA are emulated hardware with high CPU overhead and low queue depths (single-threaded).

The Standard: SQL01 (the healthy VM) is using SCSI, which is multithreaded and optimized for virtualization.

The Fix (Steps):

Navigate to the VM list in Prism.

Select SQL02 and click Update (or Edit).

Scroll down to the Disks section.

Identify the data disk(s). You will see the Bus Type listed as IDE or SATA.

Do not delete the VM. instead, perform a disk conversion (destructive change to the disk is allowed, but we want to keep the data).

Method to Convert (Clone to SCSI):

Hover over the IDE/SATA disk to see the path/filename of the vDisk (or write it down).

Click Add New Disk.

Operation: select Clone from ADSF file.

Path: Browse to the storage container and select the file associated with the current IDE disk.

Bus Type: Select SCSI (This is the critical fix).

Index: Ensure it doesn't conflict with existing disks (usually index 1 or higher for data).

Click Add.

Once the new SCSI disk is added, find the original IDE/SATA disk and click the X to remove it.

Click Save.

Note: You do not need to power on the VM to verify. The change from IDE to SCSI allows the VM to use the Nutanix VirtIO

drivers for maximum storage performance.

問題 #16

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

答案:

解題說明:

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD_Fin01 and PD_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.



問題 #17

Task 6

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt. Replace any x in the file with the appropriate character or string. Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```
manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxxxx --interfaces ethX,ethX update_uplinks manage_ovs --bridge_name  
brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxxxx update_uplinks
```

答案:

解題說明:

See the Explanation for step by step solution

Explanation:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name
```

