


Get Real Automating and Programming Cisco Collaboration Solutions Test Guide to Quickly Prepare for Automating and Programming Cisco Collaboration Solutions Exam



2026 Latest DumpStillValid 300-835 PDF Dumps and 300-835 Exam Engine Free Share: https://drive.google.com/open?id=1nvZQ_D8eQiZwc93UJQgBb1SJq8VfVTnB

You can get the authoritative 300-835 certification exam in first try without attending any expensive training institution classes. The main reason that makes you get succeed is the accuracy of our 300-835 test answers and the current exam pass guide. We provide you the Latest 300-835 Dumps Pdf for exam preparation and also the valid study guide for the organized review. You can completely trust our learning materials.

Cisco 300-835 exam is a challenging exam that tests the skills and knowledge of the candidate in various areas such as programming concepts, APIs, webhooks, collaboration endpoints, and network protocols. 300-835 Exam is designed to assess the candidate's ability to automate and program Cisco collaboration solutions using different programming languages such as Python, Java, and JavaScript.

>> 300-835 Dump File <<

Avoid Failure in Exam By Using Cisco 300-835 Questions

The third and last format is the Cisco 300-835 desktop practice exam software form that can be used without an active internet

connection. This software works offline on the Windows operating system. The practice exams benefit your preparation because you can attempt them multiple times to improve yourself for the Cisco 300-835 Certification test. Our Automating and Programming Cisco Collaboration Solutions (300-835) exam dumps are customizable, so you can set the time and questions according to your needs.

Cisco Automating and Programming Cisco Collaboration Solutions Sample Questions (Q63-Q68):

NEW QUESTION # 63

Refer to the exhibit. This Python script uses the websocket-based, xAPI library 'pyxows' to monitor and print event details to the console when users interact with UI Extension/In-Room Control 'Action Buttons' deployed to the Touch-10 interface of a Webex room device.

Which two code snippets successfully capture such events? (Choose two.)

```
import xows
import asyncio

async def start(ip, usr, pw):
    async with xows.XoWSClient(ip, username=usr, password=pw) as client:
        async def callback(data, id_):
            print(f'Feedback {id} (Id {id_}): {data}')
            
        await client.wait_until_closed()

async def task():
    await start('10.10.10.1', 'admin', 'T357c45e')

asyncio.run(task())
```

- A. `await client.subscribe(['Event', '**'], callback)`
- B. `await client.subscribe(['Event', 'ActionButton', 'Clicked'], callback)`
- C. `await client.xEvent(['Event', '**'], callback)`
- D. `await client.xEvent(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback)`
- E. `await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback)`

Answer: D,E

NEW QUESTION # 64

Drag and drop the code to create a Webex Teams Recents Widget in an existing HTML page. Not all items are used.

Answer Area

```
<div style="width:300px; height: 500px;"
  id="recents"
/>
<script>
  // Initialize a new widget

  const widgetElement = document.getElementById(' ');

  ciscospark.widget(widgetElement).({
    accessToken: "YOUR_WEBEX_TEAMS_ACCESS_TOKEN",
    onEvent: callback
  });

  function callback(type,event) {

    if (type === ' ') {
      console.log("room " + event.data.id + " was selected");
    }
  }
</script>
```

recentsId

selected

my-recents-widget

rooms:selected

recentsWidget

recents

Answer:

Explanation:

Answer Area

```
<div style="width:300px; height: 500px;"
  id="recents"
/>
<script>
  // Initialize a new widget

  const widgetElement = document.getElementById(' recents ');

  ciscospark.widget(widgetElement). recentsWidget ({
    accessToken: "YOUR_WEBEX_TEAMS_ACCESS_TOKEN",
    onEvent: callback
  });

  function callback(type,event) {

    if (type === ' recentsId ') {
      console.log("room " + event.data.id + " was selected");
    }
  }
</script>
```

recentsId

selected

my-recents-widget

rooms:selected

recentsWidget

recents

NEW QUESTION # 65

Refer to the exhibit.

Based on the schema diagram in the exhibit, which two XML objects are valid AXL <getPhone> request <Body> elements? (Choose two.)

- A.

```
<soapenv:Body>
  <ns:getPhone sequence="1">
    <name>BOT209342098</name>
    <returnedtags><model/></returnedtags>
  </ns:getPhone>
</soapenv:Body>
```
- B.

```
<soapenv:Body>
  <ns:getPhone>
    <name>BOT209342098</name>
    <returnedTags><model/></returnedTags>
  </ns:getPhone>
</soapenv:Body>
```
- C.

```
<soapenv:Body>
  <ns:getPhone>
    <name>BOT209342098</name>
    <uuid>{2B1931A2-8FC2-A0C2-7282-B88B5A6356A0}</uuid>
  </ns:getPhone>
</soapenv:Body>
```
- D.

```
<soapenv:Body>
  <ns:getPhone sequence="1">
    <uuid>{2B1931A2-8FC2-A0C2-7282-B88B5A6356A0}</uuid>
  </ns:getPhone>
</soapenv:Body>
```
- E.

```
<soapenv:Body>
  <ns:getPhone sequence="1">
    <name>BOT209342098</name>
    <returnedTags>All</returnedTags>
  </ns:getPhone>
</soapenv:Body>
```

- A. Option D
- **B. Option E**
- C. Option B
- D. Option A
- E. Option C

Answer: B

NEW QUESTION # 66

When should the Webex Team OAuth access token be used when configuring AuthenticateUser XML API request?

- A. Multi-factor authentication for webex site
- B. username/password requirements for webex site
- **C. Single-sign-on enabled webex site**
- D. ChatBot configuration for webex site

Answer: C

NEW QUESTION # 67

How can admin users include BroadCloud user details in the response when creating a new user in Cisco Webex teams?

- A. displayName as true
- B. LocationID
- **C. CallingData as true**

- Answer: C**

• • • • •

Latest 300-835 Examprep: <https://www.dumpstillvalid.com/300-835-prep4sure-review.html>

- 2026 Latest DumpStillValid 300-835 PDF Dumps and 300-835 Exam Engine Free Share: https://drive.google.com/open?id=1nvZO_D8eQiZwc93UJOgBb1SJq8VfVtNB