


Free PDF 2026 300-410: Latest Implementing Cisco Enterprise Advanced Routing and Services Learning Engine



P.S. Free & New 300-410 dumps are available on Google Drive shared by DumpStillValid: <https://drive.google.com/open?id=1FPPfeR7Sscgowd1HkNYaZ1If2N3pLFI8>

Everybody should recognize the valuable of our life; we can't waste our time, so you need a good way to help you get your goals straightly. Of course, our 300-410 latest exam torrents are your best choice. I promise you that you can learn from the 300-410 Exam Questions not only the knowledge of the certificate exam, but also the ways to answer questions quickly and accurately. Now, you can free download the demo of our 300-410 test torrent to have a check on our wonderful quality.

Cisco 300-410 exam is designed for IT professionals who are interested in becoming certified in implementing Cisco enterprise advanced routing and services. 300-410 exam is an important step for those who want to demonstrate their knowledge and skills in deploying and managing advanced routing and services in enterprise networks.

Preparation Process for Cisco 300-410 Exam

The candidates can explore various resources in preparation for this certification exam. For this purpose, Cisco recommends enrolling for the official training course, which is **Implementing Cisco Enterprise Advanced Routing and Services v1.0**. This training focuses on infrastructure technologies and advanced routing. It also provides the test takers with the knowledge and skills required to installing, operating, troubleshooting, and configuring the enterprise networks. Those individuals who take the ENARSI course can choose different delivery options, which include the following:

- **Instructor-led training** – With this option, the test takers will have 5 days of classroom-based education with hands-on lab practice.
- **E-learning** – This path will give the applicants 5 days of online education with hands-on lab practice;

- **Virtual instructor-led training** – This variant provides the students with the web-based classes that include hands-on lab practice;

To improve your performance during the Cisco 300-410 Exam, you can explore other reputable training platforms to find more prep resources. Besides that, it is important to take practice tests and gain competence in the test-taking process.

>> 300-410 Learning Engine <<

Question Cisco 300-410 Explanations - Positive 300-410 Feedback

Many candidates find the Implementing Cisco Enterprise Advanced Routing and Services (300-410) exam preparation difficult. They often buy expensive study courses to start their Implementing Cisco Enterprise Advanced Routing and Services (300-410) certification exam preparation. However, spending a huge amount on such resources is difficult for many Cisco 300-410 Exam applicants. The latest Cisco 300-410 exam dumps are the right option for you to prepare for the Implementing Cisco Enterprise Advanced Routing and Services (300-410) certification test at home.

The Cisco 300-410 exam consists of 60-70 multiple-choice and simulation questions that must be completed within 90 minutes. As the exam covers advanced concepts in routing and services, candidates are expected to have a strong foundation in networking concepts and experience working with Cisco routers and switches. 300-410 Exam is suitable for network engineers, network administrators, and IT professionals who want to advance their careers in enterprise networking.

Cisco Implementing Cisco Enterprise Advanced Routing and Services Sample Questions (Q248-Q253):

NEW QUESTION # 248

Refer to the exhibit.

□ Which control plane policy limits BGP traffic that is destined to the CPU to 1 Mbps and ignores BGP traffic that is sent at higher rate?

- A. policy-map COPP
- B. policy-map POLICE_BGP
- C. policy-map SHAPE_BGP
- D. policy-map LIMIT_BGP

Answer: A

NEW QUESTION # 249

A company is expanding business by opening 35 branches over the Internet. A network engineer must configure DMVPN at the branch routers to connect with the hub router and allow NHRP to add spoke routers securely to the multicast NHRP mappings automatically. Which configuration meets this requirement at the hub router?

- A. □
- B. □
- C. □
- D. □

Answer: B

Explanation:

The command "ip nhrp map multicast dynamic" allows NHRP to automatically add spoke routers to the multicast NHRP mappings.

NEW QUESTION # 250

Refer to Exhibit.

□ Traffic from the branch network should route through HQ_R1 unless the path is unavailable. An engineer tests this functionality by shutting down interface on the BRANCH router toward HQ_R1 router but 192.168.20.0/24 is no longer reachable from the branch router. Which set of configurations resolves the issue?

- A. HQ_R1(config)# ip sla responder
HQ_R1(config)# ip sla responder icmp-echo 172.16.35.2
- B. BRANCH(config)# ip sla 1
BRANCH(config-ip-sla)# icmp-echo 172.16.35.2
- C. BRANCH(config)# ip sla 1
BRANCH(config-ip-sla)# icmp-echo 172.16.35.1
- D. HQ_R2(config)# ip sla responder
HQ_R2(config)# ip sla responder icmp-echo 172.16.35.5

Answer: B

Explanation:

Explanation

In the configuration above, the engineer has made a mistake as he was tracking 172.16.35.6 (the backup path) instead of tracking the main path (172.16.35.2). Therefore, when he shut down the main path, the track 1 was still up so traffic still went through the main path -> it failed.

To fix this issue, we just need to correct the tracking interface of the main path.

NEW QUESTION # 251

Refer to the exhibit.

The network administrator configured VRF lite for customer A.

The technician at the remote site misconfigured VRF on the router. Which configuration will resolve connectivity for both sites of customer_a?

- A. Option B
- B. Option A
- C. Option C
- D. Option D

Answer: D

Explanation:

From the exhibit, we learned:

+ VRF customer_a was exported with Route target (RT) of 1:1 so at the remote site it must be imported with the same RT 1:1.

+ VRF customer_a was imported with Route target (RT) of 1:1 so at the remote site it must be exported with the same RT 1:1.

Therefore at the remote site we must configure the command "route-target both 1:1" (which is equivalent to two commands "route-target import 1:1" & "route-target export 1:1").

NEW QUESTION # 252

Refer to the exhibit.

AAA server 10.1.1.1 is configured with the default authentication and accounting settings, but the switch cannot communicate with the server. Which action resolves this issue?

- A. Match the authentication port
- B. Correct the shared secret.
- C. Match the accounting port
- D. Correct the timeout value.

Answer: A

Explanation:

Command Default

Accounting port: 1813

Authentication port: 1812

Accounting: enabled

Authentication: enabled

Retransmission count: 1

Idle-time: 0

Server monitoring: disabled

Timeout: 5 seconds

Test username: test

Test password: test

Reference:

https://www.cisco.com/c/m/en_us/techdoc/dc/reference/cli/n5k/commands/radius-server-host.html

By default, RADIUS uses UDP port 1812 for authentication and port 1813 for accounting.

In the exhibit above we see port 1814 is being used for authentication to AAA server at 10.1.1.1 which is not the default port so we must adjust the authentication port to the default value 1812.

NEW QUESTION # 253

• • • • •

Question 300-410 Explanations: <https://www.dumpstillvalid.com/300-410-prep4sure-review.html>

2026 Latest DumpStillValid 300-410 PDF Dumps and 300-410 Exam Engine Free Share: <https://drive.google.com/open?id=1FPFer7Sscgowd1HkNYaZ1If2N3pLFi8>