


# SAP C\_ADBTP\_2601 Lead2pass, C\_ADBTP\_2601 Study Plan



We attach importance to candidates' needs and develop the C\_ADBTP\_2601 practice materials from the perspective of candidates, and we sincerely hope that you can succeed with the help of our practice materials. Our aim is to let customers spend less time to get the maximum return. By choosing our C\_ADBTP\_2601 practice materials, you only need to spend a total of 20-30 hours to deal with exams, because our C\_ADBTP\_2601 practice materials are highly targeted and compiled according to the syllabus to meet the requirements of the exam. As long as you follow the pace of our C\_ADBTP\_2601 practice materials, you will certainly have unexpected results.

By using our C\_ADBTP\_2601 exam braindumps, it will be your habitual act to learn something with efficiency. With the cumulative effort over the past years, our C\_ADBTP\_2601 study guide has made great progress with passing rate up to 98 to 100 percent among the market. A lot of professional experts concentrate to making our C\_ADBTP\_2601 Preparation materials by compiling the content so they have gained reputation in the market for their proficiency and dedication.

>> SAP C\_ADBTP\_2601 Lead2pass <<

## C\_ADBTP\_2601 Study Plan & Reliable C\_ADBTP\_2601 Test Camp

Time is flying and the exam date is coming along, which is sort of intimidating considering your status of review process. The more efficient the materials you get, the higher standard you will be among competitors. So, high quality and high accuracy rate C\_ADBTP\_2601 practice materials are your ideal choice this time. By adding all important points into C\_ADBTP\_2601 practice materials with attached services supporting your access of the newest and trendiest knowledge, our C\_ADBTP\_2601 practice materials are quite suitable for you right now.

## SAP Administrating SAP Business Technology Platform(C\_ADBTP\_2601) Sample Questions (Q10-Q15):

### NEW QUESTION # 10

#### SIMULATION

Establish Shared Services

Task 2: Entitle and Subscribe a Service in a Shared Subaccount

In your SAP BTP cockpit, in your SH Dev subaccount, entitle one standard (Application) service plan for the SAP Build Work Zone, advanced edition.

In the SH Dev subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your SH Dev subaccount, create a service subscription for SAP Build Work Zone, advanced edition with the standard service

plan.

**Answer:**

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Shared Services directory.

Open the SH Dev subaccount.

This matters because all three required actions must be done inside SH Dev, not in the directory and not in another subaccount.

Part 1 - Entitle the service in SH Dev

Step 1 - Open the subaccount

In the cockpit, choose Directories.

Open Shared Services.

Select SH Dev.

You should now be on the SH Dev subaccount page.

Step 2 - Open Entitlements

In SH Dev, choose Entitlements.

SAP documents that service plans and quotas for a subaccount are added in the subaccount's Entitlements are a.

Step 3 - Add the required service plan

Click Configure Entitlements or Add Service Plans.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard (Application).

Set the quantity to 1 if a quota/amount field is shown.

Save the entitlement changes.

This task explicitly asks for one standard (Application) service plan. SAP Help also notes that SAP Build Work Zone usage depends on the correct entitlement being available in the subaccount first.

Verify

Under Entitlements, you should now see:

SAP Build Work Zone, advanced edition

plan: standard (Application)

quantity: 1 if shown

Part 2 - Establish trust to the identity provider

Step 4 - Open Trust Configuration

In SH Dev, go to Security.

Choose Trust Configuration.

SAP Help states that trust to a custom identity provider is established from Security > Trust Configuration in the SAP BTP cockpit.

Step 5 - Create the trust

Click Establish Trust.

Enter or select the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard.

Save the trust configuration.

SAP documents that to use a custom identity provider, the subaccount must have a trust relationship to that provider. SAP also highlights that apps such as SAP Build Work Zone rely on SAP Cloud Identity Services trust configuration.

Verify

On the Trust Configuration page, you should see:

agvlamkzw.accounts.ondemand.com

as a trusted identity provider.

Part 3 - Create the subscription

Step 6 - Open Instances and Subscriptions

In SH Dev, go to Services.

Choose Instances and Subscriptions.

Step 7 - Create the subscription

Click Create.

Choose Subscription if the cockpit asks for a type.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard.

Confirm the creation.

SAP Help for SAP Build Work Zone scenarios indicates that the subaccount needs the correct entitlements and subscription flow to expose and use SAP Build Work Zone content.

Step 8 - Confirm subscription status

Stay on Instances and Subscriptions.

Check that the new subscription appears and is active.

Verify

You should see:

SAP Build Work Zone, advanced edition

plan: standard

subscription created successfully

Final expected result

Inside SH Dev:

the entitlement for SAP Build Work Zone, advanced edition exists

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, advanced edition

the subscription uses the standard plan

Common mistakes to avoid

Doing the entitlement in Shared Services directory instead of SH Dev

Choosing SAP Build Work Zone, standard edition instead of advanced edition  
Choosing the wrong plan; the entitlement must be standard (Application)  
Forgetting the trust step to agvlamkzw.accounts.ondemand.com  
Trying to subscribe before the entitlement exists

## NEW QUESTION # 11

### SIMULATION

Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops#####-am-pa-dev-test in the region Microsoft Azure → US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops#####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Task 2 - Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace ##### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 - Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation:

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 - Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 - Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

Explanation:

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure → US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 - Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation:

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.

Step 5 - Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create → Subaccount again.

Explanation:

This opens a new subaccount creation form for the production subaccount.

Step 6 - Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Then set:

Source Subaccount: AM PA Dev Test

Enable the production setting:

Used in Production: Yes

Then click Create.

□ Explanation:

This creates the production subaccount by using AM PA Dev Test as the source subaccount.

Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned.

The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod

inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Region: Microsoft Azure → US West (WA) cf-us20

2. AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Source Subaccount: AM PA Dev Test

Used in Production: Yes

□ Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory

Not in:

Global Account

Americas

Eurasia

Human Resources

2. Wrong subdomain format

Use exactly:

btpops#####-am-pa-dev-test

btpops#####-am-pa-prod

Replace only ##### with your global account number.

Do not:

remove hyphens

add spaces

misspell dev-test or pa-prod

3. Wrong region for AM PA Dev Test

It must be:

Microsoft Azure

US West (WA)

cf-us20

4. Forgetting the source subaccount for AM PA Prod

You must select:

AM PA Dev Test

as the source subaccount.

5. Forgetting the production flag

For AM PA Prod, make sure:

Used in Production is enabled

## NEW QUESTION # 12

### SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

## Answer:

### Explanation:

See the Explanation below for complete solution.

### Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances area.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:

Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.

A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.  
Choosing the wrong service; use HTML5 Application Repository Service.  
Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.  
Typing the wrong instance name; use exactly html5-eu-hcm-dev.

### NEW QUESTION # 13

#### SIMULATION

Enable a Cloud Foundry Environment

Add a service plan for Cloud Foundry environment and enable it in a subaccount.

Task 1: Add a Service Plan for Cloud Foundry Environment

In your SAP BTP cockpit, in your EU HCM Dev subaccount, entitle one MEMORY service plan for the Cloud Foundry Runtime.

#### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Human Resources directory.

Open the EU HCM Dev subaccount.

This matters because the runtime memory quota must be assigned to the EU HCM Dev subaccount specifically. SAP documents that the MEMORY plan is the quota-bearing plan for Cloud Foundry Runtime.

Step 1 - Open the EU HCM Dev subaccount

In the cockpit, choose Directories.

Open Human Resources.

Select EU HCM Dev.

You should now be on the EU HCM Dev subaccount page.

Step 2 - Open Entitlements

In EU HCM Dev, choose Entitlements.

SAP Help confirms that service plans and quota assignments for a subaccount are configured in the Entitlements area.

Step 3 - Configure entitlements

Click Configure Entitlements or Add Service Plans.

Search for:

Cloud Foundry Runtime

In SAP Help, this appears as Cloud Foundry Runtime (APPLICATION\_RUNTIME), and the relevant plan for assigning runtime memory is MEMORY.

Step 4 - Select the MEMORY plan

Under Cloud Foundry Runtime, select:

MEMORY

Set the quantity to 1 if the cockpit shows an amount/quota field.

Add the plan to the subaccount.

Save the entitlement changes.

SAP documents that the MEMORY plan is specifically used to assign runtime memory quota to the subaccount, and that 1 unit corresponds to 1 GB of runtime memory when quota is adjusted or assigned.

Step 5 - Verify the result

After saving, check the Entitlements page of EU HCM Dev.

You should see:

Cloud Foundry Runtime

plan: MEMORY

quantity: 1 if shown

Final expected result

Inside EU HCM Dev:

Cloud Foundry Runtime is entitled

the service plan is MEMORY

the assigned amount is 1 if the cockpit displays quantity/quota units

Common mistakes to avoid

Doing this in the wrong subaccount; it must be EU HCM Dev

Choosing the wrong Cloud Foundry plan; the task asks for MEMORY

Forgetting to save the entitlement change after adding the plan

Confusing the runtime memory entitlement with the later step of actually enabling the Cloud Foundry environment; SAP distinguishes the MEMORY runtime quota from enabling the Cloud Foundry org itself.

## NEW QUESTION # 14

.....

If you are busying with your work or study, and have little time for preparation of your exam, our C\_ADBTP\_2601 questions and answers will be your best choice. With experienced experts to compile and verify, C\_ADBTP\_2601 exam dumps contain most of the knowledge points for the exam, and you just need to spend about 48 to 72 hours on study, you can pass the exam just one time. In addition, you can try free demo before buying C\_ADBTP\_2601 Materials, so that you can have a better understanding of what you are going to buy. You can get downloading link and password within ten minutes after payment, so that you can start your learning right away.

**C\_ADBTP\_2601 Study Plan:** [https://www.vce4dumps.com/C\\_ADBTP\\_2601-valid-torrent.html](https://www.vce4dumps.com/C_ADBTP_2601-valid-torrent.html)

If you prepare with Administrating SAP Business Technology Platform(C\_ADBTP\_2601) (C\_ADBTP\_2601) actual dumps, you will be fully prepared to pass the test on your first attempt, The third format is desktop C\_ADBTP\_2601 practice exam software that can be accessed easily after installing it on your Windows PC or Laptop, So our C\_ADBTP\_2601 actual test materials will increase your possibility of getting them dramatically, 100% Passing Guarantee With SAP C\_ADBTP\_2601 Exam.

That would, quite obviously, be bad, Printrobot puts its assembly instructions online, If you prepare with Administrating SAP Business Technology Platform(C\_ADBTP\_2601) (C\_ADBTP\_2601) actual dumps, you will be fully prepared to pass the test on your first attempt.

## Here's the Quick Way to Crack SAP C\_ADBTP\_2601 Certification Exam

The third format is desktop C\_ADBTP\_2601 practice exam software that can be accessed easily after installing it on your Windows PC or Laptop, So our C\_ADBTP\_2601 actual test materials will increase your possibility of getting them dramatically.

100% Passing Guarantee With SAP C\_ADBTP\_2601 Exam, About SAP Certified Associate Collaboration Exam.

- C\_ADBTP\_2601 Braindumps Torrent  Exam Discount C\_ADBTP\_2601 Voucher  C\_ADBTP\_2601 Exams Collection  Search for ▶ C\_ADBTP\_2601 ◀ and download it for free on ▶ [www.examdiscuss.com](http://www.examdiscuss.com) ◀ website  C\_ADBTP\_2601 New Guide Files
- Dump C\_ADBTP\_2601 File  Latest C\_ADBTP\_2601 Test Report  Practice C\_ADBTP\_2601 Exams  { [www.pdfvce.com](http://www.pdfvce.com) } is best website to obtain ➡ C\_ADBTP\_2601  for free download  Reliable C\_ADBTP\_2601 Braindumps
- New C\_ADBTP\_2601 Exam Guide  C\_ADBTP\_2601 Braindumps Torrent  C\_ADBTP\_2601 Practice Questions  Enter  [www.examcollectionpass.com](http://www.examcollectionpass.com)  and search for 【 C\_ADBTP\_2601 】 to download for free  C\_ADBTP\_2601 Braindumps Torrent
- C\_ADBTP\_2601 Practice Training - C\_ADBTP\_2601 Free Download - C\_ADBTP\_2601 Updated Torrent  Easily obtain free download of ➡ C\_ADBTP\_2601  by searching on  [www.pdfvce.com](http://www.pdfvce.com)  Vce C\_ADBTP\_2601 Torrent
- Pass Guaranteed Quiz SAP - Valid C\_ADBTP\_2601 Lead2pass  Search for ☀ C\_ADBTP\_2601 ☀  and download exam materials for free through “[www.prepawayete.com](http://www.prepawayete.com)”  C\_ADBTP\_2601 Braindumps Torrent
- New Release SAP C\_ADBTP\_2601 Dumps For Brilliant Exam Study 2026  Enter [ [www.pdfvce.com](http://www.pdfvce.com) ] and search for “C\_ADBTP\_2601 ” to download for free  Latest C\_ADBTP\_2601 Test Report
- Latest C\_ADBTP\_2601 Test Report  C\_ADBTP\_2601 Braindumps Torrent  New C\_ADBTP\_2601 Exam Guide   Search for ➡ C\_ADBTP\_2601  on { [www.practicevce.com](http://www.practicevce.com) } immediately to obtain a free download   Download C\_ADBTP\_2601 Demo
- Download C\_ADBTP\_2601 Demo  C\_ADBTP\_2601 PDF Guide  C\_ADBTP\_2601 PDF Guide  Search on ▶ [www.pdfvce.com](http://www.pdfvce.com) ◀ for ☀ C\_ADBTP\_2601 ☀  to obtain exam materials for free download  C\_ADBTP\_2601 Latest Exam Papers
- Dump C\_ADBTP\_2601 File  Exam Discount C\_ADBTP\_2601 Voucher  Latest C\_ADBTP\_2601 Test Report  Easily obtain ➡ C\_ADBTP\_2601  for free download through  [www.prepawaypdf.com](http://www.prepawaypdf.com)  C\_ADBTP\_2601 New Guide Files
- Pass Guaranteed Quiz SAP - Valid C\_ADBTP\_2601 Lead2pass  Open website ⇒ [www.pdfvce.com](http://www.pdfvce.com) ⇐ and search for ☀ C\_ADBTP\_2601 ☀  for free download  C\_ADBTP\_2601 PDF Guide

